

ONE SPINE, FIVE DATUMS, THREE FIELDS

A real heritage spine reconnects five east-west datums and three differentiated innovation fields.



ONE SPINE

Heritage + public innovation infrastructure

FIVE DATUMS

Five distinct cross-city stitching tasks

THREE FIELDS

Validation + co-creation + urban release

ONE SPINE, FIVE DATUMS, THREE FIELDS

A heritage innovation spine reconnecting universities, enterprises, neighborhoods, transit, and public life

Jing-Zhang New Datum | Real-Map Calibration v0.2

OSM context + provisional geometry + calibrated design foci | 2026-08-15



Three Calibration Findings That Determine the Plan

01: Dazhongs
The provisional key area is visibly displaced
Its center is about 2.2 km from mapped Dazhongs Station and cannot support detailed design.
Response: retain a compliance placeholder; establish a real-map focus at Third Ring-Dazhongs pending

02:
The provisional overall boundary does not align with announced road center
Repository checks indicate an eastward offset of about 533-898 m from four announced road center
Response: keep metrics provisional; anchor design to mapped streets, rail, and public space.

03:
The nine-kilometre corridor is not a uniform green belt
Park segments, works, rail, and streets create uneven continuity; ring roads and east-west streets
Response: organize five datums: Northern Gateway, Knowledge Co-Creation, AI Origin, Cross-Ring Stitch,

Plan DecisOne real bending heritage spine + five urban datums + three differentiated

Legend and Boundary Status
Inferred Jing-Zhang corridor
Repository provisional key
Real-map design foci
Provisional geometry ≠ Official Boundary

Context map: © OpenStreetMap contributors, ODbL 1.0; repository provisional geometry; proposal overlay by Jing-Zhang New Datum



CORE SPATIAL JUDGMENT

- SPINE
- The Jing-Zhang Railway Heritage Park becomes a north-south innovation public spine.
- DATUMS
- Five east-west links reconnect campuses, industry, communities, stations, and services.
- FIELDS
- Co-creation, daily-life, and controlled validation fields make AI public and governable.

THREE DIFFERENTIATED AREAS

- NORTH | Zhongzhiyuan
- Technology validation + governance
- CENTRAL | AI Origin
- Near-campus co-creation + transfer
- SOUTH | Dazhongs
- Intelligent economy + urban release

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN




MOBILITY, BLUE-GREEN, AND PUBLIC-SPACE SYSTEM

Complete walking, cycling, and accessible routes precede autonomous shuttles, robots, and event-day technology

Jing-Zhang New Datum | Real-Map Calibration v0.2

Context + provisional geometry + calibrated design foci | 2026-08-15



Three Calibration Findings That Determine the Plan

01: Dazhongs
The provisional key area is visibly displaced
Its center is about 2.2 km from mapped Dazhongs Station and cannot support detailed design.
Response: retain a compliance placeholder; establish a real-map focus at Third Ring-Dazhongs pending

02:
The provisional overall boundary does not align with announced road center
Repository checks indicate an eastward offset of about 533-898 m from four announced road center
Response: keep metrics provisional; anchor design to mapped streets, rail, and public space.

03:
The nine-kilometre corridor is not a uniform green belt
Park segments, works, rail, and streets create uneven continuity; ring roads and east-west streets
Response: organize five datums: Northern Gateway, Knowledge Co-Creation, AI Origin, Cross-Ring Stitch,

Plan DecisOne real bending heritage spine + five urban datums + three differentiated

Legend and Boundary Status
Inferred Jing-Zhang corridor
Repository provisional key
Real-map design foci
Provisional geometry ≠ Official Boundary

FIVE-LEVEL MOBILITY PRIORITY

- 01 Continuous walking
- Station-crossing-park-ground-floor accessible too
- 02 Cycling backbone
- Parking and interchange on five east-west datums
- 03 Public transit
- Rail and bus access before private vehicles
- 04 Low-speed AI mobility
- Limited time, route, and speed; human takeover
- 05 Vehicles and logistics
- Perimeter access, internal calming, timed delivery

BLUE-GREEN PUBLIC-SPACE RULES

- Continuous ecological paths along Qinghe and Xiaoyue River
- Classify ring-road and railway gaps by conflict type
- Separate active event fields from quiet residential edges
- Retain staffed help and non-smart access for every AI service

Conceptual mobility and blue-green design; road, bridge, utility, fire safety, and river-control conditions require professional confirmation

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN



METRICS, GEOMETRY, AND COMPLIANCE EVIDENCE CHAIN

Core values are recomputed from submitted geometry; statutory controls and operational performance remain separate

MODEL SITE AREA

11.41 km²

Low-confidence provisional model value

GREEN-SPACE RATIO

12.34%

green_space / site_boundary

PUBLIC-SPACE RATIO

7.33%

public_space / site_boundary

FOUR-LAYER EVIDENCE CHAIN

01 SOURCES
Official brief / taskbook / standards

02 SPACE
Nine GeoJSON layers + stable IDs

03 RECALCULATION
Areas / ratios / formulas / confidence

04 REVIEW
Task / standard / depth matrices

THREE CLAIM TYPES THAT MUST NOT BE OVERSTATED




STATUTORY CONTROLS
FAH, height, road boundaries, setbacks, and facility standards remain unknown without official data.

DDR AND CONSTRUCTION
No confirmed demolition list or delivery promise without ownership, survey, and engineering evidence.

OPERATIONAL PERFORMANCE
Talent, participation, and satisfaction are future evaluation metrics—not observed baseline facts.


Spatial and visual metric reviews pass; recalculate all precision-sensitive values when official boundary geometry is supplied

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN



PUBLIC LIFE, WEATHER, HERITAGE, AND FUTURE MOBILITY

Recovered visual evidence is organized by node and operating condition, not used as decorative imagery



FIVE DATUM NODES | PLAN-SECTION-SCENE COORDINATION

Recovered from v2.1; enlarge the five distinct spatial prototypes instead of compressing them into one generic diagram



K1 Validation Garden

Plan + section + scene + operation



K2 Knowledge Commons

Plan + section + scene + operation



K3 AI Origin Hall

Plan + section + scene + operation



K4 Resilient Ring Platform

Plan + section + scene + operation




K5 Urban Release Hub

Plan + section + scene + operation

CENTENNIAL JING-ZHANG AI INNOVATION BELT | JING-ZHANG NEW DATUM

ZHONGZHIYUAN | CONTROLLED VALIDATION COURT

Plan-section-scene-operation-metric-risk traceability



SPATIAL MOVE + TARGET


Separate public observation, controlled testing, and maintenance logistics; use the Qinghe ecological edge as an open boundary. TARGET: zero conflict between public and test routes

OPERATING CHAIN

Booking / safety review / test / debrief / exit



RISK + REVIEW

Public-hazard boundary; separated equipment logistics



ZHONGZHIYUAN | CONTROLLED TEST SECTION



Conceptual section, operating modes, takeover boundary, and professional review



CONCEPTUAL RECOMMENDED DIMENSIONS — NOT SURVEY OR ENGINEERING CONTROL			
SECTION INTENT Controlled test section on all-day public ground from existing conditions and urban fabric	DAILY Walking, cycling, strolling, smart mobility paths to people	RAIN / NIGHT Event, safety, shelter, safe return, and manual access	EVENT / TEST Emergency, safety, shelter, emergency stop, and safety

AI ORIGIN | OPEN PROBLEM HALL SECTION




Conceptual section, operating modes, takeover boundary, and professional review



CONCEPTUAL RECOMMENDED DIMENSIONS — NOT SURVEY OR ENGINEERING CONTROL			
SECTION INTENT Controlled test section on all-day public ground from existing conditions and urban fabric	DAILY Walking, cycling, strolling, smart mobility paths to people	RAIN / NIGHT Event, safety, shelter, safe return, and manual access	EVENT / TEST Emergency, safety, shelter, emergency stop, and safety

DAZHONGSI | TRUSTED RELEASE SECTION

Conceptual section, operating modes, takeover boundary, and professional review




CONCEPTUAL RECOMMENDED DIMENSIONS — NOT SURVEY OR ENGINEERING CONTROL			
SECTION INTENT Controlled test section on all-day public ground from existing conditions and urban fabric	DAILY Walking, cycling, strolling, smart mobility paths to people	RAIN / NIGHT Event, safety, shelter, safe return, and manual access	EVENT / TEST Emergency, safety, shelter, emergency stop, and safety

AI ECOSYSTEM AND KPI SYSTEM

Translate innovation from a company count into an ecosystem that space can host, people can experience, and governance can track. Five actor groups connect research, validation, co-creation and public release.


Talent and universities Labs, student studios and talent services anchor daily university-enterprise exchange.	Platforms and compute Shared compute, data sandboxes and model evaluation operate through scoped authorization.	Firms and services North validates, the middle co-creates, and the south releases and converts.
Outcome metrics Track prototypes, tests, public feedback and service transfer without invented investment claims.	Public value Measure accessibility, human-service retention, youth participation and community benefit.	Governance thresholds Every scenario has entry, review, pause, exit and data-minimization rules.



PUBLIC SERVICES AND NEW INFRASTRUCTURE

Infrastructure is organized with daily routes, public counters and staffed fallback rather than deployed as isolated equipment. Essential city services remain available when technology fails.


Talent services Transit-linked talent hubs combine short-term work, demo and daily-life support.	Resident services Keep human desks, paper routes and non-phone access; AI assists rather than decides.	Innovation services One interface links open challenges, matching, test booking and public display.
Integrated systems Edge compute, energy, communications, drainage and logistics align with street renewal.	Access first Continuous walking, rest points, clear wayfinding and human help precede device efficiency.	Resilient operation Power, weather or system failure triggers manual mode while emergency routes remain open.



HERITAGE, CULTURE AND URBAN CHARACTER

The Jing-Zhang railway is not decorative context. It is the spatial protagonist connecting engineering heritage, Zhongguancun innovation culture and a new public AI culture.



Heritage continuity Rail direction, station memory and industrial elements form a continuous walking narrative.	Innovation culture Testing, co-creation, demos and open review become visible everyday urban activity.	New AI culture Generative art, robot performance and trusted release support a new public festival.
Material and scale New structures are light, reversible and low-obstruction, respecting heritage primacy.	Day and night Learning by day, markets at dusk, quiet edges and safe lighting at night.	Unified identity Datum colors, numbers and contribution marks connect region, node and event.



RESILIENCE, PROJECTS AND DELIVERY

Six handover-ready projects define prerequisites, owners, phased outputs and stop conditions. Concept dimensions never substitute for statutory approval or engineering judgment.



Near-term pilots Begin with walking continuity, temporary events and low-risk services; build baselines.	Mid-term renewal Deliver open ground floors, cross-ring links, rain gardens and mixed public spaces.	Long-term governance Run an operating alliance, annual scenario plan and review with an exit option.
Responsibility Public coordination, platform operation, firms, communities and specialists have distinct roles.	Risk controls Heritage, fire, flood, traffic, structure and privacy each require professional review.	Delivery threshold Access, use, complaints, incidents and public value determine whether a pilot scales.



SIX PRINCIPLES FOR AN OPEN CITY

Competitiveness comes from openness, but also from exit, appeal and review. Six principles convert technological excitement into durable public trust.

Humans remain present High-risk judgment stays with professionals and residents can choose human service.	Explain algorithms Publish purpose, data scope, responsibility and limits; do not present model output as fact.	Minimum necessary data Collect only what the service needs and state retention, access and deletion rules.
Real safety boundaries Mobility, robot, health and education scenarios start in bounded trials.	Appeal and correction On-site, phone and online channels link intake, review and response.	Continuous learning Annual evaluation updates scenarios, space and rules; failed projects exit.



REGIONAL COLLABORATION AND OPEN NETWORK

The corridor is an urban interface linking Haidian AI resources with Beijing science cities and Jing-Jin-Ji application contexts. Exchange is functional, not an unverified administrative commitment.

Beiwei community Exchange community needs, daily services and small-scale trial feedback.	Future Science City Connect life science, energy and engineering through joint validation themes.	Huairou Science City Link major science facilities and frontier research with public communication.
Beijing E-Town Connect robotics, autonomous mobility and intelligent manufacturing transfer.	Jing-Jin-Ji network Share standards, tools, talent and application scenarios through open cooperation.	Collaboration boundary State data, approval, property and operating prerequisites for every interface.

