

ONE SPINE, FIVE DATUMS, THREE FIELDS

A real heritage spine reconnects five east-west datums and three differentiated innovation fields.



ONE SPINE

Heritage + public innovation infrastructure

FIVE DATUMS

Five distinct cross-city stitching tasks

THREE FIELDS

Validation + co-creation + urban release

ONE SPINE, FIVE DATUMS, THREE FIELDS

A real heritage spine reconnects five east-west datums and three differentiated innovation fields.



ONE SPINE

Heritage + public innovation infrastructure

FIVE DATUMS


Five distinct cross-city stitching tasks

THREE FIELDS

Validation + co-creation + urban release

ONE SPINE, FIVE DATUMS, THREE FIELDS

A heritage innovation spine reconnecting universities, enterprises, neighborhoods, transit, and public life



CORE SPATIAL JUDGMENT



- SPINE** The Jing-Zhang Railway Heritage Park becomes a north-south innovation public spine.
- DATUMS** Five east-west links reconnect campuses, industry, communities, stations, and services.
- FIELDS** Co-creation, daily-life, and controlled validation fields make AI public and governable.

THREE DIFFERENTIATED AREAS

- NORTH | Zhongzhiyuan** Technology validation + governance
- CENTRAL | AI Origin** Near-campus co-creation + transfer
- SOUTH | Dazhongsi** Intelligent economy + urban release


Context map: © OpenStreetMap contributors, ODbL 1.0; repository provisional geometry; proposal overlay by Jing-Zhang New Datum

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN



INTEGRATED LAND USE, FORM, AND INNOVATION

Urban form follows the innovation stage rather than repeating one generic technology-park model.



OPEN VALIDATION CAMPUS

Controlled test courts, ecological edge, separated public and logistics routes.

NEAR-CAMPUS CO-CREATION STREET

Fine-grain walking, shared ground floors, affordable collaboration, and safe night return.

URBAN RELEASE QUARTER


Station quadrants, heritage square, trial frontage, training, maintenance, and daily life.

CONTROL LIMIT

FAR, height, road boundary, ownership, demolition, utilities, and engineering remain unknown until official data and professional review.

MOBILITY, BLUE-GREEN, AND PUBLIC-SPACE SYSTEM

Complete walking, cycling, and accessible routes precede autonomous shuttles, robots, and event-day technology



FIVE-LEVEL MOBILITY PRIORITY

- 01

Continuous walking

Station-crossing-park-ground-floor accessible loop
- 02

Cycling backbone

Parking and interchange on five east-west datums
- 03

Public transit

Rail and bus access before private vehicles
- 04

Low-speed AI mobility

Limited time, route, and speed; human takeover
- 05

Vehicles and logistics

Perimeter access, internal calming, timed delivery

BLUE-GREEN PUBLIC-SPACE RULES

- Continuous ecological paths along Qinghe and Xiaoyue River
- Classify ring-road and railway gaps by conflict type
- Separate active event fields from quiet residential edges
- Retain staffed help and non-smart access for every AI service

Conceptual mobility and blue-green design; road, bridge, utility, fire-safety, and river-control conditions require professional confirmation

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN



METRICS, GEOMETRY, AND COMPLIANCE EVIDENCE CHAIN

Core values are recomputed from submitted geometry; statutory controls and operational performance remain separate

MODEL SITE AREA

11.41 km²

Low-confidence provisional model value

GREEN-SPACE RATIO

12.34%


green_space / site_boundary

PUBLIC-SPACE RATIO

7.33%

public_space / site_boundary

FOUR-LAYER EVIDENCE CHAIN



THREE CLAIM TYPES THAT MUST NOT BE OVERSTATED

STATUTORY CONTROLS

FAR, height, road boundaries, setbacks, and facility standards remain unknown without official data.

DRR AND CONSTRUCTION




No confirmed demolition list or delivery promise without ownership, survey, and engineering evidence.

OPERATIONAL PERFORMANCE

Talent, participation, and satisfaction are future evaluation metrics—not observed baseline facts.

Spatial and visual metric reviews pass; recalculate all precision-sensitive values when official boundary geometry is supplied

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN



-Zhang New Datum | Real-Map Calibration v0.2

Context + provisional geometry + calibrated design foci | 2026-08-15

Legend and Boundaries

- Inferred Jing-Zhan
- Repository provisional
- Real-map design foci
- Provisional geometry ≠ Official

OpenStreetMap contributors, ODbL 1.0; repository provisional boundaries. Design foci and five datums remain proposal judgments pending official geometry, survey, and professional review.

-Zhang New Datum | Real-Map Calibration v0.2

Context + provisional geometry + calibrated design foci | 2026-08-15

Three Calibration Findings That Determine the Plan

- 01** **Dazhongsi** The provisional key area is visibly displaced
Its center is about 2.2 km from mapped Dazhongsi Station and cannot support detailed design.
Response: retain a compliance placeholder; establish a real-map focus at Third Ring-Dazhongsi
- 02** The provisional overall boundary does not align with announced repository
Repository checks indicate an eastward offset of about 533-898 m from four announced repository boundaries.
Response: keep metrics provisional; anchor design to mapped streets, rail, and public space.
- 03** The nine-kilometre corridor is not a uniform green belt
Park segments, works, rail, and streets create uneven continuity; ring roads and east-west roads create uneven continuity.
Response: organize five datums: Northern Gateway, Knowledge Co-Creation, AI Origin, Cross-Ring Road, and Dazhongsi

Plan Decision One real bending heritage spine + five urban datums + three green belts

-Zhang New Datum | Real-Map Calibration v0.2

Context + provisional geometry + calibrated design foci | 2026-08-15

Three Calibration Findings That Determine the Plan

- 01** **Dazhongsi** The provisional key area is visibly displaced
Its center is about 2.2 km from mapped Dazhongsi Station and cannot support detailed design.
Response: retain a compliance placeholder; establish a real-map focus at Third Ring-Dazhongsi
- 02** The provisional overall boundary does not align with announced repository
Repository checks indicate an eastward offset of about 533-898 m from four announced repository boundaries.
Response: keep metrics provisional; anchor design to mapped streets, rail, and public space.
- 03** The nine-kilometre corridor is not a uniform green belt
Park segments, works, rail, and streets create uneven continuity; ring roads and east-west roads create uneven continuity.
Response: organize five datums: Northern Gateway, Knowledge Co-Creation, AI Origin, Cross-Ring Road, and Dazhongsi


Plan Decision One real bending heritage spine + five urban datums + three green belts

Station four-quadrant access + international release hall + intelligent urban consumption + controlled event operation.

PROVISIONAL CONSTRAINT $\neq$ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN

PUBLIC LIFE, WEATHER, HERITAGE, AND FUTURE MOBILITY

Recovered visual evidence is organized by node and operating condition, not used as decorative imagery



FIVE DATUM NODES | PLAN-SECTION-SCENE COORDINATION

Recovered from v2.1; enlarge the five distinct spatial prototypes instead of compressing them into one generic diagram



K1 Validation Garden

Plan + section + scene + operation



K2 Knowledge Commons

Plan + section + scene + operation



K3 AI Origin Hall

Plan + section + scene + operation



K4 Resilient Ring Platform

Plan + section + scene + operation




K5 Urban Release Hub

Plan + section + scene + operation

ZHONGZHIYUAN | CONTROLLED VALIDATION COURT

Plan-section-scene-operation-metric-risk traceability



SPATIAL MOVE + TARGET


Separate public observation, controlled testing, and maintenance logistics; use the Qinghe ecological edge as an open boundary.
TARGET: zero conflict between public and test routes

OPERATING CHAIN

Booking / safety review / test / debrief / exit

RISK + REVIEW

Public-hazard boundary; separated equipment logistics



ZHONGZHIYUAN | CONTROLLED VALIDATION COURT

Plan-section-scene-operation-metric-risk traceability



SPATIAL MOVE + TARGET


Separate public observation, controlled testing, and maintenance logistics; use the Qinghe ecological edge as an open boundary.
TARGET: zero conflict between public and test routes

OPERATING CHAIN

Booking / safety review / test / debrief / exit



RISK + REVIEW

Public-hazard boundary; separated equipment logistics



ZHONGZHIYUAN | CONTROLLED TEST SECTION

Conceptual section, operating modes, takeover boundary, and professional review




≥4m ≥3m 6-10m 8-16m 3-4m variable			
CONCEPTUAL RECOMMENDED DIMENSIONS — NOT SURVEY OR ENGINEERING CONTROL			
SECTION INTENT Separate public observation from hazardous tests; equipment logistics never crosses the public walking loop.	DAILY Walking, cycling, staffed service; smart mobility yields to people.	RAIN / NIGHT Shelter, lighting, drainage, safe return, and manual assistance.	EVENT / TEST Timed access, steward, geofence, emergency stop, and recovery.

LIUDAOKOU | KNOWLEDGE CO-CREATION STREET

Plan-section-scene-operation-metric-risk traceability

CONCEPT PLAN



SPATIAL MOVE + TARGET


Stitch campus, community, and R&D parks through shared ground floors, continuous walking, and affordable collaboration. TARGET: cross-datum knowledge links within a 10-minute walk

OPERATING CHAIN

Open class / collaboration / transfer / safe night return

RISK + REVIEW

Campus management, public access, and night safety



LIUDAOKOU | KNOWLEDGE CO-CREATION STREET

Plan-section-scene-operation-metric-risk traceability



SPATIAL MOVE + TARGET


Stitch campus, community, and R&D parks through shared ground floors, continuous walking, and affordable collaboration. TARGET: cross-datum knowledge links within a 10-minute walk

OPERATING CHAIN

Open class / collaboration / transfer / safe night return



RISK + REVIEW

Campus management, public access, and night safety



LIUDAOKOU | KNOWLEDGE CO-CREATION SECTION

Conceptual section, operating modes, takeover boundary, and professional review




≥4m ≥3m 6-10m 8-16m 3-4m variable			
CONCEPTUAL RECOMMENDED DIMENSIONS — NOT SURVEY OR ENGINEERING CONTROL			
SECTION INTENT Continuous shelter, shared ground floors, and cycle access form a low-threshold knowledge street.	DAILY Walking, cycling, staffed service; smart mobility yields to people.	RAIN / NIGHT Shelter, lighting, drainage, safe return, and manual assistance.	EVENT / TEST Timed access, steward, geofence, emergency stop, and recovery.

AI ORIGIN | PUBLIC PROBLEM HALL

Plan-section-scene-operation-metric-risk traceability

CONCEPT PLAN



SPATIAL MOVE + TARGET


Let urban questions enter innovation first; the open ground floor combines co-creation, staffed service, children, and civic life.
TARGET: staffed alternative retained for every critical service

OPERATING CHAIN

Question / human facilitation / pilot / public feedback

RISK + REVIEW

Privacy, bias, appeal, and final human judgment



AI ORIGIN | PUBLIC PROBLEM HALL

Plan-section-scene-operation-metric-risk traceability



SPATIAL MOVE + TARGET


Let urban questions enter innovation first; the open ground floor combines co-creation, staffed service, children, and civic life.
TARGET: staffed alternative retained for every critical service

OPERATING CHAIN

Question / human facilitation / pilot / public feedback




RISK + REVIEW

Privacy, bias, appeal, and final human judgment



AI ORIGIN | OPEN PROBLEM HALL SECTION


Conceptual section, operating modes, takeover boundary, and professional review



ZHICHUN ROAD | RESILIENT CROSS-RING PLATFORM

Plan-section-scene-operation-metric-risk traceability

CONCEPT PLAN



SPATIAL MOVE + TARGET


Combine underpass, ramps, interchange, shelter, and rain gardens into an all-weather accessible public platform. TARGET: 100% continuous step-free route

OPERATING CHAIN

Interchange / shelter / walking / shuttle / takeover

RISK + REVIEW

Structure, fire, drainage, traffic, and accessibility



ZHICHUN ROAD | RESILIENT CROSS-RING PLATFORM

Plan-section-scene-operation-metric-risk traceability



SPATIAL MOVE + TARGET


Combine underpass, ramps, interchange, shelter, and rain gardens into an all-weather accessible public platform. TARGET: 100% continuous step-free route

OPERATING CHAIN

Interchange / shelter / walking / shuttle / takeover



RISK + REVIEW

Structure, fire, drainage, traffic, and accessibility



ZHICHUN ROAD | RESILIENT CROSS-RING SECTION

Conceptual section, operating modes, takeover boundary, and professional review




≥4m ≥3m 6-10m 8-16m 3-4m variable			
CONCEPTUAL RECOMMENDED DIMENSIONS — NOT SURVEY OR ENGINEERING CONTROL			
SECTION INTENT Elevated ramps, underpass space, and rain gardens create an all-weather accessible stitch.	DAILY Walking, cycling, staffed service; smart mobility yields to people.	RAIN / NIGHT Shelter, lighting, drainage, safe return, and manual assistance.	EVENT / TEST Timed access, steward, geofence, emergency stop, and recovery.

DAZHONGSI | TRUSTED URBAN RELEASE HUB

Plan-section-scene-operation-metric-risk traceability

CONCEPT PLAN



SPATIAL MOVE + TARGET


Connect four station quadrants; make product, evidence, failure, training, procurement, and maintenance a reversible adoption path.
TARGET: every real-adoption project has a withdrawal path

OPERATING CHAIN

Trial / comparison / procurement / training / maintenance / withdrawal

RISK + REVIEW

Marketing claims, procurement liability, failure disclosure, maintenance



DAZHONGSI | TRUSTED URBAN RELEASE HUB

Plan-section-scene-operation-metric-risk traceability



SPATIAL MOVE + TARGET


Connect four station quadrants; make product, evidence, failure, training, procurement, and maintenance a reversible adoption path.
TARGET: every real-adoption project has a withdrawal path

OPERATING CHAIN

Trial / comparison / procurement / training / maintenance / withdrawal



RISK + REVIEW

Marketing claims, procurement liability, failure disclosure, maintenance



DAZHONGSI | TRUSTED RELEASE SECTION

Conceptual section, operating modes, takeover boundary, and professional review



CONCEPTUAL RECOMMENDED DIMENSIONS — NOT SURVEY OR ENGINEERING CONTROL

SECTION INTENT

Transit arrival, heritage square, trial frontage, and everyday community use remain switchable.

DAILY

Walking, cycling, staffed service; smart mobility yields to people.

RAIN / NIGHT

Shelter, lighting, drainage, safe return, and manual assistance.

EVENT / TEST

Timed access, steward, geofence, emergency stop, and recovery.

AI ECOSYSTEM AND KPI SYSTEM

Translate innovation from a company count into an ecosystem that space can host, people can experience, and governance can track. Five actor groups connect research, validation, co-creation and public release.

Talent and universities

Labs, student studios and talent services anchor daily university-enterprise exchange.

Platforms and compute

Shared compute, data sandboxes and model evaluation operate through scoped authorization.

Firms and services

North validates, the middle co-creates, and the south releases and converts.

Outcome metrics



Track prototypes, tests, public feedback and service transfer without invented investment claims.

Public value

Measure accessibility, human-service retention, youth participation and community benefit.

Governance thresholds

Every scenario has entry, review, pause, exit and data-minimization rules.



PUBLIC SERVICES AND NEW INFRASTRUCTURE

Infrastructure is organized with daily routes, public counters and staffed fallback rather than deployed as isolated equipment. Essential city services remain available when technology fails.

Talent services

Transit-linked talent hubs combine short-term work, demo and daily-life support.

Resident services

Keep human desks, paper routes and non-phone access; AI assists rather than decides.

Innovation services

One interface links open challenges, matching, test booking and public display.

Integrated systems

Edge compute, energy, communications, drainage and logistics align with street renewal.

Access first

Continuous walking, rest points, clear wayfinding and human help precede device efficiency.

Resilient operation

Power, weather or system failure triggers manual mode while emergency routes remain open.



HERITAGE, CULTURE AND URBAN CHARACTER

The Jing-Zhang railway is not decorative context. It is the spatial protagonist connecting engineering heritage, Zhongguancun innovation culture and a new public AI culture.

Heritage continuity

Rail direction, station memory and industrial elements form a continuous walking narrative.

Innovation culture

Testing, co-creation, demos and open review become visible everyday urban activity.

New AI culture

Generative art, robot performance and trusted release support a new public festival.

Material and scale

New structures are light, reversible and low-obstruction, respecting heritage primacy.

Day and night

Learning by day, markets at dusk, quiet edges and safe lighting at night.

Unified identity

Datum colors, numbers and contribution marks connect region, node and event.



RESILIENCE, PROJECTS AND DELIVERY

Six handover-ready projects define prerequisites, owners, phased outputs and stop conditions. Concept dimensions never substitute for statutory approval or engineering judgment.

Near-term pilots

Begin with walking continuity, temporary events and low-risk services; build baselines.

Mid-term renewal

Deliver open ground floors, cross-ring links, rain gardens and mixed public spaces.

Long-term governance

Run an operating alliance, annual scenario plan and review with an exit option.

Responsibility


Public coordination, platform operation, firms, communities and specialists have distinct roles.

Risk controls

Heritage, fire, flood, traffic, structure and privacy each require professional review.

Delivery threshold

Access, use, complaints, incidents and public value determine whether a pilot scales.



SIX PRINCIPLES FOR AN OPEN CITY

Competitiveness comes from openness, but also from exit, appeal and review. Six principles convert technological excitement into durable public trust.

Humans remain present

High-risk judgment stays with professionals and residents can choose human service.

Explain algorithms

Publish purpose, data scope, responsibility and limits; do not present model output as fact.

Minimum necessary data

Collect only what the service needs and state retention, access and deletion rules.

Real safety boundaries


Mobility, robot, health and education scenarios start in bounded trials.

Appeal and correction

On-site, phone and online channels link intake, review and response.

Continuous learning

Annual evaluation updates scenarios, space and rules; failed projects exit.



REGIONAL COLLABORATION AND OPEN NETWORK

The corridor is an urban interface linking Haidian AI resources with Beijing science cities and Jing-Jin-Ji application contexts. Exchange is functional, not an unverified administrative commitment.

Beiwei community

Exchange community needs, daily services and small-scale trial feedback.

Future Science City

Connect life science, energy and engineering through joint validation themes.

Huairou Science City

Link major science facilities and frontier research with public communication.

Beijing E-Town

Connect robotics, autonomous mobility and intelligent manufacturing transfer.

Jing-Jin-Ji network

Share standards, tools, talent and application scenarios through open cooperation.

Collaboration boundary

State data, approval, property and operating prerequisites for every interface.

