



OVERALL URBAN DESIGN • ONE PUBLIC BASELINE, THREE RECEIPT LANDMARKS

OVERALL URBAN DESIGN • AN UNBROKEN PUBLIC BASELINE LINKS THREE RECEIPT LANDMARKS

Open urban fabric is low-contrast context; the spine, stations, wings and six stitches carry the design judgement



THREE SPATIAL TYPES



- ✓ **ONE SPINE**
mobility, blue-green, staffed service
- ✓ **SIX STITCHES**
east-west public interfaces, not redlines
- ✓ **TWO WINGS**
tech service + civic problem exchange

3 OPTIONS • 1 REJECTION

- ALT-A • REJECT**
 - ALT-B • REVISE**
 - ALT-C • ADVANCE**
- geometry audit • not field performance

Map data © OpenStreetMap contributors · ODbl · 2026-08-13 · provisional boundary and design assumptions pending official base, survey and professional review


THREE SPATIAL OPTIONS • ONE PUBLIC REJECTION, ONE REVIEWABLE SELECTION

ONE REAL SPATIAL DECISION • SAME TASK, USERS AND SITE; OUTCOME IS NOT PREWRITTEN

21 hard-gate evaluations test public route, access, fire, retirement and staffed E-stops before occupation and reversibility

ALT-A • Central mixed bay


Places the trial in the public-cross centre, shortening equipment runs at the cost of public conflict.



REJECT
Reject: 6 hard gates fail, so the baseline cannot operate independently.

ALT-B • Split trial bays


Two bays clear the public cross, but split supervision, fire observation and retirement into two systems.



REVISE
Revise: hard gates pass, but 3 supervision and retirement fragmentation issues remain.


ALT-C • One-sided reversible bay

Keeps the public cross intact and concentrates trial, staff, E-stops and retirement on the south-east side.



ADVANCE
Advance: every hard gate passes and the public cross, fire access and retirement remain independent.

ALT-C • 1:500 ASSEMBLABLE PROTOTYPE • PUBLIC CROSS STAYS; AI ENTERS SOUTH-EAST ONLY



LOCATABLE WITHOUT LEGEND

- B01 PUBLIC CROSS
- A01 ONE-SIDE BAY
- E02 STAFF + DUAL E-STOP
- FIRE FIRE ACCESS
- RETIRE INDEPENDENT RETIREMENT

AUDIT OUTPUT
ADVANCE
372m • same route length
2,496m² • trial
3,840m² • reversible buffer
24.3m • furthest E-stop—staff
prototype assumptions pending survey

DECISION IS NOT AN AESTHETIC VOTE • DRAWINGS FOLLOW THE CALCULATION

ALT-A

6 hard gates fail

13.9% route detour

ALT-B

0 hard fails, 3 revisions

94.9m supervision span


ALT-C

0 hard fails, sole advance

24.3m furthest E-stop—staff

geometry_based_design_audit - LOCAL ENU - input 3c4c46bf8dc2b03... - not proof of field safety, transport or public acceptance

1:200 SECTION + 1:50 NODE • TRIAL EQUIPMENT NEVER NARROWS THE PUBLIC ROUTE



Prototype dimensions, accessibility, fire, utilities and equipment interfaces require professional review against formal survey.

MEASURABLE TWO ANSWERS • TWELVE FIELD CONTRACTS, SIX PUBLIC-VALUE MEASURES

TWELVE EXECUTABLE MEASUREMENT CONTRACTS • DEFINE THE DENOMINATOR BEFORE AI BENEFIT

same task • same users • same space • stratified comparison • missing ≠ success • human decision

SCENE	DENOMINATOR / BASELINE	PRIMARY MEASURE
T1 • MODEL REPRODUCTION	3 models × 3 reruns	completion Δ + human minFIELD 0
T2 • ROBOT PASSAGE	100 passages / mode	events/100 + parityFIELD 0
T3 • EDGE DEGRADATION	30 tasks × 3 states + 7d	completion + resource/taskFIELD 0
S1 • ENTERPRISE TRIAGE	100 requests / mode	complete / misroute / staffFIELD 0
S2 • INTERNATIONAL ARRIVAL	100 arrivals / mode	complete / parity / interventionFIELD 0
S3 • CIVIC WORKSHOP	20 workshops	verified links / unresolvedFIELD 0
S4 • HERITAGE GUIDE	100 items + all disputes	source / access / correctionFIELD 0
S5 • ACCESSIBLE ROUTING	10 routes × 3 needs × day/night	complete / parity / interventionFIELD 0
S6 • CLIMATE SERVICE	3 weather classes × ≥30 node-h	correct arrival / resourceFIELD 0
S7 • TRANSIT FEEDER	100 passages / mode + 7d	complete / conflict / recoveryFIELD 0
S8 • PUBLIC SERVICE DESK	100 requests / mode	complete / parity / handoffFIELD 0
S9 • EVENT FLOW	all trials / ≥3 scales	egress / intervention / grievanceFIELD 0

All field rates, resources, cost, satisfaction and recovery time are unknown / not_field_run; 84 synthetic tests only verify reproducible rules.

SIX PUBLIC-VALUE MEASURES

TASK COMPLETION

completed same-task / all eligible

ACCESSIBILITY PARITY

maximum completion gap across assistance strata

SAFETY

events per 100 tasks; severe events zero-tolerance

HUMAN INTERVENTION

tasks needing human takeover / all tasks

RESOURCE / TASK

metered resource / completed task

GRIEVANCE → RECOVERY

clock from accepted grievance/stop to restored baseline

12 / 12 CONTRACTS • 0 RESULTS

non-safety thresholds pending baseline committee