

FROM SPATIAL EVIDENCE TO MIXED-USE PROGRAMMING AND ACCEPTANCE


Overall evidence + six mixed-use functions + conditions-design-impact-acceptance chain

V2 / EVIDENCE → SPATIAL RESPONSE

Jingzhang AI Innovation Belt: Evidence-led Spatial Structure

One evidence base links the 100 m grid, walk network, provisional key areas, robust opportunity and V2 concept geometry

CONCEPT PROPOSAL · PROVISIONAL WORKING BOUNDARY · NOT AN OFFICIAL REDLINE · NOT A BUILT SCENE



Sources: WorldPop 2025 modelled population; OSM 2026-08-24; five-date summer 2026. Sentinel-2 composite; official Haidian facility cross-check; V2 v0.4 5,000-draw sensitivity. Provisional boundaries and concept design are not statutory redlines.

11.413 km²

provisional overall-design working base

19.3 万

2025 WorldPop modelled population, not census

17.9%

population lacking ≥1 measured service

61.9%

V2 consensus 12-node coverage of gap1 population

99.9%

CORRIDOR-04 probability of ranking in top 20%


DESIGN JUDGEMENT

Repair Dazhongsi connectivity first: focus AI Origin on talent/family/health support; tie Zhongzhiyuan testing to everyday-service completion. Orange geometry remains subject to field verification.

02 / MIXED-USE SPINE

Six Mixed-Use Functions Grow Along One Spine

Innovation, work, talent living, public services, commerce and green ecology interweave within one linear corridor - not six isolated zoning blocks.



Conceptual program mix for design comparison; subject to statutory land-use controls, tenure, building surveys and implementation-stage verification.

05 / EVIDENCE CONTRACT

From Evidence to Design, Impact and Acceptance


The metrics page connects observed/model-estimated conditions to spatial response, expected impact and explicit verification - rather than stacking KPI cards.

OBSERVED / MODEL-ESTIMATED

WorldPop model population · OSM walking network · Sentinel-2 green proxy · official identity/address cross-check

DESIGN RESPONSE

Consensus nodes · pilot corridor lead candidate · key moves · reversible public-service modules



SAME 12-NODE SCENARIO / MODELLED COVERAGE

TOTAL POPULATION V1 55.0% V2 CONSENSUS 57.6% same node count

All values are modelled/design-stage evidence, not built outcomes. Official geometry, statutory controls, tenure, utilities and field surveys remain implementation prerequisites.

DESIGN THE BELT: Let Evidence Change Key Areas, Nodes and the Pilot

8 retained + 4 consensus replacements; CORRIDOR-04 lead; different first move in each key area

03 / THREE URBAN CASES

THREE KEY AREAS, THREE DIFFERENT FIRST MOVES

Population-weighted mobility, health and service gaps define three distinct first-stage spatial prototypes.

ZHONGZHIYUAN

01

VALIDATION + EVERYDAY-SERVICE COMPLETION



FIRST-STAGE PROJECT

The ~1.5 ha test field is a research hypothesis and must be checked together with real everyday-service deficits.

Concept visualization / not factual evidence

AI ORIGIN COMMUNITY

02

SHARED GROUND FLOOR: TALENT / FAMILY / HEALTH



FIRST-STAGE PROJECT

Mobility is comparatively mature; prioritize learning, talent/family support and health referral.

Concept visualization / not factual evidence

DAZHONGSI

03

STATION-CITY CONNECTIVITY FIRST



FIRST-STAGE PROJECT

Low rail access, high service gaps and the largest detour proxy put walking/cycling connectivity first.

Concept visualization / not factual evidence

Key-area polygons remain provisional; formal redlines, tenure, rail safety, fire/accessibility and field survey can trigger revision.

V5 / THREE SYSTEMS, ONE SPINE

Mobility + Blue-Green + Climate: One Continuous Concept Infrastructure Spine

CORRIDOR-04 is only the first 1 km window; the actual design object is the continuous walking, cycling, shade, stormwater and public-stay system.



05 / EVIDENCE CONTRACT

From Evidence to Design, Impact and Acceptance

The metrics page connects observed/model-estimated conditions to spatial response, expected impact and explicit verification - rather than stacking KPI cards.

OBSERVED / MODEL-ESTIMATED


WorldPop model population · OSM walking network · Sentinel-2 green proxy · official identity/address cross-check

DESIGN RESPONSE

Consensus nodes · pilot corridor lead candidate · key moves · reversible public-service modules



SAME 12-NODE SCENARIO / MODELLED COVERAGE



All values are modelled/design-stage evidence, not built outcomes. Official geometry, statutory controls, tenure, utilities and field surveys remain implementation prerequisites.

MAKE IT WORK: Turn Concept Design into Reviewable, Reversible Packages

320 m² node modules + 1 km pilot + 0-24 month delivery + AI governance loop

10 / SERVICE NODE GUIDE

Public-service Node Delivery and Operations Guide

A 320 m² prototype defines site, program, staffing, utilities, acceptance and exit requirements



NODE AXONOMETRIC INTENT | 20 m × 16 m | continuous accessible loop

NODE DELIVERY + OPERATIONS

210-400 m² program range | 320 m² prototype

01

FOOTPRINT

320 m²

20 m × 16 m prototype with demountable components
ACCEPT site and built-area check

02

HUMAN SERVICE

24–36 m²

counter, waiting, storage and staffed position
ACCEPT hours and staffing roster

03

MICROCLIMATE

≥70%

continuous shade across principal stay areas
ACCEPT summer solar study + field audit

04

RESPONSE

60 s / 24 h

human acknowledgement and routine fault logging
ACCEPT monthly response + work-order log

HANDOVER + EXIT MANAGEMENT

- joint utilities, fire access and site permit review
- facility list, duty register and monthly inspection record
- remove equipment if operations lapses retain basic civic amenities

spatial.joon · implementation-operation-contract.joon · generated service-node-axonometric.jpg

node delivery integrates utilities, fire review, accessibility and operating maintenance

10

09 / TYPICAL SECTION

Typical-section Controls for the Jingzhang Pilot

A 12-m typical section addresses walking gaps, mixed traffic, limited rest and stormwater drainage



PILOT DELIVERY VIEW | accessible walk + rain garden + two-way cycling + human service

SECTION CONTROLS + ACCEPTANCE

12.0 m total | four continuous functional bands

01

WALKING

≥3.0 m

continuous clear width, tactile and kerb-ramp links
ACCEPT field width survey

02

STORMWATER

≥2.5 m

complete inflow, overflow and drainage route
ACCEPT hydraulic check + flow test

03

CYCLING

≥4.0 m

two-way operation with speed control at crossings
ACCEPT marking width + conflict review

04

SERVICE EDGE

≥2.5 m

seating, shade and staffed wayfinding
ACCEPT facility list + access audit

DELIVERY INTERFACES

- coordinate rail protection and maintenance access
- integrate street links, utilities and existing trees
- retain physical wayfinding and human service during outages

spatial.joon · generated corridor-section.jpg · Beijing walk/cycle standards


section dimensions are developed with rail safety, street limits, utilities and existing trees

09

13 / PHASED DELIVERY

Phased Delivery Plan and Annual Evaluation

Complete 90-day preparation, then advance six projects by readiness with monthly scheduling and annual evaluation
PROPOSED 0-24 MONTH DELIVERY WINDOW



DO-15 base map/tenure | D16-45 survey/costing | D46-75 drills | D86-90 action decision

implementation-operation-contract.joon · user-cohort-plan.joon

delivery sequencing is updated with boundaries, tenure, specialist review and funding

13

06 / SERVICE MANAGEMENT

Project Review Requirements for Public AI Services

Review accountable owner, human service, data use-stop authority, complaints and annual evaluation for twelve proposed services

12

PROPOSED SERVICES

8

REVIEW CONDITIONS

4

EARLY TRIAL SERVICES

5

MANAGEMENT STAGES

TWELVE PROPOSED SERVICES

SERVICE | LOCATION | OWNERS | FIRST | STARTED ROUTE

S01	AI literacy room	Daxingmen · named operating body	S02	Multilingual Jing-Zhang guide	central · named operating body
S03	Youth urban issues studio	AI Origin · named operating body	S04	Learning and career support	AI Origin · named operating body
S05	Intergenerational digital service desk	senior residents · named operating body	S06	Accessible-route co-mapping	senior · named operating body
S07	Child-safe dialogue evaluation	Zhongguoyuan · named operating body	S08	Low-speed robot route test	Zhongguoyuan · named operating body
S09	Privacy-preserving learning tool test	AI Origin · named operating body	S10	Edge offline and energy test	Zhongguoyuan · named operating body
S11	Facility maintenance training	Zhongguoyuan · named operating body	S12	AI service notice and public feedback	3 districts · named operating body

APPLICATION REVIEW

- owner + funding
- staffed or physical route
- necessary data + retention
- personal-data protection
- fault switching + emergency
- stop + termination authority
- fees, status + complaint notice
- records + annual review

APPLICATION

JOINT REVIEW

TRIAL OPERATION

HANDOVER

ANNUAL REVIEW

project brief

review options

action list

handover record

adjustment list

growth-runbook.joon · implementation-operation-contract.joon

review records feed project initiation, trial operation, handover and annual review

06

Scenario impacts are not built-performance commitments; annual review and re-selection triggers remain explicit

CULTURE, GOVERNANCE & OPERATIONS Support Long-term Urban Life

Competition tasks remain complete but are separated from existing-condition spatial evidence

14 / PUBLIC IDENTITY

Public-space Identity and Wayfinding Guidelines

A three-level system coordinates corridor gateways, direction signs and service confirmation



HIERARCHY + APPLICATION

A continuous, legible and all-age public information system

L1 | CORRIDOR GATEWAY

All district entrances and station-city interfaces; show identity and overall direction

L2 | DIRECTION SIGN

At major decision, show destination, distance, accessible route and street change

L3 | SERVICE CONFIRMATION

All service nodes; show hours, human scale, data and feedback route

INFORMATION + MAINTENANCE

Separate project identity from government entities and maintain a clear information boundary

Every AI service point includes a human service sign and non-digital access instructions

Card marks day, service space and stop information; may not carry report notice messages

Inspect monthly (create and publish a notice-lead work order within 12 hours)

12

public identity is designed, installed and maintained through the delivery program

14

17 / CULTURE + LANDMARKS

Cultural Narrative, Civic Landmarks and Recognition

Three narratives become everyday civic facilities; contributions receive annual review

THREE CIVIC NARRATIVES

INDEPENDENT ENGINEERING

1909—1949

Rail engineering, survey and construction archive

OPEN INNOVATION

1980—2025

Zhongguancun research, open source and transfer

CIVIC INTELLIGENCE

2026—

Rights, duties and rules for AI public service

THREE CIVIC LANDMARKS

L-01

ORIGIN MILESTONE COURT

AI Origin Community

1909 / 1980 / 2026 archive and courses

1 oral history set + 1 course / year

L-02

OPEN MODEL GALLERY

Zhongguancun

Models, methods, failure cases and stop records

20 validation records / year

L-03

CIVIC GOVERNANCE SIGNAL TOWER

Daxuegong Public Hall

Use status for twelve public AI services

five status + annual public report

OPEN CONTRIBUTION ARCHIVE

problem discovery

open tools + data

safety + accessibility

long-term maintenance

AWARD RULE

Public output, co-authorship and verifiable record; sponsorship alone does not qualify

culture-landmark-system-jian - brand-system-jian

landmarks combine access, rest, learning, wayfinding and staffed service

17

07 / INCLUSIVE SERVICES

Priority-user Needs and Project Rectification List

Complete priority user walk-throughs before initiation and record issues, rectification duties and responses

REGISTERED USER ISSUES 0-3

	mobility	rest + care	human service	learning + work	delivery burden	data + digital	maintenance + takeover
Children and families	3		2		3		
Older people and caregivers	1	3	3				1
Disabled users	3		1		1	2	
Long-term residents			1		3		1
Renters and small businesses	1		1	3	3		1
Students and young talent			3	3		1	
Commuters and visitors	3				1		
Frontline service and maintenance staff			1	2		1	3
Neighborhood, parks and public institutions				1	2	1	

SURVEY + ACTION ARRANGEMENT

9类

priority user groups

6项

participation steps

1套

rectification register

Coverage is calculated after population, employment and time-of-day flow baseline; current action follows group issue list.

inclusion-budge-jian - user-content-plan-jian

all-age needs are integrated into consultation, design review and operating evaluation

07


12 / AI SERVICE GOVERNANCE

Delivery and Operating Management for Public AI Services

Define accountable bodies, tasks and filed outputs across initiation, review, testing, opening and evaluation

12	8	60 s	5 days
PROPOSED SERVICES	REVIEW CONDITIONS	HUMAN ACKNOWLEDGEMENT	PUBLIC RESPONSE

FULL-CYCLE MANAGEMENT



SERVICE ACCESS	DATA MANAGEMENT	SAFE OPERATIONS	PUBLIC OVERSIGHT
01: Staffed from digital route 02: Physical wayfinding during outages 03: Public reply within 5 days	01: Necessary data only 02: Strict use and retention 03: Update annual data inventory	01: Include critical faults 02: 80% human acknowledgment 03: Resolve work order within 24 h	01: Monthly fault summary 02: Quarterly role review 03: Annual adjustment list

growth-routbook-jian - implementation-operation-contract-jian

public AI services follow scenario-list management, human-service safeguards and annual evaluation

12

18 / ANNUAL OPERATION

Annual Events, Developer Community and Conversion

Four seasons, four working groups and a five-gate pathway share one annual programme

FOUR-SEASON ACTION CALENDAR

SPRING	SUMMER	AUTUMN	WINTER
URBAN PROBLEM SEASON 30 needs + 6 site walks scenario register	OPEN VALIDATION SEASON 20 prototypes + 8 negative tests test + correction records	CIVIC INTELLIGENCE WEEK 12 co-tests + 4 workshops co-test + open output catalogue	ANNUAL GOVERNANCE ASSEMBLY 12 services + 6 packages reviewed continue / correct / reduce / stop list

FOUR DEVELOPER WORKING GROUPS

- public service + accessibility
- model safety + evaluation
- edge devices + robotics
- urban data + maintenance

ANNUAL: 12 open workdays and 8 reusable outputs

FIVE-GATE CONVERSION PATHWAY



NEXT GATE: rights clear, cost affordable, owner assigned and correction closed.

Events, site maintenance and staffed service use separate budgets.

annual-operation-program-jian - growth-routbook-jian

annual receipts are public; missed targets trigger correction, reduction or exit

18

15 / BASIS + MATERIALS

Planning Basis and Material-use Statement

Materials are classified, sourced, managed by use and reviewed as an updatable planning record

8	30	4	2
MATERIAL CLASSES	PLANNING FIGURES	PDF DELIVERABLES	LANGUAGE SETS

MATERIAL	SOURCE / RIGHT	PLANNING USE	MANAGEMENT REQUIREMENT	STATUS
proposed text and translations	agent-authored for this subsection	original submission text	policy and standard compliance review attributed	RECEIVED
technical figures and diagrams	generated locally from submission data by the package build script	agent-authored graphics	personal geometry is labelled and stored to license or liability management	REPRODUCIBLE
OpenStreetMap content	OpenStreetMap contributors	ODBL 1.0 attribution	background content only; no copyright or liability reference	LICENSED
NASA POWER climate baseline	NASA POWER daily API, no commercial use and no resale	public scientific data with attribution	concept stage point-and-baseline engineering design requires local data	REPRODUCIBLE
Blender corridor rendering	agent-generated from conceptual modeling	agent-authored rendering	not an as-built or surveyed model	CONCEPT
generated concept images	OpenAI image generation powered for this subsection	submission concept imagery	design sheet only; no identification for people or official endorsement	REPRODUCIBLE
Three.js office viewer	Three.js 100% licensed locally	MIT license	source code released in source package	LICENSED
system fonts	Microsoft fonts or available L2 system font	render only local text use	font files are not redistributed	UNRENDERED

STATUTORY BASIS	TECHNICAL BASIS	DELIVERABLE USE
Policy, standards and task sources are indexed in the source register	The working basis is updated with official boundaries, survey and current-condition records	Concept visuals convey planning intent; delivery proceeds through specialist design outputs

sources-jian - rights-clearance-budge-jian - report/copyright-statement-and

all materials follow source registration, use management and deliverable review

15