

Jing-Zhang AI Pilgrimage: Four Original Landmarks and One Interactive Rail

Concept Design Booklet (A3) • 概念设计图册 (A3)


Three areas + two wings • 4 landmarks • J-series stations • 12 scenario cards • interactive rail

临时概念边界 • 非官方红线 • 官方数据发布后复算 / Provisional concept boundary
• NOT an official redline • recompute after official data

All geometry in this booklet is provisional concept-model value (not surveyed or statutory); names and marks are internal working codenames (NAME-CLEAR-01; records NAME-SEARCH-01).

Overall Design Scope Overview (provisional concept)

临时概念边界 • 非官方红线 • 官方数据发布后复算
Provisional concept boundary • Not an official redline • recompute after official data



LEGEND


- Green space (concept)
- Water / blue-line focus (concept)
- AI scenario nodes
- Key areas (provisional)
- Building envelopes (concept)
- Greenway spine (rail trail)
- Stitch links (E-W)
- AI landmarks (4)

Official three-tier scopes (announcement): $\approx 43.6 \text{ km}^2$ coordinated study • $\approx 11.4 \text{ km}^2$ overall design • $\approx 368.4 \text{ ha}$ key areas. This figure shows the package's conceptual sub-geometry under the overall-design tier: provisional concept-model geometry only, neither surveyed nor statutory; recompute fully after official data.

Conceptual Land-Use Structure (7-class shares, concept)

临时概念边界 • 非官方红线 • 官方数据发布后复算
Provisional concept boundary • Not an official redline • recompute after official data

concept shares of the provisional land-use model (metrics.json land_use_zone_count=18, geometry elements=21)



Rounded to nearest whole percent by confidence; land-use classes follow the current national classification terms (MNR 2023 guide); no statutory land-use adjustment is proposed; official land data will trigger recomputation.

Percentages are rounded provisional concept-model values (nearest whole percent), neither surveyed nor statutory; exact recomputable zone counts and shares live in metrics.json and geometry/land_use.geojson.

Three Key Areas + Four Pilgrimage Landmark Concepts (provisional)


WARNING: the three data polygons are rough provisional concept sketches (DATA-SRC-PROVISIONAL-BOUNDARIES), not official boundaries, redlines or surveys; recompute fully

Zhongzhi Park AI Acceleration Area


Beijing AI Origin Polygons

Beijing AI Origin Community

临时概念边界 • 非官方红线 • 官方数据发布后复算
Provisional concept boundary • Not an official redline • recompute after official data



Four Pilgrimage Landmarks • form & experience concepts (conceptual locations, no commitment)



Jingzhang Zero-Kilometer Stele

Ring sunk in ground; concentric century scales; central 0-stele; reversible steel + resin.
Experience: Walk-around lights the scales; braille + multilingual plates; annual Zero-Km honors.




Algorithm Carillon

Light open carillon; bell is an acoustic device (not a replica); reversible.
Experience: Morning/evening code-hash chimes; human-reviewed sounds; sources at stations.



Compute-Dawn Tower

Low landscape tower (reversible steel-wood); dawn band synced to anonymized compute pulses.
Experience: Dawn moments driven by hash of community code; fully traceable.




Rail Sundial

Symbolic rail as gnomon; ground hour-lines map to 'AI milestone era'; engraved scale.
Experience: Noon shadow ritual; daily readable time; annual Origin Record plates.

Areas quote the official announcement text and round provisional recalculations (conceptual values, not surveyed or statutory); the four landmark names are original concept codenames registered as internal working codenames (NAME-CLEAR-01; dated search records in sources.json NAME-SEARCH-01).

Mobility & Blue-Green Public-Space System (provisional)

临时概念边界 • 非官方红线 • 官方数据发布后复算
Provisional concept boundary • Not an official redline • recompute after official data



LEGEND

Greenway spine along the heritage park (rail trail)

--- Stitch links (E-W)

Green space / pocket parks (concept)

Qinghe & Xiaoyuehe waterfront focus (blue-line control)

AI scenario nodes

★ AI landmarks

Key areas (provisional)


Offline-quiet zones: physically delimited, fully sensing-free areas

One spine (heritage park), two wings (Xiaoyuehe/Qinghe waterfront), many knots (station pocket parks); interactions are anonymized on-device and can be switched off; all geometry is provisional concept-model value, neither surveyed nor statutory; recompute after official data.


Core Metric Recalculation Evidence (rounded)

临时概念边界 • 非官方红线 • 官方数据发布后复算
Provisional concept boundary • Not an official redline • recompute after official data

Ratios (own scale, never mixed with counts)



Counts (own scale)




Provisional conceptual value / not a surveyed or statutory area; rounded by confidence; ratios and counts are on separate scales and never compared on one axis

All metrics recomputed from package geometry (EPSG:4548) + metrics.json; low-confidence values are concept baselines only; recompute after official boundaries and measured data are published.

MVP Node-Level Diagram (Origin Field × Rail Trail)


临时概念边界 • 非官方红线 • 官方数据发布后复算
Provisional concept boundary • Not an official redline • recompute after official data



Space type	Origin Field: core public-space pilot module (workstations + launch hall, 1 module); Rail-Piano Trail: one trail segment (≈100 m-class, conceptual)
Entry & flow	Separate physical entrances linked to the existing slow-traffic line; event booking capped at 70% of instant capacity (conceptual)
Human fallback	Manned bilingual service points, volunteer trail guides, human release control (machine draft → human review → owner consent)
Offline -quiet zone	Fully sensing-free quiet segments on the trail
Sensitive interfaces	Campus boundary, railway protection zone, green line, heritage sightlines, mature trees (mandatory checks)
To-verify constraints	Ownership, underground utilities, tree-pit positions, sleeper-relic protection status, accessibility grades (update on recompute)

Pilot parameters and durations are conceptual baselines (low confidence, no commitment); sensitive interfaces and to-verify constraints are mandatory checks for professional deepening; updated on recompute.

智脉京张 Jingzhang Pulse • JZ-PULSE (概念标识)



钢轨断面 × 数字0 × 无穷符号上半弧 (轨道剖面—圆点—刻度)

Rail cross-section × zero × upper arc of the infinity symbol (rail — dot — scale)

内部工作代号 • 未完成官方在先权利检索 (NAME-CLEAR-01) • 清权前不用于对外传播/注册/商业使用
internal working codename • official prior-rights search pending (NAME-CLEAR-01) • no
external use / registration / commercial use before clearance (dated records: NAME-
SEARCH-01)