


BUILDABLE CIVIC CROSS

An enterable, maintainable, closable and recoverable architectural–civic space




90-SECOND REVIEW ROUTE

overall → three landmarks → flagship plan → details → implementation gate

JING-ZHANG TWO ANSWERS · THE UNBROKEN PUBLIC CROSS

The public route is never sacrificed; AI enters one side only; crossing options are rejected.



THREE OPTIONS, ONE REJECTION

ALT-A REJECT
cuts public cross

ALT-B REVISE
fragments supervision/removal

ALT-C ADVANCE
one-side reversible bay

GO NO-GO

0/8 PERMITS · 0/7 DAYS · 0/4 POSTS

Design prototype complete; trial may not begin.
Public route, waiting and staffed service
operate independently.

T2

RING

S2

GATE

S7

PORCH

12/12

CONTRACTS

0


FIELD RESULTS

SOURCES, MISSING FABRIC + EVIDENCE LEVELS

public urban relations usable; frontage, structure + performance pending


VERIFIED PUBLIC RELATIONS 01

Roads, rail, water, parks and published Jing-Zhang context; directional only, not survey.




PROTOTYPE DESIGN ASSUMPTIONS 02

Plans, sections, materials, components and dimensions are proposed, pending official base and engineering.




PUBLIC DATA GAP 03

The Dazhongsi crop has one building feature; gaps are labelled adaptation / survey-pending.




STRUCTURE + PERMIT STATUS 04

Structure, fire, foundation, wind, durability and eight permits await review; current 0/8.




FIELD PERFORMANCE UNKNOWN 05

Footfall, efficiency, satisfaction, cost, energy and recovery time remain unfilled.



EVIDENCE-USE BOUNDARY 06

Experience views communicate perception; vectors, structured data and sources govern judgement.




OVERALL URBAN DESIGN + REGIONAL EXCHANGE

one spine, three stations, two wings, six stitches

OVERALL URBAN DESIGN · ONE UNBROKEN BASELINE, THREE DISTINCT CIVIC LANDMARKS

Public urban fabric supports relational judgement; all boundaries and dimensions await official base and survey



SPATIAL JUDGEMENT, NOT AN

ONE SPINE

Walking, cycling, accessibility, blue-green and staffed service form first

SIX STITCHES

Two east-west public interfaces per landmark; not road redlines

TWO WINGS

Tech-service exchange and civic problems enter one evidence chain

FIRST-SIGHT VERDICT

ALT-A REJECT

ALT-B REVISE

ALT-C ADVANCE

Any option sacrificing the public route leaves the process.


Map data © OpenStreetMap contributors · ODbL · 2026-08-13 · directional reference / provisional boundary / not a statutory plan

PUBLIC BASELINE, GROUND INTERFACE, MOBILITY + BLUE-GREEN

permanent public rights precede timed technical occupation

GROUND, TIME + MAINTENANCE INTERFACES · PUBLIC RIGHTS PRECEDE TECH OCCUPATION

Not statutory land use: a spatial-rights section through permanent, timed, staffed and service layers



FOUR SPATIAL RIGHTS

PERMANENT
ALL-DAY PUBLIC GROUND

STAFFED
STAFFED EVIDENCE EDGE

TIMED
TIMED REVERSIBLE TRIAL

SERVICE
INDEPENDENT SERVICE + RETIREMENT

GO NO-GO · 0/8 PERMITS
TRIAL OCCUPATION MAY NOT APPEAR





Permanent public layer first; staffed layer accountable; AI timed; service layer independent.

THREE LANDMARKS, IDENTITY + CULTURAL MILE




Ring, Gate and Porch share materials, not silhouettes

THREE ARCHITECTURAL LANDMARKS · RING, GATE, PORCH SHARE MATERIALS, NOT SPATIAL BONES

Same-scale plan–section–assembly comparison; silhouette, entries and service edge remain legible without titles



REVERSIBLE ARCHITECTURAL NODES · DRY-ASSEMBLED, MAINTAINABLE,



One material family: galvanized frame · perforated screen · precast ballast · permeable paving · replaceable evidence panel.


INTERNATIONAL MECHANISMS, ECOSYSTEM + WING TRANSLATION

translate mechanisms; do not infer Beijing implementation facts

PUBLIC PROBLEM IN

01


Xiaoyuehe, communities and daily service formulate repeatable problems; ordinary answer first.



CAPABILITY REPRODUCTION

02


Models, instruments and services record inputs, versions, permits and failure conditions.



CONTROLLED VERIFICATION

03


Ring, Gate and Porch accept removable plug-ins only after permits, posts and baseline close.



HUMAN DECISION

04


The scene committee may only adopt / revise / stop, leaving a receipt and appeal route.



KNOWLEDGE ARCHIVE

05


Problem, method, failure, stop and asset destination are archived; no advertising leaderboard.



FAILURE EXIT

06

Any failed permit, post, public service or safety gate returns to ordinary service and pauses plug-ins.




ZHONGZHIYUAN VERIFICATION RING PROTOTYPE

1:500 plan, 1:200 section, closed state + corresponding experience

VERIFICATION RING · 1:500 PLAN + 1:200 SECTION

The public outer ring stays continuous; arcade + failure display remain after court closure



PUBLIC OUTER BYPASS SURROUNDS CONTROLLED TEST COURT


CONCEPT-GENERATED / NOT FIELD EVIDENCE · use vector plans, sections and geometry for spatial and scale judgement

AI ORIGIN TRANSLATION GATE PROTOTYPE


three account-free routes, closable plug-in wall + corresponding experience

TRANSLATION GATE · 1:500 PLAN + 1:200 SECTION

Three account-free passages; plug-in wall closes while staffed + static service remain



NIGHT: PLUG-IN WALL CLOSES; THREE PUBLIC PASSAGES CONTINUE



DAZHONGSI CONTEXT + SPATIAL DECISION

ALT-A reject, ALT-B revise, ALT-C enters architectural development

IMPLEMENTATION LOOP · DECIDE ONCE, THEN PERMIT, BUILD, MAINTAIN + RETIRE

Field performance remains unknown; forms and drawings show how to verify, not completed verification

01 SAME-RULE SPATIAL DECISION

ALT-A**REJECT**

severs public cross

ALT-B**REVISE**

fragments fire/supervision/removal

ALT-C**ADVANCE**

public/trial/service routes independent

02 CURRENT GO · PERMITS + POSTS NOT CLOSED

SITE
PENDING

TITLE
PENDING

FIRE
PENDING

ACCESS
PENDING

POWER
PENDING

NETWORK
PENDING

TRAFFIC
PENDING

DEVICE
PENDING

0 / 8 PERMITS · 0 / 7 BASELINE DAYS · 0 / 4 CONTRACTED POSTS
VERDICT: NO-GO; TRIAL BAY MAY NOT ASSEMBLE

03 90-DAY COMPONENT-OWNER-FAILURE EXIT

0–15

survey + 8 permits

FAIL → DO NOT ADVANCE

16–30

build public baseline only

FAIL → DO NOT ADVANCE

31–45

record 7 ordinary days

FAIL → DO NOT ADVANCE

46–75

timed plug-in assembly

FAIL → DO NOT ADVANCE

76–90

pause drill + retire

FAIL → DO NOT ADVANCE

MAT-01–05 dry material family RACI asset/site/baseline/safety/data/public RETIRE equipment exits; public layer remains


12/12 measurement contracts documented; 0 field results. Prices pending_market_quote; structure/fire/foundation/durability pending review.

ALT-C 1:500 ARCHITECTURE + GROUND PLAN

public, trial, fire + removal routes do not occupy one another

DAZHONGSI BUILDABLE CIVIC CROSS · 1:500 ARCHITECTURE + GROUND PLAN


Dimensions are prototype assumptions; missing context is an adaptation / survey-pending



TWO 1:200 SECTIONS + 1:50 / 1:20 DETAILS

physical edge, dry connections + rain boundary

TWO 1:200 SECTIONS · PUBLIC BASELINE + PLUG-IN HAVE A LEGIBLE PHYSICAL EDGE



Structure, fire, foundation, wind, drainage capacity and durability remain pending professional review.

REVERSIBLE ARCHITECTURAL NODES · DRY-ASSEMBLED, MAINTAINABLE, RECOVERABLE

RECEIPT PORCH

1:50

bolted steel · perforated shade · precast ballast

BOUNDARY + EVIDENCE

1:20

weighted fence outside tactile route; replaceable panel + temporary power


PERMEABLE RAIN EDGE

1:20

flush kerb, permeable paving, rain-garden overflow; capacity pending

CUTAWAY, FOUR STATES + BACK-OF-HOUSE

public retained, plug-in removable, evidence staffed



TWELVE SCENES, SIX PROFILES + CIVIC YEAR

architectural prototypes carry protocol replication; no new scenes

TWELVE-SCENE DIRECTORY · SPACE, DENOMINATOR, DUTY, STOP + RECOVERY TRACEABLE

Full contracts stay in structured data; the drawing emphasises hero scenes and fallback

T1 · MODEL + DATA REPRODUCTION CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	T2 · ROBOT PASSAGE HERO CONTRACT / DETAIL ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	T3 · EDGE DEGRADATION CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN
S1 · ENTERPRISE TRIAGE CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	S2 · INTERNATIONAL ARRIVAL HERO CONTRACT / DETAIL ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	S3 · OPEN KNOWLEDGE WORKSHOP CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN
S4 · JING-ZHANG GUIDE CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	S5 · ACCESSIBLE ROUTING CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	S6 · CLIMATE REST SERVICE CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN
S7 · TRANSIT FEEDER HERO CONTRACT / DETAIL ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	S8 · PUBLIC SERVICE DESK CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN	S9 · EVENT FLOW CATALOG / STABLE ID ordinary baseline + human duty + zero-tolerance stop field results: 0 / NOT FIELD-RUN

spring baseline audit · summer controlled test · autumn civic adoption · winter receipt and exit review; organisations and programmes are proposed roles.

COMPONENTS, PERMITS, RACI, 90 DAYS + ASSET EXIT

quantities reproducible; quotes + permits pending

GO NO-GO · 90 DAYS ARE FIVE ENTRY CONDITIONS, NOT A PROMISE

Any failure in ordinary service, permits, posts, baseline or removal drill blocks AI trial

DAY 0–15

survey, title, exits, fire, utilities, access and traffic

DAY 16–30

build public route, waiting, shade, staffed service and porch only

DAY 31–45

record seven ordinary operating days; no AI equipment

DAY 46–75

timed trial only after 8 permits + 4 independent posts close

DAY 76–90

stop drill, removal, public review and receipt

EIGHT PERMITS · ALL CURRENTLY PENDING

SITE

Written site-use and asset-owner consent

TITLE

Ownership, boundary and existing-condition survey

FIRE

Fire access, egress apron and temporary-structure review

ACCESS

Audit of accessible routes, ramps, tactile guidance and staffed service

POWER

Temporary power, protection and isolation responsibility

NET

Isolated network, data minimisation and log-retention rule

TRAFFIC

Conventional-interchange priority, operating window and traffic approval

EQUIP

Equipment safety, insurance, emergency stop and supplier removal duty

FOUR POSTS REQUIRE INDEPENDENT COVERAGE

01

VENUE LEAD

PENDING

02

BASELINE SERVICE

PENDING

03

SAFETY LEAD

PENDING

04

DATA RECORDER

PENDING

Safety-critical and baseline-service posts cannot be combined.

No price, total cost, partnership or permit is committed.

16 components, 4 procurement packages and 5 blank forms are documented; all prices are pending_market_quote and do not constitute procurement or construction readiness.

METRICS, RECEIPTS, RISKS, SOURCES + NEXT GATES

G0 NO-GO; field performance unknown

IMPLEMENTATION LOOP · DECIDE ONCE, THEN PERMIT, BUILD, MAINTAIN + RETIRE

Field performance remains unknown; forms and drawings show how to verify, not completed verification

01 SAME-RULE SPATIAL DECISION

ALT-A

REJECT

severs public cross

ALT-B

REVISE

fragments fire/supervision/removal

ALT-C

ADVANCE

public/trial/service routes independent

02 CURRENT G0 · PERMITS + POSTS NOT CLOSED

SITE

PENDING

TITLE

PENDING

FIRE

PENDING

ACCESS

PENDING

POWER

PENDING

NETWORK

PENDING

TRAFFIC

PENDING

DEVICE

PENDING

0 / 8 PERMITS · 0 / 7 BASELINE DAYS · 0 / 4 CONTRACTED POSTS
VERDICT: NO-GO; TRIAL BAY MAY NOT ASSEMBLE

03 90-DAY COMPONENT-OWNER-FAILURE EXIT

0–15

survey + 8 permits

FAIL → DO NOT ADVANCE

16–30

build public baseline only

FAIL → DO NOT ADVANCE

31–45

record 7 ordinary days

FAIL → DO NOT ADVANCE

46–75

timed plug-in assembly

FAIL → DO NOT ADVANCE

76–90

pause drill + retire

FAIL → DO NOT ADVANCE

MAT-01–05 dry material family RACI asset/site/baseline/safety/data/public RETIRE equipment exits; public layer remains

12/12 measurement contracts documented; 0 field results. Prices pending_market_quote; structure/fire/foundation/durability pending review.