


ONE SPINE · THREE NODE TYPES

FIGURE 1 · ONE SPINE, THREE NODE TYPES

Jing-Zhang civic loop: direction, node roles, legend and provisional accuracy



LEGEND

- Civic spine
- Care node
- Transfer node
- Test node
- Constraint / exit

CORE METRICS

site_area ≈ 93.88 km2 green ratio 13.6364%
public-space ratio 6.5862% All three are
low-confidence values recomputed from
provisional geometry.

CORE METRICS

Model extent = 93.88 km2 green 13.6364% · public space 6.5862% All are provisional geometry values; recompute all when official data arrives.

ORDINARY BASELINE

Paper map · physical signs · phone · human help · seats · water AI is an explainable, pausable and human-overridable layer.

PROVISIONAL ACCURACY

Current boundary and three key areas are not official redlines, precise areas or engineering conclusions.

CARE NODE

shade, rain, water, human help

TRANSFER NODE

last segment, night, detour

TEST NODE

public rules, pause, recovery


KEY AREAS AND TASK RESPONSE

Three areas/two wings, public-space components and six auditable task entry points

THREE KEY AREAS

2 / Three key-area responsibility prototypes

Not official redlines: distinguish everyday service, transfer and controlled testing by responsibility



CONCEPT / PROVISIONAL · NOT AN OFFICIAL BOUNDARY OR ENGINEERING CONCLUSION

Everyday service

Everyday service everyday service, all-age access, human room

Transfer / night

Transfer / night last transfer segment, night safety, low-speed sharing

Test / recovery

Test / recovery full-stack test, public rules, recovery drills

Roles are conceptual; confirm geometry, ownership, heritage and operations b

agent.1

Overall concept: positions, functions, areas/wings and regional links

agent.2

Full-stack ecosystem: land, space, industry, finance, talent, compute, data, scenes

agent.3

AI scenes: 10 cards, 3 validations, 5 personas and human fallback

agent.4

Public space: stitching, continuity, 3 landmarks and component library

agent.5

Culture: Jing-Zhang, Zhongguancun, AI culture and bilingual signage

agent.6

Operations: annual events, developer community, opening and conversion

Formal task evidence: DATA-SRC-OFFICIAL-ANNOUNCEMENT-20260509 · provisional spatial context: DATA-SRC-PROVISIONAL-BOUNDARIES-20260605


OPERATIONS, DELIVERY AND RECOMPUTATION

Ordinary service first · pausable AI · replayable incidents · retire repeated failures

LOOP AND METRICS

4 · / Mobility, transfer and blue-green loop

Put the last transfer segment, refuge, detour and human takeover on one legible board



CONCEPT / PROVISIONAL · NOT AN OFFICIAL BOUNDARY OR ENGINEERING CONCLUSION

SCENE EXIT

Stale source, absent owner, missing fallback or unexplainable risk → pause AI and return to ordinary service.

DELIVERY GATE

Audit → baseline nodes → pausable AI → controlled test → regional connection; every stage has acceptance and exit.

EVIDENCE

Keep only anonymous, aggregated, review-needed fields; recompute site/green/public metrics after official geometry.

M-01/M-03 · Ordinary baseline

Item-by-item node audit

M-02/M-04 · Access and detour

breaks, alternatives, human check

M-05/M-08 · Takeover and replay

timestamps, owner, action, feedback