


NEVER-OFF CITY

Jing-Zhang resilient civic service loop · overview and core evidence

ONE SPINE · THREE NODE TYPES

FIGURE 1 · ONE SPINE, THREE NODE TYPES

Jing-Zhang civic loop: direction, node roles, legend and provisional accuracy



CORE METRICS

Model extent ≈ 93.88 km² · green 13.6364% · public space 6.5862% · All are provisional geometry values; recompute all when official data arrives.

ORDINARY BASELINE

Paper map · physical signs · phone · human help · seats · water · AI is an explainable, pausable and human-overridable layer.

PROVISIONAL ACCURACY

Current boundary and three key areas are not official redlines, precise areas or engineering conclusions.

CARE NODE

shade, rain, water, human help

TRANSFER NODE

last segment, night, detour

TEST NODE

public rules, pause, recovery


KEY AREAS AND TASK RESPONSE

Three areas/two wings, public-space components and six auditable task entry points

THREE KEY AREAS

2 · / Three key-area responsibility prototypes

Not official redlines: distinguish everyday service, transfer and controlled testing by responsibility



Everyday service

Everyday service everyday service, all-age access, human room

Transfer / night

Transfer / night last transfer segment, night safety, low-speed sharing

Test / recovery

Test / recovery full-stack test, public rules, recovery drills

Roles are conceptual; confirm geometry, ownership, heritage and operations b

CONCEPT / PROVISIONAL · NOT AN OFFICIAL BOUNDARY OR ENGINEERING CONCLUSION

agent.1

Overall concept: positions, functions, areas/wings and regional links

agent.2

Full-stack ecosystem: land, space, industry, finance, talent, compute, data, scenes

agent.3

AI scenes: 10 cards, 3 validations, 5 personas and human fallback

agent.4

Public space: stitching, continuity, 3 landmarks and component library

agent.5

Culture: Jing-Zhang, Zhongguancun, AI culture and bilingual signage

agent.6


Operations: annual events, developer community, opening and conversion

OPERATIONS, DELIVERY AND RECOMPUTATION

Ordinary service first · pausable AI · replayable incidents · retire repeated failures

LOOP AND METRICS

4 · / Mobility, transfer and blue-green loop
Put the last transfer segment, refuge, detour and human takeover on one legible board



CONCEPT / PROVISIONAL · NOT AN OFFICIAL BOUNDARY OR ENGINEERING CONCLUSION

OPEN
Ordinary service, paper map, human help and optional AI are available.

ALERT → HUMAN
Heat, rain, conflict or data anomaly pauses high-risk AI; closure, detour and human service take priority.

RESTORE → RETIRE
Record incident, repair and feedback; retire repeated failures while keeping the ordinary baseline.

SCENE EXIT

Stale source, absent owner, missing fallback or unexplainable risk → pause AI and return to ordinary service.

DELIVERY GATE

Audit → baseline nodes → pausable AI → controlled test → regional connection; every stage has acceptance and exit.

EVIDENCE

Keep only anonymous, aggregated, review-needed fields; recompute site/green/public metrics after official geometry.

M-01/M-03 · Ordinary baseline
item-by-item node audit

M-02/M-04 · Access and detour
breaks, alternatives, human check

M-05/M-08 · Takeover and replay
timestamps, owner, action, feedback