



Jing-Zhang AI Talent Living Lab Belt

Three 15-minute innovation living circles linked by a public axis, two wings, and a six-stage auditable service loop.




Auditable Service Loop



- Voluntary participation and non-digital alternatives
- Human review and accountable operators
- Public, authorized, or aggregated data only
- All spatial moves are conceptual suggestions

Three 15-Minute Innovation Living Circles

Each circle combines work, daily services, public space, learning, social life, and opt-out AI service access.



1

Zhongzhiyuan

Prototype + quality validation

R&D workshop / safety sandbox / trace courtyard

WORK

LIFE

PUBLIC

LEARN

FEEDBACK

2

AI Origin Community

Talent living + public feedback

Near-campus collaboration / voluntary trials / open-source honor

WORK

LIFE

PUBLIC

LEARN

FEEDBACK

3

Dazhongsi

Enterprise service + scaled adoption

Enterprise interface / urban hall / adoption review

WORK

LIFE



PUBLIC

LEARN

FEEDBACK


Building Scale, Form, and Renewal Logic

Survey first, classify second, decide third: the package shows spatial prototypes and reversible renewal order, not parcel-level building conclusions.



Transport, Rail, Utilities, and Public-Service Support

Keep engineering alignments pending while making each urban system's service role and review gate explicit.



- 1

Rail and access
Conceptual Dazhongsi station link; interchange, underground space, and safety require specialist study
- 2

Walking, cycling, parking
Continuous public axis and accessibility first; parking demand and road redlines remain unknown
- 3


Utilities and new infrastructure
Verify power, communications, compute, drainage, waste, and emergency capacity before layout
- 4

Public services
Shared interfaces for staffed service, community support, health and aid, feedback, and event management
- 5

Operating rules
Digital service can be declined, incidents allow human takeover, events can be zoned, and remedy stays available

Public Axis, Two Wings, and Low-Intrusion Daily Routes

Mobility, blue-green space, and service nodes form a walkable, opt-out, feedback-ready network; concept lines are not road or rail engineering alignments.



Four Everyday Routes


- 1 R&D validation**
Workshop → quality trace courtyard → public display
- 2 Talent living**
Near-campus collaboration → daily services → feedback → green respite
- 3 Enterprise service**
Transit access → enterprise interface → urban hall → adoption review
- 4 Culture and public life**
Rail heritage → explainable guide → open-source honor → global event

PUBLIC RULES

- Walking and accessibility first
- Digital services can be declined
- Human review on event days
- Public feedback informs the next iteration

Zhongzhiyuan AI Acceleration Area

Service prototype and quality validation circle



Spatial sequence

Intake → controlled test → quality record → public explanation → review

Building and interface

Survey existing space first / reversible retrofit / public ground floor / separated quiet R&D and open interface

Public rule

Testing is not approved deployment; unresolved major incidents stop the service.


Preconditions

Official geometry, site survey, ownership, fire, transport, utilities, accessibility, and accountable operation

This is a spatial-organization reference within provisional rough geometry; it does not identify parcels, buildings, road redlines, or engineering alignments.

Beijing AI Origin Community

Near-campus talent living and public feedback circle



Spatial sequence

Daily need → voluntary trial → human alternative → public feedback → iteration

Building and interface

Quiet study / collaboration / community service / recreation shared by time and acoustic mode

Public rule

No private profiling; equivalent service remains available without a device or AI.


Preconditions

Official geometry, site survey, ownership, fire, transport, utilities, accessibility, and accountable operation

This is a spatial-organization reference within provisional rough geometry; it does not identify parcels, buildings, road redlines, or engineering alignments.

Dazhongsi AI Industry Cluster


Enterprise service and scaled adoption circle



This is a spatial-organization reference within provisional rough geometry; it does not identify parcels, buildings, road redlines, or engineering alignments.

Twelve AI+ Scenarios and Eight User Groups

Scenarios are not a product list; each combines space, accountability, human-equivalent service, and public feedback.



Provisional rough geometry: for concept generation, visualization, and intake checks only; not an official redline or precise area basis.

Centennial Jing-Zhang Narrative and Long-Term Operation

Turn heritage interpretation, open-source contribution, public experience, and annual review into durable operation rather than a one-off festival.





Q1	Open tasks and public issues	Publish rules, needs, and data gaps
Q2	Prototype week and safety review	Limited tests, human takeover, and incident logs
Q3	Talent life and community season	Daily service, accessibility, and public feedback
Q4	Global AI public retrospective	Publish reasons to adopt, pause, roll back, or exit

Annual loop	Task release → pilot → public review → next-year revision
Community mechanism	Developer open days, resident review, accessibility co-tests, and bilingual tours
Contribution and honor	Show voluntary public contributions and verifiable evidence, not commercial ranking
Long-term gate	Accountability, maintenance, equivalent service, and remedy are all mandatory

Renewal Project List and Phasing

Twelve public project packages move through reversible pilots, area coordination, and long-term operation without budgets, procurement parameters, or committed timing.



PlanX Concept-Network Diagnosis and Improvement Priorities

QGIS Processing results on an agent_generated_design network; design QA only, not existing conditions, official accessibility, or engineering performance

□□□□□ / Network service areas

As radius grows, merged Euclidean area expands faster than this sparse network. The falling pedshed flags missing cross-links, crossings, and entrances; it does not prove real-world walkability.

0.11

pedshed diagnostic




300 m

reached 4.7 km

0.08

pedshed diagnostic




500 m

reached 7.4 km

0.04

pedshed diagnostic



1000 m

reached 10.6 km

□□□□ / Executed calls

11 / 10

nodes / segments

12

service nodes

400 / 800 / n

syntax radii

23.4

mean walk diagnostic

10 / 10

design segments below 50

1 / 3


prototype demand points per green class

Remain unknown: real 15-minute access, population coverage, slope, elevation, FSI, OSR, solar, heat, and engineering capacity.

Exploded Axonometrics of Three Building Prototypes


Relative program layers, public plinths, and reversible technical layers; no height, floor-count, structure, or quantity claims

Zhongzhiyuan: validation workshop




Public interface: public explanation, appointment, and human review

Origin: talent collaboration hub



Public interface: non-AI equivalent service, voluntary trial, and public feedback


Dazhongsi: enterprise urban hall



Public interface: enterprise service directory, public route, and scaling review


Typical Public-Realm Section of the Jing-Zhang Innovation Axis

Relative spatial modules and operating interfaces; not a road redline, construction section, or approved dimension




Five Acceptance Gates and a Twelve-Month Minimum Pilot

Every scenario needs accountability, a non-AI equivalent, remedy, and a stop condition; usage alone cannot justify scaling.





12-MONTH PILOT PATH



Default is no scaling: missing accountability, failed non-AI equivalence, unresolved major incidents, or unavailable remedy require holding, rollback, or exit.

Metrics, Evidence, and Pending Boundaries

Known values describe submitted geometry and explicit counts only; statutory intensity, road area, total floor area, and engineering conditions remain unknown.



Comparison and Selection of Three Spatial Strategies

Strategy C is recommended from verified geometry, available evidence, and reversibility

A Node Intensification Strengthen prototypes and public interfaces within each key area ● Directly supported by current geometry ● Low near-term delivery friction ● Weak cross-area connection and resilience Evidence ●●●●● Coordination ●●●●● Reversibility ●●●●● Data readiness ●●●●● Alternative / low risk	B Transit-Access Driven Reorganize functions around verified walking isochrones and stations ● Strongest transport logic ● PlanX flags an underspecified concept network ● Still needs trusted streets, entrances, crossings, and demand Evidence ●●●●● Coordination ●●●●● Reversibility ●●●●● Data readiness ●●●●● Hold / data required
--	--

Scores support this evidence audit and are not official review scores.

Problem–Evidence–Spatial Response–Metric Matrix

Seven topics separate reproducible metrics from missing inputs

Topic	Problem and evidence	Recommended spatial response	Metric / status
Innovation industry	Three roles are defined; building and enterprise baselines are missing	Validation workshop–talent hub–enterprise service hall	3 prototypes; intensity unknown
Talent life	12 scenarios and 8 personas are traceable	Human alternatives, feedback, remedy, and exit nodes	12 nodes; human coverage 100%
Mobility	PlanX concept-network diagnostics ran; existing streets and entrances are missing	Add cross-links, crossings, entrances, and pending interchange interfaces	10 design segments; real access unknown
Blue-green realm	Green and public-space areas recompute; hydrology and elevation missing	Co-locate shade, stormwater, stay, and accessible routes	Green 14.52%; public space 3.65%
Renewal phasing	Three phase polygons are complete; ownership and timing missing	Audit first, reversible prototype, connect, then review	3 spatial phases + 5 pilot stages
AI scenarios	3 industry validations and 5 acceptance gates	Bind accountability, remedy, and non-AI equivalence	3 validation scenarios; 5 gates
Resilience	Isochrones, elevation, drainage, and energy cannot be verified	Front-load stop rules, stormwater interfaces, and human takeover	Qualitative response; performance unknown


All boundaries remain provisional; actual access, stormwater, capacity, intensity, and timing cannot be inferred.

京张城市功能分析信息模型

URBAN FUNCTIONAL ANALYSIS INFORMATION MODEL · EPSG:4548

全带功能结构 / FULL-BELT FUNCTIONAL STRUCTURE

建筑功能色 · 程序化立面 · 主轴道路 · 蓝绿开放空间



大钟寺片段

企业服务与规模转化



AI 原点社区片段

人才生活与公共反馈



众智园片段

服务原型与质量验证

注：三个圆形详图为模型片段索引，不表达官方边界；树阵为图解符号，不代表单株树位。

01 / FUNCTION

区位 + 形态 + 显式标签

功能图例

FUNCTION LEGEND

商业 / COMMERCIAL	158
办公 / OFFICE	125
居住 / RESIDENTIAL	714
公共设施 / PUBLIC	41
学校 / SCHOOL	191
酒店 / HOTEL	6
工业 / INDUSTRIAL	7
中性肌理 / CONTEXT	419

空间系统

公园绿地	125
河流水系	32
公共广场	3

立面深化

465,211 窗格面片

7,992 店面面片 · 1,535 屋顶设备

程序化城市设计表达，不是实测立面或施工图设计

证据等级

明确建筑标签	721 · 43%
关联 POI / 形态	146 · 9%
形态或区位推断	814 · 48%

混合功能竖向分层

首层 / 裙房：商业
上部：办公
酒店仅在明确名称或标签下识别

1,681 栋建筑

2,443 条道路 · 125 个绿地候选 · 32 个水系要素

来源：888ike / OpenStreetMap 公开数据 (2026-08-10)

及项目派生方案图层。功能推断不替代法定用地。

严格几何锁定：五张图与 GLB 使用同一模型。

COMMUNITY-DISPLAY-ONLY

V1.5 increment: spatial cards and four-layer protocol

Four-layer protocol: space, service, data, governance

Translate the six-stage service loop into visible streets, plazas, ground floors and nodes; all actions remain conceptual.

01 SPACE
Representative streets · feedback plazas · flexible ground floors · service nodes
02 SERVICE
Demand sensing → bounded recommendation → local flexible making / service → quality trace
03 DATA
Minimal fields · stated purpose · explainable result · deletion / correction · staffed equivalent access
04 GOVERNANCE
Accountable roles · five gates · incident closure · public review · expand / hold / rollback / exit

SOURCE: spatial.json + geometry/"·".geojson + metrics.json | provisional design evidence

Three-area role split

Zhongzhiyuan
Prototype + quality validation
AI Origin Community
Talent-life demand + public feedback
Dazhongsi
Enterprise service + scale review

G1 → G2 → G3 → G4 → G5

If accountability, equivalent access, quality or remedy is missing, hold small, rollback or exit by default.

Spatial implementation cards: four interfaces × three areas

Each card binds an action, role, prerequisite data, acceptance evidence and stop condition; no construction or government commitment is implied.

Zhongzhiyuan	AI Origin Community	Dazhongsi
IC-ZZY-01 Validation street	IC-ORI-01 Validation street	IC-DZS-01 Validation street
Connect workshop and quality gate; expose test route	Near-campus walking and life services; time-based quiet / active modes	Station-city connection and enterprise directory; reduce search friction
Role: scenario operator + professional reviewer Prereq: boundary / ownership / access / safety data Accept: rules public, equivalent access, traceable record Stop: missing role, major incident or unavailable remedy	Role: scenario operator + professional reviewer Prereq: boundary / ownership / access / safety data Accept: rules public, equivalent access, traceable record Stop: missing role, major incident or unavailable remedy	Role: scenario operator + professional reviewer Prereq: boundary / ownership / access / safety data Accept: rules public, equivalent access, traceable record Stop: missing role, major incident or unavailable remedy
IC-ZZY-02 Feedback plaza	IC-ORI-02 Feedback plaza	IC-DZS-02 Feedback plaza
Show incidents, accountability and human take-over records	Community deliberation, accessible feedback and public review	Mixed daily use, rest and public-experience plaza
Role: scenario operator + professional reviewer Prereq: boundary / ownership / access / safety data Accept: rules public, equivalent access, traceable record Stop: missing role, major incident or unavailable remedy	Role: scenario operator + professional reviewer Prereq: boundary / ownership / access / safety data Accept: rules public, equivalent access, traceable record Stop: missing role, major incident or unavailable remedy	Role: scenario operator + professional reviewer Prereq: boundary / ownership / access / safety data Accept: rules public, equivalent access, traceable record Stop: missing role, major incident or unavailable remedy
IC-ZZY-03 Prototype ground floor	IC-ORI-03 Prototype ground floor	IC-DZS-03 Prototype ground floor
Reversible workshop frontage; staffed window and flexible bays	Replaceable ground-floor interface for study, work and daily services	Modular service hall with visible staffed equivalent
Role: scenario operator + professional reviewer Prereq: boundary / ownership / access / safety data Accept: rules public, equivalent access, traceable record Stop: missing role, major incident or unavailable remedy	Role: scenario operator + professional reviewer Prereq: boundary / ownership / access / safety data Accept: rules public, equivalent access, traceable record Stop: missing role, major incident or unavailable remedy	Role: scenario operator + professional reviewer Prereq: boundary / ownership / access / safety data Accept: rules public, equivalent access, traceable record Stop: missing role, major incident or unavailable remedy
IC-ZZY-04 Service node	IC-ORI-04 Service node	IC-DZS-04 Service node
Bounded recommendation and prototype intake; voluntary entry / exit	Talent-life demand sensing; no default personal profiling	Enterprise interface and scale review; no automatic expansion
Role: scenario operator + professional reviewer Prereq: boundary / ownership / access / safety data Accept: rules public, equivalent access, traceable record Stop: missing role, major incident or unavailable remedy	Role: scenario operator + professional reviewer Prereq: boundary / ownership / access / safety data Accept: rules public, equivalent access, traceable record Stop: missing role, major incident or unavailable remedy	Role: scenario operator + professional reviewer Prereq: boundary / ownership / access / safety data Accept: rules public, equivalent access, traceable record Stop: missing role, major incident or unavailable remedy

SOURCE: spatial.json | all values are evidence contracts, not measured performance

Three key-area delivery handoffs


Zhongzhiyuan: Service Prototype + Quality Validation

Relative assembly of street, open courtyard, public ground floor, and isolated validation nodes

PROV-KEY-001 · PUBLIC-001 · SCN-01—03

CONCEPTUAL RELATIVE PENDING SURVEY

SPATIAL ASSEMBLY



RELATIVE SECTION



Concept delivery interface within a provisional rough boundary; not a construction drawing, approved alignment, operating commitment, or engineering performance claim.

DELIVERY HANDOFF

- | | |
|----|--|
| 01 | ACCOUNTABLE ROLES
Intake / quality assurance / safety review / public-interest review |
| 02 | BASELINE METHOD
Audit staffed and non-AI routes; rerun protocols; record human takeover |
| 03 | ACCEPTANCE CHECK
Public purpose - minimum inputs - reproducible result - high-risk failures closed |
| 04 | STOP CONDITION
Unauthorized input / irreproducible result / containment or takeover failure |
| 05 | RESTART PATH
Remove excess data → record root cause → Independent rerun → safety sign-off |

DESIGN BOUNDARY

- NEXT PROFESSIONAL WORK**
- Verify ownership, fire, access, acoustics, data separation, and operating roles
-
- DO NOT OVERCLAIM**
- No fixed building · no engineering dimensions · no invented operator


AI Origin Community: Daily Life + Public Feedback

Daily street, shared forum, staffed ground floor, and voluntary trial-and-exit nodes


PROV-KEY-002 · PUBLIC-002 · SCN-04—0

CONCEPTUAL RELATIVE PENDING SURVEY

SPATIAL ASSEMBLY



RELATIVE SECTION



Concept delivery interface within a provisional rough boundary; not a construction drawing, approved alignment, operating commitment, or engineering performance claim.

DELIVERY HANDOFF

- | | |
|----|---|
| 01 | ACCOUNTABLE ROLES
Community service / rights review / feedback moderation / civic curation |
| 02 | BASELINE METHOD
Audit non-digital access; time withdrawal; track closure; verify opt-in display |
| 03 | ACCEPTANCE CHECK
Offline route works / immediate exit / issue owner / recognition without ranking |
| 04 | STOP CONDITION
Default personal data / failed exit / identity exposure / retaliatory label |
| 05 | RESTART PATH
Delete data → retest exit → verify redaction → resident review |

DESIGN BOUNDAR

- NEXT PROFESSIONAL WORK**
- Survey daily routes, access and sound; co-design time rules; confirm staffing
- DO NOT OVERCLAIM**
- No campus data - no confirmed event schedule - no personal profiles


Dazhongshi: Enterprise Service + Scale Review

Station-area question framework, public plaza, multi-entry ground floor, and independent gate review


PROV-KEY-003 · PUBLIC-003 · SCN-08—10

CONCEPTUAL RELATIVE PENDING SURVEY

SPATIAL ASSEMBLY



RELATIVE SECTION



Concept delivery interface within a provisional rough boundary; not a construction drawing, approved alignment, operating commitment, or engineering performance claim.

DELIVERY HANDOFF

- 01 ACCOUNTABLE ROLES**
Enterprise coordination / compliance / public realm operations / gate panel
 - 02 BASELINE METHOD**
Audit referral transparency; inventory staffed and accessible entry; index G1-G4 evidence
 - 03 ACCEPTANCE CHECK**
Reasoned referral non-exclusive choice open route published decision reason
 - 04 STOP CONDITION**
Undisclosed conflict / blocked access / physical hazard / incomplete gate evidence
 - 05 RESTART PATH**
Treat conflict → recheck access → close incident → complete evidence

DESIGN BOUNDARY

- NEXT PROFESSIONAL WORK**
- Survey station and crossings; verify capacity and free; plan servicing; confirm governance
- DO NOT OVERCLAIM**
- No station approval - no underground conclusion - no investment or scaling promise

Relative spatial modules; survey, ownership, fire, access and operator verification remain required.