

# B1 — Structure Overview

JINGZHANG ON TIME · Urban Operating Diagram | v1.0 | 2026-08-13 | Diagram status: registered

## Narrative

The heritage park becomes the operating-diagram main line (9.5 km spine), forming a three-tier spatial control system and the One-Diagram-Nine-Stations-One-Spine grammar (three major stations + six Intermediate Stops at ~1.3 km intervals). The Urban Operating Diagram is the governance core: every AI public service runs like a train on a published timetable.

## Scope


- Regional study 43.6 km²: southern Haidian innovation corridor
- Overall design 11.41 km²: 1–2 km around the heritage park
- Key areas 368.4 ha: Zhongzhi 192.1 + Origin 104.3 + Dazhongsi 72.0
- 6 Intermediate Stops MS-01~06: light stops along the spine (timetable point/signal post/traveler rest/ staffed window)

## Key Indicators

|                |           |           |                |              |
|----------------|-----------|-----------|----------------|--------------|
| 11.41 km²      | 368.4 ha  | 9.5 km    | 8              | 6            |
| Overall design | Key areas | Main line | Scenario cards | Diagram KPIs |

## Details

| Indicator      | Value     | Detail                                                    |
|----------------|-----------|-----------------------------------------------------------|
| Overall design | 11.41 km² | 43.6 → 11.41 → 368.4 ha; three tiers                      |
| Main line      | 9.5 km    | Five-band spine, unchanged when AI off                    |
| Key areas      | 368.4 ha  | ZJ-01 192.1 + ZJ-02 104.3 + ZJ-03 72.0                    |
| Scenario cards | 8         | T-01 ~ T-08; eight fields each                            |
| Diagram KPIs   | 6         | Punctuality/Delay/Suspension/Window/Transfer/Compensation |



Overall design and key areas (EPSG:4548 · provisional)

Note: A3 draft. Final PDF A3 full (420×297mm). Drawings generated on provisional constraint boundaries; not statutory red lines. v1.0 | 2026-08-13



B2 — Diagram Governance

JINGZHANG ON TIME · Urban Operating Diagram | v1.0 | 2026-08-13 | Diagram status: registered

Narrative

The Urban Operating Diagram is a public spatio-temporal contract: machine-readable schema v1.0 with a zero-dependency checker (10 fixtures: 3 accepted, 7 rejected). Three-signal display; weekly window; gates G0–G4.

Scope

- Gates G0-G4: registration → baseline → trial → punctuality → release/suspend
- Three-signal: green=on time / amber=delayed / red=suspended
- Weekly window: Tue 06:00-12:00 line-wide maintenance

Key Indicators

|             |                    |          |                  |                |
|-------------|--------------------|----------|------------------|----------------|
| <b>v1.0</b> | <b>10 fixtures</b> | <b>8</b> | <b>5 parties</b> | <b>5 funds</b> |
| Schema      | 3/7                | Triggers | Community        | Firewall       |

Details

| Mechanism      | Core                                                     | Carrier             |
|----------------|----------------------------------------------------------|---------------------|
| Urban Diagram  | Spatio-temporal schedule registration                    | schema + checker    |
| Paired testing | AI on/off equivalence gap; denominators include failures | unknown until pilot |
| Transfer       | Handovers follow transfer times; human-signed receipts   | Receipts (KPI-5)    |
| Community      | Authority+operator+university+veto+audit                 | Charter             |
| Fund firewall  | Five funds; three ledgers before G3                      | Charter             |




Diagram Plaza: operating-diagram lines as public surface

Note: A3 draft. Final PDF A3 full (420×297mm). Drawings generated on provisional constraint boundaries; not statutory red lines. v1.0 | 2026-08-13

# B3 — Key Areas: Three Stations

JINGZHANG ON TIME · Urban Operating Diagram | v1.0 | 2026-08-13 | Diagram status: registered

## Narrative

Three stations carry the verify-translate-adopt chain in railway departure semantics. Each key area provides a 100-metre window with four-state sections; the five-band order is fixed and unchanged when AI is off.

## Scope

- ZJ-01 Departure Yard (192.1 ha): marshalling + paired testing
- ZJ-02 Zero-Kilometre (104.3 ha): Qinghuayuan reuse = Timetable Hall
- ZJ-03 Arrival-Transfer (72.0 ha): plaza kit + yearbook hall

## Key Indicators

|          |          |         |         |          |
|----------|----------|---------|---------|----------|
| 192.1 ha | 104.3 ha | 72.0 ha | 3       | 4 states |
| ZJ-01    | ZJ-02    | ZJ-03   | Windows | Sections |

## Details

| Area      | Size     | Role      | Design           | Anchors     |
|-----------|----------|-----------|------------------|-------------|
| Zhongzhi  | 192.1 ha | Departure | Marshalling, lab | T-01 + SP   |
| Origin    | 104.3 ha | Zero-Km   | Reuse, stitching | T-04 + T-07 |
| Dazhongsi | 72.0 ha  | Arrival   | TOD, plaza kit   | T-02 + T-08 |



Departure Yard plan



Zero-Km 100m window section

Note: A3 draft. Final PDF A3 full (420×297mm). Drawings generated on provisional constraint boundaries; not statutory red lines. v1.0 | 2026-08-13

# B4 — AI Scenarios and Implementation

JINGZHANG ON TIME · Urban Operating Diagram | v1.0 | 2026-08-13 | Diagram status: registered

## Narrative

Eight scenario cards serve the operating-diagram loop only. The 90-day first service is the minimal implementation unit; suspension is a qualified outcome (falsify-first).

## Scope

- T-01 Registration: no timetable, no departure
- T-03 Window Plaza: weekly fixed maintenance window
- T-05 Compensation: delay opens compensation channels
- T-07 Pilot Cabin: full 90-day first-service loop

## Key Indicators

|       |          |         |            |          |
|-------|----------|---------|------------|----------|
| 8     | 7        | 90 days | 405-820k   | 6        |
| Cards | Profiles | Pilot   | Cost (BOM) | Projects |

## Details

| ID   | Scenario          | Space     | Tier | TRL | Mechanism                  |
|------|-------------------|-----------|------|-----|----------------------------|
| T-01 | Registration      | stations  | L1   | 7-8 | No timetable, no departure |
| T-02 | Punctuality Board | halls     | L1   | N/A | Monthly punctuality        |
| T-03 | Window Plaza      | spine     | L1   | N/A | Weekly window              |
| T-04 | Transfer Desk     | joints    | L2   | 6-7 | Transfer times             |
| T-05 | Compensation      | stations  | L1   | N/A | Compensation channels      |
| T-06 | Signal Post       | spine     | L1   | N/A | Status code                |
| T-07 | Pilot Cabin       | Origin    | L2   | 5-6 | 90-day loop                |
| T-08 | Yearbook Hall     | Dazhongsi | L1   | N/A | Annual review              |

## 90-day First Service

D0-30 registration and samples → D31-60 trial (paired testing + first window) → D61-90 punctuality assessment and G3 decision. Resource release tied to gates (10/25/25/25/15%); cost estimate 405-820k RMB (BOM basis, not a budget commitment).

Note: A3 draft. Final PDF A3 full (420×297mm). Drawings generated on provisional constraint boundaries; not statutory red lines. v1.0 | 2026-08-13

# B5 — Mobility, Transit and Blue-Green

JINGZHANG ON TIME · Urban Operating Diagram | v1.0 | 2026-08-13 | Diagram status: registered

## Narrative

TOD stitching at three stations plus the five-band spine and 15 gap-stitching units. One axis, two rivers: heritage spine plus Qinghe/Xiaoyuehe; green patches 10 units, 3.55 km².

## Scope

- TOD 500m union 20.6% (synthetic); five-band slow mobility
- Transfer protocol: human-signed receipts (KPI-5)
- Edge micro-stations (reversible plug-rails)
- 9.5 km wind corridor (est. 0.8-1.5°C, synthetic)

## Key Indicators

|          |            |      |         |         |
|----------|------------|------|---------|---------|
| 20.6%    | 85.6%      | 15   | 5 bands | pending |
| TOD 500m | Green 300m | Gaps | Spine   | Density |

## Details

| Indicator      | Value   | Basis                |
|----------------|---------|----------------------|
| TOD 500m union | 20.6%   | EPSG:4548, synthetic |
| Green 300m     | 85.6%   | EPSG:4548, synthetic |
| Greenway gaps  | 15      | Measured basis       |
| Spine bands    | Fixed   | Five-band order      |
| Density        | pending | Official census      |



Spine five-band section and signal posts

Note: A3 draft. Final PDF A3 full (420×297mm). Drawings generated on provisional constraint boundaries; not statutory red lines. v1.0 | 2026-08-13



# B6 — Indicators and Compliance

JINGZHANG ON TIME · Urban Operating Diagram | v1.0 | 2026-08-13 | Diagram status: registered

## Narrative

Six diagram KPIs source from the diagram log; three-way separation with no disguise before the pilot. Standard coverage 9/9; compliance separation.

## Scope

- KPI-1 Punctuality: on-time / total
- KPI-4 Window execution; KPI-6 Compensation fulfilment
- Compliance: GenAI Art. 14/15, Barrier-Free Art. 39, 2020-45
- 10 risks + 8 hard-stop triggers

## Key Indicators

|      |           |          |       |          |
|------|-----------|----------|-------|----------|
| 6    | 9/9       | 3        | 10    | 8        |
| KPIs | Standards | Statutes | Risks | Triggers |

## Details

| Standard                         | Coverage          | Status    |
|----------------------------------|-------------------|-----------|
| PROJECT-OFFICIAL-ANNOUNCEMENT    | 1.3/1.4/1.5       | responded |
| AGENT-OPEN-CALL-TASKBOOK         | Orientations      | responded |
| MOHURD-URBAN-DESIGN-MEASURES     | Method            | responded |
| MOHURD-CONTROL-DETAILED-PLANNING | Regulatory design | responded |
| MNR-LAND-USE-CLASSIFICATION      | 0802/05/1401/0702 | responded |
| GENERATIVE-AI-MEASURES           | Art. 14/15        | responded |
| BARRIER-FREE-LAW                 | Art. 39           | responded |
| ELDERLY-2020-45                  | Parallel policy   | responded |

## Compliance Separation

Statutory minimums (GenAI Art. 14/15, Barrier-Free Art. 39, 2020-45) are never waived by design recommendation; self-set standards are labelled (self-set); each row states its spatial-operational consequence.

Note: A3 draft. Final PDF A3 full (420×297mm). Drawings generated on provisional constraint boundaries; not statutory red lines. v1.0 | 2026-08-13

# B7 — Risk, Copyright and Boundaries

JINGZHANG ON TIME · Urban Operating Diagram | v1.0 | 2026-08-13 | Diagram status: registered

## Narrative

All claims are reversible: provisional boundaries trigger whole-package recalculation; census/controls/network stay unknown; pilots require tabletop acceptance + authorization + five-step rollback.

## Scope


- 10 risks registered
- 8 hard-stop triggers; rollback pack of nine
- COMMUNITY-DISPLAY-ONLY; no administrative conclusions

## Key Indicators

|             |             |         |       |
|-------------|-------------|---------|-------|
| provisional | unknown     | CDO     | 1.64  |
| All marked  | No disguise | Licence | en/zh |

## Details

| Boundary         | Handling     | Trigger             |
|------------------|--------------|---------------------|
| Official polygon | provisional  | Whole recalculation |
| Building census  | unknown      | On release          |
| FAR controls     | unknown      | On release          |
| Road network     | concept line | On release          |



Overall design and key areas (provisional)

Note: A3 draft. Final PDF A3 full (420×297mm). Drawings generated on provisional constraint boundaries; not statutory red lines. v1.0 | 2026-08-13