

Industrial infrastructure that returns urban AI equipment to accountable service

RETURN-TO-SERVICE RELEASE PROTOCOL v1.1

Restore public service first; then decide whether the asset returns

Dazhongsi staffed intake and service continuity → AI Origin part, calibration, and rights evidence → Zhongzhiyuan whole-system regression → accountable plus independent limited release at Dazhongsi.

R0 Intake eligibility

R1 Ownership, warranty, and data rights

R2 Risk isolation and diagnostic baseline

R3 Repair authorization and part evidence

R4 Calibration and regression retest

R5 Human release and destination

MISSING EVIDENCE
HOLD

OUT OF SCOPE
QUALIFIED HANDOVER

CHAIN CLOSED
HUMAN RELEASE

REALITY STATE

Concept space
formed

Official polygons
pending

Professional commissions
not started

Field runs
0

90-DAY EXITABLE PILOT

One device family; no heavy new build; register intake, work order, parts, retest, receipt, and exit conditions first.

TABLETOP REPLAY 8/8

Proves only repeatable participant-authored rules, not field safety, device performance, institutional authority, or public acceptance.

PUBLIC SERVICE CONTINUITY

Staffed takeover remains available to non-app and accessibility users; a device HOLD does not suspend the civic service.

Industrial infrastructure that returns urban AI equipment to accountable service

One asset returns only after its evidence chain closes

FAULT → R0–R5 → HOLD / RETEST / HANDOVER → ACCOUNTABLE HUMAN RELEASE

01 / RETURN-TO-SERVICE RELEASE
CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



SYNTHETIC RULE REPLAY 8/8 | FIELD RUNS 0 | NOT SAFETY, PERFORMANCE, OR AUTHORIZATION

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

Three-area relay | evidence, receipts, and handoff


Industrial infrastructure that returns urban AI equipment to accountable service

Three key areas form one professional handoff, not three similar parks

03 / KEY-AREA HANDOFF


ENTRY EVIDENCE → PROFESSIONAL WORK → RECEIPT → PAUSE / RESUME; NO AREA RELEASES ALONE

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines




ZHONGZHIYUAN | system diagnostics and recertification

1.929 km² · PROVISIONAL



AI ORIGIN | instruments, protocols, and skills

1.043 km² · PROVISIONAL



DAZHONGSI | terminal after-sales and circular procurement

0.720 km² · PROVISIONAL

Whole-system fault reproduction, fleet interfaces, and safety regression retest

ENTRY: official area/survey / lawful site rights

OUTPUT: whole-system baseline / regression evidence

PAUSE: Unsafe isolation, failed emergency stop, uncontrolled route, or missing responsible operator.

Interchangeable-part evidence, instrument calibration, protocols, and skills

ENTRY: official area/survey / lawful use

OUTPUT: part evidence / calibration/reference record

PAUSE: Reference invalid, environment uncontrolled, data/IP rights unresolved, or compatibility dimension missing.

Public intake, accessibility retest, accountable release, and procurement feedback

ENTRY: official station/area anchoring / lawful site/use

OUTPUT: intake/warranty record / service-continuity record

PAUSE: No staffed fallback, inaccessible public route, unresolved complaint, erasure failure, or incomplete gate trail.

1 Robots/mobile 2 Scientific instruments 3 Edge AI/sensors 4 Public-service equipment 5 Shared parts/spares

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14


Bounded translation of global cases

Industrial infrastructure that returns urban AI equipment to accountable service

What is formed, what remains missing, and what is tabletop-only

SEPARATE DESIGN QUANTITIES, STATUTORY CONTROLS, READINESS, AND FIELD PERFORMANCE

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



TABLETOP RULE REPLAY: 8/8 matched; FIELD RUNS 0; RULE CONSISTENCY ONLY

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

- EU repair rules, French repairability/durability indices, digital product passports, and global e-waste monitoring.
- CTI, remanufacturing processes, VDA 5050, and RepairMonitor remain bounded method references.

One spine, three works, nine zones, two circuits


Industrial infrastructure that returns urban AI equipment to accountable service

Nine zones form a spatial service process, not a set of generic industry labels

02 / LAND USE + PROCESS

Land uses are clipped by the provisional boundary; nine polygons cover it with 0.001 sqm gap and zero overlap

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



- The public front office serves residents, property managers, and operators.
- The middle office matches passports, work orders, parts, and qualified facilities.
- The back office diagnoses, replaces, refurbishes, calibrates, and retests by risk zone.

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

Three key areas and fifteen modules

Industrial infrastructure that returns urban AI equipment to accountable service


Three key areas form one professional handoff, not three similar parks

ENTRY EVIDENCE → PROFESSIONAL WORK → RECEIPT → PAUSE / RESUME; NO AREA RELEASES ALONE

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines

03 / KEY-AREA HANDOFF

- Zhongzhiyuan: system diagnostics and recertification.
- AI Origin: instruments, protocols, and skills.
- Dazhongsi: terminal after-sales and circular procurement.



ZHONGZHIYUAN | system diagnostics and recertification


1.929 km² · PROVISIONAL

Whole-system fault reproduction, fleet interfaces, and safety regression retest

ENTRY: official area/survey / lawful site rights

OUTPUT: whole-system baseline / regression evidence

PAUSE: Unsafe isolation, failed emergency stop, uncontrolled route, or missing responsible operator.



AI ORIGIN | instruments, protocols, and skills


1.043 km² · PROVISIONAL

Interchangeable-part evidence, instrument calibration, protocols, and skills

ENTRY: official area/survey / lawful use

OUTPUT: part evidence / calibration/reference record

PAUSE: Reference invalid, environment uncontrolled, data/IP rights unresolved, or compatibility dimension missing.



DAZHONGSI | terminal after-sales and circular procurement

0.720 km² · PROVISIONAL

Public intake, accessibility retest, accountable release, and procurement feedback

ENTRY: official station/area anchoring / lawful site/use

OUTPUT: intake/warranty record / service-continuity record

PAUSE: No staffed fallback, inaccessible public route, unresolved complaint, erasure failure, or incomplete gate trail.

1 Robots/mobile 2 Scientific instruments 3 Edge AI/sensors 4 Public-service equipment 5 Shared parts/spares

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

Scenario cards 01–06

Industrial infrastructure that returns urban AI equipment to accountable service

01

Public fault intake with human takeover for users who cannot or do not use an app.

02

Cross-vendor fault reproduction recording symptoms, versions, environments, and retest conditions.

03

Interchangeable-part validation across mechanical, electrical, communication, firmware, and failure modes.

04

Cross-vendor fleet-interface testing for discovery, assignment, pause, resume, and safe exit.

05

Scientific-instrument calibration return with restored documents, fixtures, records, and traceable release.

06

Accessibility retesting of civic terminals, including visual, audio, touch, human service, and data erasure.

Scenario cards 07–12 and seven personas

Industrial infrastructure that returns urban AI equipment to accountable service

07

Shared Parts Commons exposing inventory, recall, versions, negative results, and responsibility boundaries.

08

Asset passport and data erasure linking ownership, configuration, repair, retest, and destination.

09

Repair skills certification using real faults, repairable design, and explicit safety boundaries.

10

Low-risk co-repair classes that do not displace warranty duties or professional hazards.

11

Circular procurement desk returning downtime, first-fix, spare-parts, and service-year evidence to buyers.

12

Compliant outbound interface for suspected hazardous waste and formal treatment by qualified facilities.

Seven personas: equipment operators, technicians, start-ups, public buyers, researchers, residents, and non-app/accessibility users.


Industrial infrastructure that returns urban AI equipment to accountable service

Nine zones form a spatial service process, not a set of generic industry labels

02 / LAND USE + PROCESS

Land uses are clipped by the provisional boundary; nine polygons cover it with 0.001 sqm gap and zero overlap

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



- The fifteen footprints are programme placeholders, not surveyed building classifications.
- Use lawful existing space and reversible intervention first.
- FAR, height, statutory coverage, and building-level DRR await official evidence.

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

Mobility, blue-green, and public space


Industrial infrastructure that returns urban AI equipment to accountable service

Public movement, ordinary equipment logistics, and licensed outbound transfers remain separated

04 / MOBILITY + BLUE-GREEN

Roads are conceptual centre lines, not road red lines, engineered sections, or confirmed station links

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

- Public routes, scheduled equipment logistics, and qualified outbound movements remain separated.
- Green and public space support shade, waiting, learning, transparent service, and risk buffers.

Nine project packages and three operating phases

Industrial infrastructure that returns urban AI equipment to accountable service


Three key areas form one professional handoff, not three similar parks

ENTRY EVIDENCE → PROFESSIONAL WORK → RECEIPT → PAUSE / RESUME; NO AREA RELEASES ALONE

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines

03 / KEY-AREA HANDOFF

- Phase 1: protocols, skills, and a small parts pool.
- Phase 2: northern system equipment and cross-vendor tests.
- Phase 3: southern terminal after-sales and circular procurement.
- Each phase must operate a real intake-to-return or compliant-handover loop.



ZHONGZHIYUAN | system diagnostics and recertification


1.929 km² · PROVISIONAL

Whole-system fault reproduction, fleet interfaces, and safety regression retest

ENTRY: official area/survey / lawful site rights

OUTPUT: whole-system baseline / regression evidence

PAUSE: Unsafe isolation, failed emergency stop, uncontrolled route, or missing responsible operator.



AI ORIGIN | instruments, protocols, and skills


1.043 km² · PROVISIONAL

Interchangeable-part evidence, instrument calibration, protocols, and skills

ENTRY: official area/survey / lawful use

OUTPUT: part evidence / calibration/reference record

PAUSE: Reference invalid, environment uncontrolled, data/IP rights unresolved, or compatibility dimension missing.



DAZHONGSI | terminal after-sales and circular procurement

0.720 km² · PROVISIONAL

Public intake, accessibility retest, accountable release, and procurement feedback

ENTRY: official station/area anchoring / lawful site/use

OUTPUT: intake/warranty record / service-continuity record

PAUSE: No staffed fallback, inaccessible public route, unresolved complaint, erasure failure, or incomplete gate trail.

1 Robots/mobile 2 Scientific instruments 3 Edge AI/sensors 4 Public-service equipment 5 Shared parts/spares

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14


Metrics, evidence, risk, and submission boundary

Industrial infrastructure that returns urban AI equipment to accountable service

What is formed, what remains missing, and what is tabletop-only

SEPARATE DESIGN QUANTITIES, STATUTORY CONTROLS, READINESS, AND FIELD PERFORMANCE

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



TABLETOP RULE REPLAY: 8/8 matched; FIELD RUNS 0; RULE CONSISTENCY ONLY

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

- Design quantities derive from provisional geometry and are not statutory controls.
- Operating performance requires real work orders and no invented success rates.
- Validation proves internal consistency and reviewability, not planning approval or product certification.