


Industrial infrastructure that returns urban AI equipment to accountable service

JING-ZHANG RETURN-TO-SERVICE WORKS

Industrial infrastructure that returns urban AI equipment to accountable service

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines

01 / SYSTEM + SPACE



RETURN TO SERVICE / COMPLIANT HANDOVER

A civic repair spine connects public service, industrial collaboration, and controlled workflows

01 ZHONGZHIYUAN | system diagnostic and certification 02 AI QIBI | instruments, protocols, and standards 03 DIAZHONGSI | terminal after-sales and circular

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

The missing years-in-service infrastructure

Industrial infrastructure that returns urban AI equipment to accountable service


JING-ZHANG RETURN-TO-SERVICE WORKS

Industrial infrastructure that returns urban AI equipment to accountable service

CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines

01 / SYSTEM + SPACE

- Product launch is not the end. Fault intake, warranty, parts, calibration, erasure, and redeployment determine long service.
- Co-repair opens skills; after-sales keeps responsibility visible; remanufacturing and recertification create the industrial base.



A civic repair spine connects public service, industrial collaboration, and controlled workflows

01 ZHONGZHIYUAN | system diagnostics and calibration instruments, protocols, and standards
02 ZHONGSI | terminal after-sales and circular

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

A three-level responsibility chain


Industrial infrastructure that returns urban AI equipment to accountable service

Nine zones form a spatial service process, not a set of generic industry labels

Land uses are clipped by the provisional boundary; nine polygons cover it with 0.001 sqm gap and zero overlap

02 / LAND USE + PROCESS

- The regional level defines protocols and industrial collaboration.
- The overall level organises nine zones, the civic spine, and phasing.
- The key-area level turns protocols into fifteen equipment workstations.



Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14


Bounded translation of global cases

Industrial infrastructure that returns urban AI equipment to accountable service

Separate known design quantities, pending statutory controls, and operational evidence

05 / METRICS + EVIDENCE

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence. CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

- EU repair rules, French repairability/durability indices, digital product passports, and global e-waste monitoring.
- CTI, remanufacturing processes, VDA 5050, and RepairMonitor remain bounded method references.


One spine, three works, nine zones, two circuits

Industrial infrastructure that returns urban AI equipment to accountable service

Nine zones form a spatial service process, not a set of generic industry labels

Land uses are clipped by the provisional boundary; nine polygons cover it with 0.001 sqm gap and zero overlap

02 / LAND USE + PROCESS



- The public front office serves residents, property managers, and operators.
- The middle office matches passports, work orders, parts, and qualified facilities.
- The back office diagnoses, replaces, refurbishes, calibrates, and retests by risk zone.

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

Three key areas and fifteen modules


Industrial infrastructure that returns urban AI equipment to accountable service

Three key areas share five equipment families while specialising in different return stages


The fifteen microfactory modules are conceptual programme placeholders, not surveyed buildings or approved works

03 / THREE WORKS + 15 MODULES


- Zhongzhiyuan: system diagnostics and recertification.
- AI Origin: instruments, protocols, and skills.
- Dazhongsi: terminal after-sales and circular procurement.



ZHONGZHIYUAN | system diagnostics and recertification
1.929 km² · PROVISIONAL



AI ORIGIN | instruments, protocols, and skills
1.043 km² · PROVISIONAL



DAZHONGSI | terminal after-sales and circular procurement
0.720 km² · PROVISIONAL

1 Robots/mobile 2 Scientific instruments 3 Edge AI/sensors 4 Public-service equipment 5 Shared parts/spares

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

Scenario cards 01–06

Industrial infrastructure that returns urban AI equipment to accountable service

01

Public fault intake with human takeover for users who cannot or do not use an app.

02

Cross-vendor fault reproduction recording symptoms, versions, environments, and retest conditions.

03

Interchangeable-part validation across mechanical, electrical, communication, firmware, and failure modes.

04

Cross-vendor fleet-interface testing for discovery, assignment, pause, resume, and safe exit.

05

Scientific-instrument calibration return with restored documents, fixtures, records, and traceable release.

06

Accessibility retesting of civic terminals, including visual, audio, touch, human service, and data erasure.

Scenario cards 07–12 and seven personas

Industrial infrastructure that returns urban AI equipment to accountable service

07

Shared Parts Commons exposing inventory, recall, versions, negative results, and responsibility boundaries.

08

Asset passport and data erasure linking ownership, configuration, repair, retest, and destination.

09

Repair skills certification using real faults, repairable design, and explicit safety boundaries.

10

Low-risk co-repair classes that do not displace warranty duties or professional hazards.

11

Circular procurement desk returning downtime, first-fix, spare-parts, and service-year evidence to buyers.

12

Compliant outbound interface for suspected hazardous waste and formal treatment by qualified facilities.


Seven personas: equipment operators, technicians, start-ups, public buyers, researchers, residents, and non-app/accessibility users.

Industrial infrastructure that returns urban AI equipment to accountable service

Nine zones form a spatial service process, not a set of generic industry labels

02 / LAND USE + PROCESS

Land uses are clipped by the provisional boundary; nine polygons cover it with 0.001 sqm gap and zero overlap. CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



- The fifteen footprints are programme placeholders, not surveyed building classifications.
- Use lawful existing space and reversible intervention first.
- FAR, height, statutory coverage, and building-level DRR await official evidence.

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.


Mobility, blue-green, and public space

Industrial infrastructure that returns urban AI equipment to accountable service

Public movement, ordinary equipment logistics, and licensed outbound transfers remain separated

04 / MOBILITY + BLUE-GREEN

Roads are conceptual centre lines, not road red lines, engineered sections, or confirmed station links CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

- Public routes, scheduled equipment logistics, and qualified outbound movements remain separated.
- Green and public space support shade, waiting, learning, transparent service, and risk buffers.

Nine project packages and three operating phases


Industrial infrastructure that returns urban AI equipment to accountable service

Three key areas share five equipment families while specialising in different return stages


The fifteen microfactory modules are conceptual programme placeholders, not surveyed buildings or approved works

03 / THREE WORKS + 15 MODULES


- Phase 1: protocols, skills, and a small parts pool.
- Phase 2: northern system equipment and cross-vendor tests.
- Phase 3: southern terminal after-sales and circular procurement.
- Each phase must operate a real intake-to-return or compliant-handover loop.



ZHONGZHIYUAN | system diagnostics and recertification
1.929 km² · PROVISIONAL



AI ORIGIN | instruments, protocols, and skills
1.043 km² · PROVISIONAL



DAZHONGSI | terminal after-sales and circular procurement
0.720 km² · PROVISIONAL

1 Robots/mobile 2 Scientific instruments 3 Edge AI/sensors 4 Public-service equipment 5 Shared parts/spares

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14


Metrics, evidence, risk, and submission boundary

Industrial infrastructure that returns urban AI equipment to accountable service

Separate known design quantities, pending statutory controls, and operational evidence

05 / METRICS + EVIDENCE

Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence. CONCEPTUAL DISPLAY | provisional rough boundaries, not official planning lines



Source: submission GeoJSON, metrics, matrices, and narrative. Figures aid reading and do not replace machine evidence.

COMMUNITY-DISPLAY-ONLY · 2026-08-14

- Design quantities derive from provisional geometry and are not statutory controls.
- Operating performance requires real work orders and no invented success rates.
- Validation proves internal consistency and reviewability, not planning approval or product certification.