




### English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

01 / Jing-Zhang Open Pulse | overall concept and spatial structure


One public slow-mobility spine, three proof stations and seven reversible public loops.

Core question: an AI city should make questions, tests, decisions, exits and public contribution visible.

Civic pulse: Question · Permission · Bounded test · Decision · Receipt · Retire.

Working site area 11.41 km<sup>2</sup> · slow network 13.01 km · land-use polygons 8 · proof stations 3.

Provisional geometry and metrics; recompute all layers after official polygons arrive. Drawing set v3.2; v3.3 adds the machine-readable spatial-object refinement.



### English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

04 / Walking, rainwater, people and robots share one public seam

Six system loops integrate climate, embodied intelligence and maintenance into space rather than slogans.

Wind / air — open wind corridor, seasonal verification. Rain / drainage — source reduction, visible overflow. Human / accessibility — no app, continuous accessibility. Robot — low-speed boundary, e-stop takeover. Night / ecology — dark mode, habitat review. Asset / maintenance — asset ID, rain-before/after work order.

13.01 km slow network · 3 connectors · 189 OSM crossings · 16 stations within 800 m.

OSM is a background screen; safety, access, drainage and capacity need field and specialist review. The boundary is provisional.

03 三座智证站 | 同一主脊，三种城市能力

每座站点都写清空间锚点、入口、人工责任、输出和停止条件。

JING-ZHANG OPEN PULSE

V3.3 · PROVISIONAL / CONCEPT ONLY

01 / PROV-KEY-001

众智园 | 全栈验证站

安全验证花园

空间锚点 / anchor  
GREEN-001 / ROAD-002

入口 / entry  
问题卡 + 预约小测

人工闸门 / human gate  
人工急停 + 专业复核

输出 / output  
正负证据包

停止条件 / stop  
场地、保险、数据或投管责任未确认

普通路段维持保留 / ordinary route remains

02 / PROV-KEY-002

AI原点社区 | 开放转化站

近校协作街区

空间锚点 / anchor  
PUBLIC-001 / ROAD-003

入口 / entry  
开放问题 + 贡献请求

人工闸门 / human gate  
权利、隐私与再转替代

输出 / output  
可用原型 + 回执

停止条件 / stop  
版权、消防、许可或撤回路权不明

普通路段维持保留 / ordinary route remains

03 / PROV-KEY-003

大钟寺 | 城市体验站

可退出体验城区

空间锚点 / anchor  
PUBLIC-001 / ROAD-004

入口 / entry  
普通路径 + 服务请求

人工闸门 / human gate  
站城安全、容量与维护

输出 / output  
决策差异 + 复盘版本

停止条件 / stop  
拥堵、道路、运维或文保责任不明

普通路段维持保留 / ordinary route remains

三处重点均为 provisional 评审锚点，不构成官方红线或实施承诺。

All three are provisional review anchors, not official redlines or implementation commitments.

### English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

03 / Three proof stations, one public spine, three urban capabilities

Zhongzhiyuan | full-stack validation | safety verification garden. Anchor: GREEN-001 / ROAD-002. Entry: issue card + bounded test.

Human gate: human e-stop + specialist review. Output: positive / negative evidence. Stop: site, insurance, data or takeover owner missing.

AI Origin | open transfer | campus collaboration street. Anchor: PUBLIC-001 / ROAD-003. Entry: open question + lineage. Human gate: rights, privacy + offline fallback. Output: usable prototype + receipt. Stop: copyright, fire, permit or withdrawal unclear.

Dazhongsi | civic experience | reversible experience district. Anchor: PUBLIC-001 / ROAD-004. Entry: ordinary route + service request.

Human gate: station safety, capacity + maintenance. Output: decision delta + review version. Stop: crowd, road, O&M or heritage owner missing.

All three are provisional review anchors, not official redlines or implementation commitments. The ordinary route remains open.

02 完整用地分配 | 主骨架不是剩余空间

一张可复算的 8 类用地表，把公共主轴翻译成空间接口。

JING-ZHANG OPEN PULSE

V3.3 · PROVISIONAL / CONCEPT ONLY

用地构成 / LAND-USE MIX

科研用地

0802

23.4%

公园绿地

1401

12.0%

防护绿地

1402

10.7%

商业服务

05

13.1%

教育用地

0804

8.4%

广场用地

1403

8.0%

社区配套

0702

14.7%

道路用地

1207

9.7%

空间翻译 / SPATIAL TRANSLATION

01 公共主脊

连续慢行、风路与雨水边缘

02 三站节点

验证、转译、城市体验三种角色

03 四类接口

普通路径、急停、维护和回执

红虚线 = provisional boundary / 非官方红线  
—— 8类用地带\*1条公共主轴\*3条东西连接  
8 个多边形完整覆盖，provisional site；代码遵循现行用地分类枚举，仍非控规结论。

Eight polygons cover the provisional site; codes follow the current land-use enum; not statutory controls.

### English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

02 / Complete land-use allocation | the spine is not leftover space

An auditable eight-class land-use table turns the public spine into a spatial interface.


Research land 23.4%; public green 12.0%; protective green 10.7%; commercial services 13.1%; education 8.4%; square 8.0%; community facilities 14.7%; roads 9.7%.

Spatial translation: 01 public spine = continuous walking, wind and rainfall edges; 02 three nodes = validation, transfer and city experience;

03 four interfaces = ordinary route, e-stop, maintenance and receipt.

Eight polygons cover the provisional site; codes follow the current land-use enumeration, not statutory controls. Recompute after official polygons arrive.





### English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

05 / Metrics first: can it be recomputed?


Three states, eight land uses, six components, one auditable evidence contract.

Submission geometry: site area 11.41 km²; green ratio 12.34%; public space 7.33%; building footprint 2.72%; slow mobility 13.01 km; land-use polygons 8.

K01—K06 / component → evidence receipt: K01 three stations → paper map + human → no app; K02 AI Origin / Dazhongsi → tree pit + seat → step-free; K03 Zhongzhiyuan → clear flow + backflow → rain; K04 AI Origin / Dazhongsi → paper receipt → Qinghe; K05 Zhongzhiyuan → human dispatch → e-stop; K06 AI Origin / Dazhongsi → paper archive → withdrawal.

Three states: ordinary service = paper, human, passive; bounded test = responsible person, e-stop, minimal data; exit / restore = freeze, receipt, restoration.

All values are design and recompute interfaces; unknown, design\_target and provisional do not represent field performance.



### English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

Regional coordination is a capability loop, not a transfer list.

Huairou Science City → originate. Future Science City → engineer. Jing-Zhang belt → book + test. Beijing E-Town → scale. Haidian university / community → demand + talent. Beijing—Tianjin—Hebei → compare + diffuse.

Eight mechanisms: land · space · industry · capital · talent · compute · data · scenario. All partnerships are conceptual and require separate ownership, funding, safety, rights and implementation review.



### English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

A full lifecycle for each public token / TOKEN → TEST → RETURN

01 Request · public request

02 Review · data + access + RACI


03 Operate · bounded window + human lead

04 Review · SLA + complaint + evidence

05 Return · ordinary public use

RACI = owner + accountable lead; SLA = response + recovery clock; COST = relative band only; DATA = minimum + retention; STOP = rollback + non-AI equivalent.

14 scenario rows in scenario-operation-matrix.json. Thresholds are design gates, not statutory service levels.



### English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

Identity system · two rails / three nodes / two switches

Construction rule: two parallel rails · three public nodes · two switch diamonds.

Public components: status board — what is booked / who is accountable; stitch threshold — step-free, audible, tactile crossing; rain tree pit — shade + storage + work order; withdrawal bay — robot stops without blocking people.

Palette: rail graphite, public jade, open blue, civic amber, human coral.

Concept direction · no registered mark · every active component requires a passive human equivalent and a withdrawal path.



JING-ZHANG OPEN PULSE / EVIDENCE-LED URBAN DESIGN

## 06 / 建设与参与：每个窗口都能回退

把概念交给证据、责任与退出闸门；当前未知状态保持可见

CR-01

资料与场地锁定

输入

问题、用户、版本化边界

交付

权属、勘察、冲突表

停止

权属、消防或责任人未解

CR-02

公共路径与被动样机

输入

许可场地、可逆组件

交付

无障碍、维护定查

停止

绊倒、夹挤、积水或阻路

CR-03

风热水与生命线

输入

几何版本、校准计划

交付

风热水 / 排水 / 消防审查

停止

无校准或没有安全路线

CR-04

有界、有人、限时窗口

输入

许可、责任、人工兜底

交付

开闭、投诉、事件日志

停止

严重事件或接管失败

CR-05

保留、改造或退出

输入

窗口终止或触发停止

交付

公开比较、清权、复原

停止

证据不足或责任悬空

当前参与状态 / CURRENT PARTICIPATION STATE

主干同步

known

本地校验

known

同类比较

known

现场基线

unknown

居民咨询

not\_started

公共试点

not\_started

任何一项缺证据、责任人或普通路径兜底 → STOP / 恢复普通公共使用

JSON 索引：construction-readiness.json + participation-cycle.json · 仅为概念证据 · 不构成许可或现场结果

06 / 06

许丙南 × Codex / v3.0

### English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

06 / Construction and participation: every window can exit

Turn concepts into evidence, responsibility and stop gates; keep unknown states visible.

CR-01 Data and site lock: question, user and versioned boundary → ownership, survey and conflict table → stop when ownership, fire or responsible party is unclear.

CR-02 Public path and passive interface: permitted site and management piece → barrier-free route and maintenance schedule → stop on access, maintenance conflict or ponding.

CR-03 Heat, water and lifeline: geometry version and calibration plan → heat/water/drainage/fire review → stop when calibration has no safe route.


CR-04 Bounded, human-led window: permission, responsibility and human baseline → opening, complaint and event log → stop after a major incident or failed handover.

CR-05 Retain, adapt or exit: window end or publication stop → public comparison, clearance and restoration → stop when evidence is insufficient or responsibility is vacant.

Current participation state: main sync known; local verification known; peer comparison known; field baseline unknown; resident consultation not started; public pilot not started.

JSON index: construction-readiness.json + participation-cycle.json. Concept evidence only; not a permit or field result.

### Jing-Zhang Innovation Belt Quantitative Observatory: Economy – Population – Air – Energy (2014–2023)



Source boundary: Beijing/Haidian statistical yearbooks; 2014–2023 historical series. 2024/2025 city bulletins are freshness context only. Xu Bingnan × Codex / v3.0