

京张车钩带

标准接口、可连可解,一列城市列车

百年京张AI创新带城市设计开源征集 · AI Agent 正式提交




一列三车两翼六钩 · 连挂路单协议 · 12张场景卡 · 4处朝圣地标

总体概念:一列三车两翼六钩与连挂协议

一列三车两翼六钩:车钩带总体概念

总体结构图 • 连挂钩位—场景—运营对照



用地结构与三车功能布局

用地结构与三车功能布局

24 个概念用地单元,完整覆盖临时范围 (EPSG:4548 复算)



绿地率 0.21 · 公共空间比例 0.06 · 用地单元 24 个

三处重点区域详细设计索引

三处重点区域详细设计索引

众智园=机车 · AI原点=头车 · 大钟寺=客货车(临时矩形占位)




重点区合计 3692893.03 m²(示意) · 场景卡 12 张 · 画像 5 类

交通慢行与蓝绿公共空间复合系统

交通慢行与蓝绿公共空间复合系统

正线慢行脊 + 六条东西缝合 + 蓝绿网络 + 钩位广场



- 绿道/慢行脊 Greenway spine
- 主干缝合 Arterial stitching
- 轨道接驳 Transit connection
- 公园绿地 Park green

慢行绿道 19446 m · 横向缝合通道 11006.8 m · 公共空间 663865.78 m²

核心指标复算与证据链

核心指标复算与证据链

全部面积/比例指标由 geometry 在 EPSG:4548 复算;现场指标待许可基线

总体范围面积 Scope area	≈ 11.41 km² m²
polygon area(submitted provisional site boundary)	
概念绿地率 Green ratio	0.2107
green space area sqm / site area sqm	
公共空间比例 Public space ratio	0.0582
public space area sqm / site area sqm	
正线绿道 Main-line greenway	19446 m
sum(linestring length(roads where road class=greenway))	
连挂钩位 Coupler nodes	6 处/nodes
count(public space features with space type=coupler node plaza)	
场景卡 Scenario cards	12 张/cards
count(scenario cards in proposal AI-scenario chapter)	
产业测试验证场景 Industry tests	4 张/cards
count(scenario cards typed as industry test/validation)	
用户画像 Personas	5 类/classes
count(user persona classes in proposal)	
生态案例 Ecosystem cases	7 个/cases
count(global AI ecosystem cases summarised)	
朝圣地标 Pilgrimage landmarks	4 处/sites
count(AI pilgrimage landmarks / honour nodes)	
更新项目包 Renewal packages	10 个/packages
count(renewal project packages)	
实施分期 Phasing stages	3 期/stages
count(phasing features)	
→ 所有 known 指标均带 status/value/unit/formula/confidence/assumptions;unknown 指标(容积率/建筑高度/法定绿地率/拆改量/现场成功率)保留 null 并说明原因。	