


ONE SPINE, FIVE DATUMS, THREE FIELDS

A real heritage spine reconnects five east-west datums and three differentiated innovation fields.



ONE SPINE

Heritage + public innovation infrastructure

FIVE DATUMS

Five distinct cross-city stitching tasks

THREE FIELDS

Validation + co-creation + urban release

ONE SPINE, FIVE DATUMS, THREE FIELDS

A real heritage spine reconnects five east-west datums and three differentiated innovation fields.



ONE SPINE

Heritage + public innovation infrastructure

FIVE DATUMS

Five distinct cross-city stitching tasks

THREE FIELDS

Validation + co-creation + urban release

ONE SPINE, FIVE DATUMS, THREE FIELDS

A heritage innovation spine reconnecting universities, enterprises, neighborhoods, transit, and public life



CORE SPATIAL JUDGMENT

- SPINE

The Jing-Zhang Railway Heritage Park becomes a north-south innovation public spine.
- DATUMS

Five east-west links reconnect campuses, industry, communities, stations, and services.
- FIELDS

Co-creation, daily-life, and controlled validation fields make AI public and governable.

THREE DIFFERENTIATED AREAS

- NORTH | Zhongzhiyuan


Technology validation + governance
- CENTRAL | AI Origin

Near-campus co-creation + transfer
- SOUTH | Dazhongsi

Intelligent economy + urban release


Context map: © OpenStreetMap contributors, ODbL 1.0; repository provisional geometry; proposal overlay by Jing-Zhang New Datum

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN



INTEGRATED LAND USE, FORM, AND INNOVATION

Urban form follows the innovation stage rather than repeating one generic technology-park model.



OPEN VALIDATION CAMPUS

Controlled test courts, ecological edge, separated public and logistics routes.

NEAR-CAMPUS CO-CREATION STREET

Fine-grain walking, shared ground floors, affordable collaboration, and safe night return.

URBAN RELEASE QUARTER


Station quadrants, heritage square, trial frontage, training, maintenance, and daily life.

CONTROL LIMIT

FAR, height, road boundary, ownership, demolition, utilities, and engineering remain unknown until official data and professional review.

MOBILITY, BLUE-GREEN, AND PUBLIC-SPACE SYSTEM

Complete walking, cycling, and accessible routes precede autonomous shuttles, robots, and event-day technology



FIVE-LEVEL MOBILITY PRIORITY

- 01

Continuous walking

Station-crossing-park-ground-floor accessible loop
- 02

Cycling backbone

Parking and interchange on five east-west datums
- 03

Public transit

Rail and bus access before private vehicles
- 04

Low-speed AI mobility

Limited time, route, and speed; human takeover
- 05

Vehicles and logistics

Perimeter access, internal calming, timed delivery

BLUE-GREEN PUBLIC-SPACE RULES

- Continuous ecological paths along Qinghe and Xiaoyue River
- Classify ring-road and railway gaps by conflict type
- Separate active event fields from quiet residential edges
- Retain staffed help and non-smart access for every AI service

Conceptual mobility and blue-green design; road, bridge, utility, fire-safety, and river-control conditions require professional confirmation

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN



METRICS, GEOMETRY, AND COMPLIANCE EVIDENCE CHAIN

Core values are recomputed from submitted geometry; statutory controls and operational performance remain separate

MODEL SITE AREA

11.41 km²

Low-confidence provisional model value

GREEN-SPACE RATIO

12.34%

green_space / site_boundary

PUBLIC-SPACE RATIO

7.33%

public_space / site_boundary

FOUR-LAYER EVIDENCE CHAIN



THREE CLAIM TYPES THAT MUST NOT BE OVERSTATED

STATUTORY CONTROLS

FAR, height, road boundaries, setbacks, and facility standards remain unknown without official data.

DRR AND CONSTRUCTION


No confirmed demolition list or delivery promise without ownership, survey, and engineering evidence.

OPERATIONAL PERFORMANCE

Talent, participation, and satisfaction are future evaluation metrics—not observed baseline facts.

Spatial and visual metric reviews pass; recalculate all precision-sensitive values when official boundary geometry is supplied

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN



-Zhang New Datum | Real-Map Calibration v0.2
 (text + provisional geometry + calibrated design foci | 2026-08-15)

Three Calibration Findings That Determine the Plan

01. DazhongsI The provisional key area is visibly displaced
 Its center is about 2.2 km from mapped DazhongsI Station and cannot support detailed design
 Response: retain a compliance placeholder; establish a real-map focus at Third Ring-DazhongsI

02. The provisional overall boundary does not align with announced road
 Repository checks indicate an eastward offset of about 533-896 m from four announced road
 Response: keep metrics provisional; anchor design to mapped streets, rail, and public space

03. The nine-kilometre corridor is not a uniform green belt
 Park segments, works, rail, and streets create uneven continuity; ring roads and east-west
 Response: organize five datums: Northern Gateway, Knowledge Co-Creation, AI Origin, Cross-Rail

Plan Decis One real bending heritage spine + five urban datums + the

Legend and Bounding
 — Inferred Jing-Zhang
 - - - Repository provision
 - - - Real-map design
 Provisional geometry + Official



gentleMap contributors, OGB, 1.0; repository provisional boundaries, Design foci and five datums remain proposal judgments pending official geometry, survey, and professional review.

Station four-quadrant access + international release hall + intelligent urban consumption + controlled event operation.

PROVISIONAL CONSTRAINT $\neq$ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN

PUBLIC LIFE, WEATHER, HERITAGE, AND FUTURE MOBILITY

Recovered visual evidence is organized by node and operating condition, not used as decorative imagery



FIVE DATUM NODES | PLAN-SECTION-SCENE COORDINATION

Recovered from v2.1; enlarge the five distinct spatial prototypes instead of compressing them into one generic diagram



K1 Validation Garden

Plan + section + scene + operation



K2 Knowledge Commons

Plan + section + scene + operation



K3 AI Origin Hall

Plan + section + scene + operation



K4 Resilient Ring Platform

Plan + section + scene + operation




K5 Urban Release Hub

Plan + section + scene + operation

ZHONGZHIYUAN | CONTROLLED VALIDATION COURT

Plan–section–scene–operation–metric–risk traceability



SPATIAL MOVE + TARGET

Separate public observation, controlled testing, and maintenance logistics; use the Qinghe ecological edge as an open boundary.

T/

SPATIAL MOVE + BASIS

A shared court links research ground floors to the heritage park through an observable, reversible test interface.

OPERATING CHAIN

Booking / safety review / test / debrief / exit

OPERATING RHYTHM + GATE

Booked weekday tests and quarterly open days. Release requires protocol, insurance, enclosure and human takeover.

RISK + REVIEW


Public–hazard boundary; separated equipment logistics

RISK, EXIT + METRIC

Safety separation, fire access and ownership remain unverified; failure pauses the pilot and restores an ordinary court. Zero conflicts; reachable human takeover; no individual public tracking.

ZHONGZHIYUAN | CONTROLLED TEST SECTION

Conceptual section, operating modes, takeover boundary, and professional review



CONCEPTUAL RECOMMENDED DIMENSIONS — NOT SURVEY OR ENGINEERING CONTROL

SECTION INTENT

Separate public observation from hazardous tests;

SECTION SEQUENCE

public walk → observation → controlled test → staffed desk → logistics

DAILY

Walking, cycling, staffed service; smart mobility

DAILY / RAIN

Booked weekday tests and quarterly open days. Release requires protocol, insurance, enclosure and human takeover.

RAIN / NIGHT

Shelter, lighting, drainage, safe return, and manual

EVENT / TRIAL

Zero conflicts; reachable human takeover; no individual public tracking.

EVENT / TEST


Timed access, steward, geofence, emergency stop,

STOP / RECOVERY

Safety separation, fire access and ownership remain unverified; failure pauses the pilot and restores an ordinary court.

LIUDAOKOU | KNOWLEDGE CO-CREATION STREET

Plan-section-scene-operation-metric-risk traceability



SPATIAL MOVE + TARGET

Stitch campus, community, and R&D parks through shared ground floors, continuous walking, and affordable collaboration. TARGET: ci

SPATIAL MOVE + BASIS

A reversible porch stitches campus, street and shared ground floors for developer schools, open-source work and community AI clinics.

OPERATING CHAIN

Open class / collaboration / transfer / safe night return

OPERATING RHYTHM + GATE

Weekly school and co-creation; normal circulation returns after events. No-login, paper and assisted entry remain.

RISK + REVIEW


Campus management, public access, and night safety

RISK, EXIT + METRIC

Campus management, noise and fire rules are unknown; no crossing of property limits before confirmation. Open hours; continuous walking; non-digital task completion.

LIUDAOKOU | KNOWLEDGE CO-CREATION SECTION

Conceptual section, operating modes, takeover boundary, and professional review



CONCEPTUAL RECOMMENDED DIMENSIONS — NOT SURVEY OR ENGINEERING CONTROL

SECTION INTENT

Continuous shelter, shared ground floors, and cycle

SECTION SEQUENCE

campus edge → shared porch → slow axis → open ground floor → service

DAILY

Walking, cycling, staffed service; smart mobility

DAILY / RAIN

Weekly school and co-creation; normal circulation returns after events. No-login, paper and assisted entry remain.

RAIN / NIGHT

Shelter, lighting, drainage, safe return, and manual

EVENT / TRIAL

Open hours; continuous walking; non-digital task completion.

EVENT / TEST

Timed access, steward, geofence, emergency stop,


STOP / RECOVERY

Campus management, noise and fire rules are unknown; no crossing of property limits before confirmation.

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | STRUCTURE, FIRE, TRAFFIC, UTILITIES, AND ACCESSIBILITY REQUIRE PROFESSIONAL REVIEW

AI ORIGIN | PUBLIC PROBLEM HALL

Plan–section–scene–operation–metric–risk traceability



SPATIAL MOVE + TARGET

Let urban questions enter innovation first; the open ground floor combines co-creation, staffed service, children, and civic life.

T/

SPATIAL MOVE + BASIS

Public issues, enterprise services and university transfer meet in an explainable, appealable dual-track service hall.

OPERATING CHAIN

Question / human facilitation / pilot / public feedback

OPERATING RHYTHM + GATE

Daily staffed counter plus assistant; quarterly review. Professionals retain final judgment in health, legal and policy matters.

RISK + REVIEW


Privacy, bias, appeal, and final human judgment

RISK, EXIT + METRIC

Authorization, data limits and qualifications are unknown; overreach or misleading output shuts down the AI route. Successful transfer; complaint closure; accessible service.

AI ORIGIN | OPEN PROBLEM HALL SECTION

Conceptual section, operating modes, takeover boundary, and professional review



CONCEPTUAL RECOMMENDED DIMENSIONS — NOT SURVEY OR ENGINEERING CONTROL

SECTION INTENT

The heritage spine crosses an all-day public ground

SECTION SEQUENCE

community entry → staffed desk → public hall → open court → quiet edge

DAILY

Walking, cycling, staffed service; smart mobility

DAILY / RAIN

Daily staffed counter plus assistant; quarterly review. Professionals retain final judgment in health, legal and policy matters.

RAIN / NIGHT

Shelter, lighting, drainage, safe return, and manual

EVENT / TRIAL

Successful transfer; complaint closure; accessible service.

EVENT / TEST

Timed access, steward, geofence, emergency stop,


STOP / RECOVERY

Authorization, data limits and qualifications are unknown; overreach or misleading output shuts down the AI route.

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | STRUCTURE, FIRE, TRAFFIC, UTILITIES, AND ACCESSIBILITY REQUIRE PROFESSIONAL REVIEW

ZHICHUN ROAD | RESILIENT CROSS-RING PLATFORM

Plan–section–scene–operation–metric–risk traceability



SPATIAL MOVE + TARGET

Combine underpass, ramps, interchange, shelter, and rain gardens into an all-weather accessible public platform. TARGET: 100% coverage

SPATIAL MOVE + BASIS

A light canopy integrates interchange, rain shelter, event dispersal and limited low-speed device docking.

OPERATING CHAIN

Interchange / shelter / walking / shuttle / takeover

OPERATING RHYTHM + GATE

Daily commute, rain shelter and time-managed events. Robots test only in bounded times and routes.

RISK + REVIEW


Structure, fire, drainage, traffic, and accessibility

RISK, EXIT + METRIC

Traffic, drainage and structure need professional review; conflicts above threshold remove intelligent devices. Continuous transfer; ponding closure; logged conflict and emergency stop.

ZHICHUN ROAD | RESILIENT CROSS-RING SECTION

Conceptual section, operating modes, takeover boundary, and professional review




CONCEPTUAL RECOMMENDED DIMENSIONS — NOT SURVEY OR ENGINEERING CONTROL

SECTION INTENT Elevated ramps, underpass space, and rain gardens SECTION SEQUENCE station entry → waiting → slow loop → event deck → service dock	DAILY Walking, cycling, staffed service; smart mobility DAILY / RAIN Daily commute, rain shelter and time-managed events. Robots test only in bounded times and routes.	RAIN / NIGHT Shelter, lighting, drainage, safe return, and manual EVENT / TRIAL Continuous transfer; ponding closure; logged conflict and emergency stop.	EVENT / TEST Timed access, steward, geofence, emergency stop, STOP / RECOVERY Traffic, drainage and structure need professional review; conflicts above threshold remove intelligent devices.
---	---	---	---

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | STRUCTURE, FIRE, TRAFFIC, UTILITIES, AND ACCESSIBILITY REQUIRE PROFESSIONAL REVIEW

DAZHONGSI | TRUSTED URBAN RELEASE HUB

Plan–section–scene–operation–metric–risk traceability



SPATIAL MOVE + TARGET

Connect four station quadrants; make product, evidence, failure, training, procurement, and maintenance a reversible adoption path.

T/

SPATIAL MOVE + BASIS

A heritage canopy and open frontage host releases, public trials, international exchange and withdrawable recognition.

OPERATING CHAIN

Trial / comparison / procurement / training / maintenance / withdrawal

OPERATING RHYTHM + GATE

Daily market, monthly release and annual public-life week. Commercial content stays separate from civic wayfinding.

RISK + REVIEW


Marketing claims, procurement liability, failure disclosure, maintenance

RISK, EXIT + METRIC

Heritage, operation and crowd risks are unknown; without approval and operator it becomes an ordinary public canopy. Withdrawable feedback; accessible route; ordinary use restored after events.

DAZHONGSI | TRUSTED RELEASE SECTION

Conceptual section, operating modes, takeover boundary, and professional review



CONCEPTUAL RECOMMENDED DIMENSIONS — NOT SURVEY OR ENGINEERING CONTROL

SECTION INTENT

Transit arrival, heritage square, trial frontage, and

SECTION SEQUENCE

heritage edge → release canopy → public street → quiet rest → active frontage

DAILY

Walking, cycling, staffed service; smart mobility

DAILY / RAIN

Daily market, monthly release and annual public-life week. Commercial content stays separate from civic wayfinding.

RAIN / NIGHT

Shelter, lighting, drainage, safe return, and manual

EVENT / TRIAL

Withdrawable feedback; accessible route; ordinary use restored after events.

EVENT / TEST

Timed access, steward, geofence, emergency stop,


STOP / RECOVERY

Heritage, operation and crowd risks are unknown; without approval and operator it becomes an ordinary public canopy.

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | STRUCTURE, FIRE, TRAFFIC, UTILITIES, AND ACCESSIBILITY REQUIRE PROFESSIONAL REVIEW

INNOVATION ECOSYSTEM + GLOBAL CASE TRANSLATION

A3-20 • agent.2 • research—validation—transfer—adoption—public feedback loop



SIX CASES: EACH ONE MUST CHANGE A SPATIAL OR OPERATING DECISION

one-north

- ADOPT shared launch space
- ADAPT K2 open ground floors
- REJECT copied governance

Kendall Sq.

- ADOPT research-street interface
- ADAPT K1 observation edge
- REJECT land-intensity transfer

Paris-Saclay

- ADOPT multi-node network
- ADAPT areas + wings
- REJECT state-investment assumption

22@Barcelona

- ADOPT phased mixed renewal
- ADAPT JZ-01-04
- REJECT copied land mechanism

MaRS

- ADOPT co-located services
- ADAPT Origin dual-track desk
- REJECT institution branding

Brainport


- ADOPT research-test-scale loop
- ADAPT T1-T3
- REJECT manufacturing assumptions

SPATIAL CONCLUSION

The three areas are not islands: Zhongzhiyuan produces validation evidence, AI Origin transfers it into services, and Dazhongsi supports public release and adoption; failure and public feedback return through the same chain.

REGIONAL INTERFACES + SIX RESOURCE FLOWS

A3-21 • All links are proposed interfaces; partnership, input and operation remain unconfirmed



PERSONA JOURNEYS + TEN AI SCENARIO CARDS

A3-22 • agent.3 • every scenario has place, user, human fallback, metric and exit

Researchers / developers

Transit—shared floor—K1 test—K2 school

Spatial requirement: flexible work, equipment logistics, night safety

Startups / enterprises

Origin services—T1 validation—Dazhongsi release

Spatial requirement: professional desk, display/meeting, reversible pilot

Residents / families

Community entry—park walk—public event

Spatial requirement: quiet edge, child safety, non-phone entry

Older / disabled users

Accessible arrival—staffed desk—short rest loop

Spatial requirement: continuous route, seating, paper process

Service / operations staff

Service access—duty—review—incident response

Spatial requirement: separate route, rest, clear takeover authority

S01Trusted agent service

Place/user: K1/T1 • firms/residents

Fallback: human takeover

S03Low-speed delivery test

Place/user: K1/T2 • operators/walkers

Fallback: human delivery

S05Enterprise service assistant

Place/user: K3 • enterprise teams

Fallback: professional desk

S07Education/health navigation

Place/user: K3/T3 • families/older users

Fallback: professional staff

S09Event-safety review

Place/user: K4/K5 • all users

Fallback: site command

S02Open-source school

Place/user: K2 • developers/students

Fallback: in-person mentor

S04Railway culture guide

Place/user: heritage park • residents/visitors

Fallback: paper map

S06Accessible route guidance

Place/user: five datums • disabled users

Fallback: staff guidance

S08Trusted content release

Place/user: K5 • firms/public

Fallback: human approval

S10Blue-green stewardship

Place/user: park/river • community/operators


Fallback: manual inspection

THREE TESTBEDS + DUAL-TRACK CIVIC INFRASTRUCTURE

A3-23 • controlled boundary—evidence output—release gate—failure return




DUAL-TRACK PUBLIC SERVICE: ESSENTIAL TASKS STILL WORK WHEN TECHNOLOGY IS OFF




SEVEN PUBLIC-SPACE COMPONENTS + THREE OPERABLE LANDMARKS

A3-24 • agent.4 • components locate to nodes; landmarks retain daily use and reversible operation



THREE CULTURES + FOUR-LAYER BRAND SYSTEM

A3-25 • agent.5 • railway facts—Zhongguancun methods—public AI culture, not tech decoration



NORTH | validation culture

durable metal + reused timber; low night light; test status rather than corporate advertising

CENTRE | co-creation culture

shared ground floors, contribution wall and open-source events; source/date/status/withdrawal shown

SOUTH | release culture

heritage canopy for trusted release and exchange; commercial content separate from civic wayfinding

RAIL ENGINEERING ETHOS

Spatial evidence: sleeper ticks, durable kit, heritage canopy

Operation: annual archive update; correct factual error immediately

ZHONGGUANCUN EXPERIMENT

Spatial evidence: open ground floor, contribution wall, bounded test deck

Operation: traceable source, withdrawable credit, reviewable failure

PUBLIC AI CULTURE

Spatial evidence: staffed desk, status label, appeal/exit entry

Operation: professional judgment; public service remains when tech is off

L1 CITY MARK

JINGZHANG NEW DATUM; sleeper-to-data-tick motif

L2 AREA BANDS

green Zhongzhiyuan, blue-violet Origin, warm-orange Dazhongsi; for orientation, not map replacement

L3 DATUM WAYFINDING

K1–K5, walking time, accessible route, staffed desk and exit

L4 CONTENT STATUS

source, date, authorization, AI/observed status, pilot state and withdrawal


IMPLEMENTATION MATRIX: SPATIAL PROJECTS, TESTS + ANNUAL EVENT

A3-26 • MVP—lead—operate—review—dependency—phase—cadence—exit; budget, ownership and statutory authority remain unknown

ID	MVP	LEAD / OPERATE	PRO REVIEW	DEPENDENCY	PHASE / CADENCE	EXIT
JZ-01	reversible walking-gap pilot	public lead / street op	traffic + access	survey / ownership	near / quarterly	continuity fails or nuisance
JZ-02	Xiaoyue blue-green pilot	public lead / park op	water + ecology	flood / river controls	near / seasonal	ecology or flood failure
JZ-03	shared-floor transfer point	campus-park / pro service	fire + legal	opening protocol / qualification	near / monthly	no human judgment / overreach
JZ-04	Dazhongsi four-quadrant route	public lead / traffic op	traffic + fire	crossing / station evidence	mid / pre-event	uncontrolled crowd conflict
JZ-05	dual-track public-service desk	community / professional	data + sector professional	authorization / paper route	near / monthly	excludes non-digital users
JZ-06	trusted release + recognition walk	brand lead / venue op	heritage + copyright	authorization / withdrawal	near / each event	rights dispute or misleading status
T1	three standard agent tasks	test platform / independent	data security	protocol / synthetic data	near / batch	high-risk action cannot transfer
T2	bounded low-speed mixed route	scenario op / traffic safety	traffic + insurance	boundary / stop / insurance	mid / daily	conflict above threshold
T3	dual-track service experience	community / professionals	health / legal etc.	authorization / staffed desk	near / monthly	misleads professional decision
EVT	Jing-Zhang AI Public Life Week	brand lead / node op	security-fire + rights	venue / crowd / rights	annual / post-event	safety or complaint not closed

ANNUAL PROGRAM, DEVELOPER COMMUNITY + SEVEN-STEP CONVERSION

A3-27 • agent.6 • events are entries to validation, service, review and withdrawal—not publicity endpoints



FROM PARTICIPATION TO ENTERPRISE / TALENT SERVICE: A REVERSIBLE SEVEN-STEP PATH



Governance boundary: brand coordination owns standards; node operators run daily service; professionals decide health/legal/safety matters; community representatives join agenda and review. Budget, ownership, statutory authority and named operators remain unknown and must not be stated as commitments.

METRICS, EVIDENCE STATUS + RISK TRIGGERS

A3-28 • geometry-recomputable metrics ≠ statutory controls; technical pass ≠ field validity

SITE AREA

11.41 km²

provisional geometry; recalculate on official boundary

GREEN RATIO

12.34 %

provisional geometry; recalculate on official boundary

PUBLIC-SPACE RATIO

7.33 %

provisional geometry; recalculate on official boundary

RECOMPUTABLE

site, green and public space; source/formula/trigger registered

DESIGN TARGET

walking, human transfer, complaint closure and exit; not measured

REMAIN UNKNOWN

FAR, height, ownership, budget, statutory authority and named operator

EVIDENCE RELEASE LADDER

E0 PROVISIONAL GEOMETRY

recomputable, not official

E1 PROFESSIONAL REVIEW

traffic/water/fire/sector

E2 BOUNDED PILOT

limited place/time/users/data

E3 RENEW OR EXIT

feedback+complaint+spatial impact

FIVE UPDATE TRIGGERS

BOUNDARY / CONTROL UPDATE

recompute metrics/layers; no fixed intensity claim

TRAFFIC / WATER / FIRE FAILURE

pause JZ item; restore existing or ordinary public space

DATA / PROFESSIONAL OVERREACH

close AI route; transfer to staff and independent review

PUBLIC / RIGHTS DISPUTE

withdraw content, stop event, publish review

NO OPERATOR / BUDGET / OWNERSHIP

no substantive delivery; concept and reversible pilot only

20-SECOND JURY GUIDE: WHERE THE SEVEN SCORES ARE PROVEN

A3-29 • each score links one main drawing, one spatial anchor and one delivery/risk loop

SCORE	PAGES	WHAT THE JUROR SHOULD SEE	BOARDS
BRIEF ALIGNMENT 20%	A3-02-09 / 20-29	3 positions, 5 functions, areas+wings; agent.1-6	A0-01/04-06
ORIGINALITY 10%	A3-02 / 24-25	one spine, five datums, three fields; components + trusted landmarks	A0-01/05
AI-PLANNING INNOVATION 15%	A3-20-24	ecosystem loop, 10 scenarios, 3 tests, dual-track service	A0-03/04/05
IMPLEMENTABILITY 20%	A3-26-28	JZ-01-06, T1-3, dependencies, cadence and exit	A0-06
PUBLIC INTEREST 10%	A3-22-23	5 personas, non-phone/paper/staff routes and appeal	A0-03/06
RISK + COMPLIANCE 10%	A3-23/26/28	unknowns, professional judgment and update triggers	A0-06
EXPRESSION 15%	A3-01-29	plan—node—section—scene—metric—delivery consistency	A0-01-06

ONE-SENTENCE MEMORY

Jing-Zhang New Datum is not a technology showroom: it is a spatial system that turns railway heritage, AI validation, public service and long-term operation into observable, appealable and reversible urban datums.