


ONE SPINE, FIVE DATUMS, THREE FIELDS

A heritage innovation spine reconnecting universities, enterprises, neighborhoods, transit, and public life



CORE SPATIAL JUDGMENT

- SPINE

The Jing-Zhang Railway Heritage Park becomes a north-south innovation public spine.
- DATUMS

Five east-west links reconnect campuses, industry, communities, stations, and services.
- FIELDS

Co-creation, daily-life, and controlled validation fields make AI public and governable.

THREE DIFFERENTIATED AREAS

- NORTH | Zhongzhiyuan

Technology validation + governance
- CENTRAL | AI Origin

Near-campus co-creation + transfer
- SOUTH | Dazhongsi

Intelligent economy + urban release

Context map: © OpenStreetMap contributors, ODbL 1.0; repository provisional geometry; proposal overlay by Jing-Zhang New Datum

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN


REVIEW NOTE

Winning proposition: a real heritage spine, five cross-city datums, and three differentiated innovation fields.

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY

ONE SPINE, FIVE DATUMS, THREE DIFFERENTIATED FIELDS

Existing streets, railway, waterways and stations anchor a reviewable structure for validation, co-creation and urban release.



BASE: calibrated OSM context, © OpenStreetMap contributors, ODbL 1.0 | OVERLAY: conceptual design study

PROVISIONAL STUDY WINDOW ≠ OFFICIAL BOUNDARY | NO FAR, HEIGHT, DEMOLITION OR ROAD-LINE CLAIM

REVIEW NOTE

Form follows innovation stage: controlled validation, near-campus co-creation, and public urban release.

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY

-Zhang New Datum | Real-Map Calibration v0.2

Context + provisional geometry + calibrated design foci | 2026-08-15

Three Calibration Findings That Determine the Plan

01 **Dazhongsi** The provisional key area is visibly displaced
Its center is about 2.2 km from mapped Dazhongsi Station and cannot support detailed design.
Response: retain a compliance placeholder; establish a real-map focus at Third Ring-Dazhongsi

02 The provisional overall boundary does not align with announced repository boundaries
Repository checks indicate an eastward offset of about 533-898 m from four announced repository boundaries.
Response: keep metrics provisional; anchor design to mapped streets, rail, and public space.

03 The nine-kilometre corridor is not a uniform green belt
Park segments, works, rail, and streets create uneven continuity; ring roads and east-west roads create uneven permeability.
Response: organize five datums: Northern Gateway, Knowledge Co-Creation, AI Origin, Cross-Ring Road, and Dazhongsi

Plan Decision One real bending heritage spine + five urban datums + three green belts

Legend and Boundary

- Inferred Jing-Zhang Corridor
- Repository provisional boundaries
- Real-map design foci
- Provisional geometry ≠ Official geometry

penStreetMap contributors, ODBL 1.0; repository provisional boundaries. Design foci and five datums remain proposal judgments pending official geometry, survey, and professional review.

-Zhang New Datum | Real-Map Calibration v0.2

Context + provisional geometry + calibrated design foci | 2026-08-15

Three Calibration Findings That Determine the Plan

01 **Dazhongsi** The provisional key area is visibly displaced
Its center is about 2.2 km from mapped Dazhongsi Station and cannot support detailed design.
Response: retain a compliance placeholder; establish a real-map focus at Third Ring-Dazhongsi

02 The provisional overall boundary does not align with announced repository boundaries
Repository checks indicate an eastward offset of about 533-898 m from four announced repository boundaries.
Response: keep metrics provisional; anchor design to mapped streets, rail, and public space.

03 The nine-kilometre corridor is not a uniform green belt
Park segments, works, rail, and streets create uneven continuity; ring roads and east-west roads create uneven permeability.
Response: organize five datums: Northern Gateway, Knowledge Co-Creation, AI Origin, Cross-Ring Road, and Dazhongsi

Plan Decision One real bending heritage spine + five urban datums + three green belts

Legend and Boundary

- Inferred Jing-Zhang Corridor
- Repository provisional boundaries
- Real-map design foci
- Provisional geometry ≠ Official geometry

penStreetMap contributors, ODBL 1.0; repository provisional boundaries. Design foci and five datums remain proposal judgments pending official geometry, survey, and professional review.

-Zhang New Datum | Real-Map Calibration v0.2

Context + provisional geometry + calibrated design foci | 2026-08-15

Three Calibration Findings That Determine the Plan

01 **Dazhongsi** The provisional key area is visibly displaced
Its center is about 2.2 km from mapped Dazhongsi Station and cannot support detailed design.
Response: retain a compliance placeholder; establish a real-map focus at Third Ring-Dazhongsi

02 The provisional overall boundary does not align with announced repository boundaries
Repository checks indicate an eastward offset of about 533-898 m from four announced repository boundaries.
Response: keep metrics provisional; anchor design to mapped streets, rail, and public space.

03 The nine-kilometre corridor is not a uniform green belt
Park segments, works, rail, and streets create uneven continuity; ring roads and east-west roads create uneven permeability.
Response: organize five datums: Northern Gateway, Knowledge Co-Creation, AI Origin, Cross-Ring Road, and Dazhongsi

Plan Decision One real bending heritage spine + five urban datums + three green belts

Legend and Boundary

- Inferred Jing-Zhang Corridor
- Repository provisional boundaries
- Real-map design foci
- Provisional geometry ≠ Official geometry

penStreetMap contributors, ODBL 1.0; repository provisional boundaries. Design foci and five datums remain proposal judgments pending official geometry, survey, and professional review.


Station four-quadrant access + international release hall + intelligent urban consumption + controlled event operation.

PROVISIONAL CONSTRAINT $\neq$ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN

PROVISIONAL CONSTRAINT $\neq$ OFFICIAL BOUNDARY

MOBILITY, BLUE-GREEN, AND PUBLIC-SPACE SYSTEM

Complete walking, cycling, and accessible routes precede autonomous shuttles, robots, and event-day technology



FIVE-LEVEL MOBILITY PRIORITY

- 01

Continuous walking

Station-crossing-park-ground-floor accessible loop
- 02

Cycling backbone

Parking and interchange on five east-west datums
- 03

Public transit

Rail and bus access before private vehicles
- 04

Low-speed AI mobility

Limited time, route, and speed; human takeover
- 05

Vehicles and logistics

Perimeter access, internal calming, timed delivery

BLUE-GREEN PUBLIC-SPACE RULES

- Continuous ecological paths along Qinghe and Xiaoyue River
- Classify ring-road and railway gaps by conflict type
- Separate active event fields from quiet residential edges
- Retain staffed help and non-smart access for every AI service

Conceptual mobility and blue-green design; road, bridge, utility, fire-safety, and river-control conditions require professional confirmation

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN

REVIEW NOTE

Walking, cycling, accessibility, transit, blue-green space, and smart mobility form one coordinated system.

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY

METRICS, GEOMETRY, AND COMPLIANCE EVIDENCE CHAIN

Core values are recomputed from submitted geometry; statutory controls and operational performance remain separate

MODEL SITE AREA

11.41 km²

Low-confidence provisional model value

GREEN-SPACE RATIO

12.34%

green_space / site_boundary

PUBLIC-SPACE RATIO

7.33%

public_space / site_boundary

FOUR-LAYER EVIDENCE CHAIN



THREE CLAIM TYPES THAT MUST NOT BE OVERSTATED

STATUTORY CONTROLS

FAR, height, road boundaries, setbacks, and facility standards remain unknown without official data.

DRR AND CONSTRUCTION

No confirmed demolition list or delivery promise without ownership, survey, and engineering evidence.

OPERATIONAL PERFORMANCE

Talent, participation, and satisfaction are future evaluation metrics—not observed baseline facts.

Spatial and visual metric reviews pass; recalculate all precision-sensitive values when official boundary geometry is supplied

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY | CONCEPTUAL DESIGN

REVIEW NOTE

All precision-sensitive metrics remain provisional until official geometry and professional data are issued.

PROVISIONAL CONSTRAINT ≠ OFFICIAL BOUNDARY

9KM CONTINUOUS MASTERPLAN | THE SPATIAL ARGUMENT

A real bending heritage spine reconnects five east-west datums and three innovation fields



ONE SPINE

Continuous heritage + public innovation infrastructure

FIVE DATUMS

Five different east-west stitching tasks

THREE FIELDS

Validation + co-creation + urban release

THREE KEY AREAS | THREE NON-INTERCHANGEABLE URBAN FORMS

Each image is re-anchored to a specific plan, user chain, operating rule, and evidence target



NORTH | ZHONGZHIYUAN

Controlled test courtyard: public observation and technical logistics are separated.



CENTRAL | AI ORIGIN

Open problem hall: campus knowledge and neighborhood questions meet at the public ground floor.





SOUTH | DAZHONGSI

Trusted urban release: products, evidence, failure, training, and maintenance appear together.

ZHONGZHIYUAN | FROM CLOSED R&D PARK TO GOVERNABLE OPEN VALIDATION

PLAN-SECTION-SCENE-OPERATION-METRIC-RISK



TECHNICAL RELIABILITY Separate public observation, controlled testing, and maintenance logistics; failed trials enter review instead of becoming spectacle.

SPATIAL PROTOCOL + TARGET

Separate public observation, controlled testing, and maintenance logistics; failed trials enter review instead of becoming spectacle. TARGET: zero conflict between public and test routes

OPERATING CHAIN



Booking, safety review, testing, observation, debrief, exit.

RISK + EXIT

Geofence, safe distance, separated logistics, steward, emergency stop.

AI ORIGIN | LET URBAN QUESTIONS ENTER INNOVATION FIRST

PLAN-SECTION-SCENE-OPERATION-METRIC-RISK



PUBLIC VALUE

An open problem hall links campuses, communities, and the heritage spine; AI supports evidence while people retain facilitation, judgment, and appeal.

SPATIAL PROTOCOL + TARGET

An open problem hall links campuses, communities, and the heritage spine; AI supports evidence while people retain facilitation, judgment, and appeal. TARGET: staffed alternative retained for every critical service

OPERATING CHAIN


Question, human facilitation, co-creation, pilot, public feedback.

RISK + EXIT

Privacy minimization, transparent evidence, staffed alternative, appeal, opt-out.

DAZHONGSI | FROM PRODUCT LAUNCH TO REVERSIBLE REAL ADOPTION

PLAN-SECTION-SCENE-OPERATION-METRIC-RISK



REAL ADOPTION

Station quadrants and the railway-memory square organize trial, comparison, procurement, training, maintenance, and withdrawal.

SPATIAL PROTOCOL + TARGET

Station quadrants and the railway-memory square organize trial, comparison, procurement, training, maintenance, and withdrawal. TARGET: every real-adoption project has a withdrawal path

OPERATING CHAIN

Evidence disclosure, institutional trial, procurement decision, training, maintenance, withdrawal.

RISK + EXIT

Failure disclosure, procurement liability, maintenance cost, reversible adoption.

FIVE DATUM NODES | PLAN-SECTION-SCENE EVIDENCE

Recovered from v2.1; enlarge the five distinct spatial prototypes instead of compressing them into one generic diagram



K1 Validation Garden

Plan + section + scene + operation



K2 Knowledge Commons

Plan + section + scene + operation



K3 AI Origin Hall

Plan + section + scene + operation



K4 Resilient Ring Platform

Plan + section + scene + operation




K5 Urban Release Hub

Plan + section + scene + operation


PUBLIC LIFE, WEATHER, HERITAGE, AND FUTURE MOBILITY

Recovered visual evidence is organized by node and operating condition, not used as decorative imagery



FIVE PERSONAS | 24-HOUR USE CHAIN

Testing arrival, work, services, recreation, accessibility, and safe return



TEN AI-ENABLED SCENARIOS

Each card defines user, place, data, public value, risk, human review, and fallback

S01

Open-source release hall

K3 | students/founders | human moderator | target: public evidence archive
Risk: data/safety/bias | Human: service lead | Fallback: staffed/manual | Exit: stop or withdraw | Guardrail: zero unreviewed high-risk action

S02

Trustworthy Agent sandbox

K1 | enterprises/public | safety operator | exit: emergency shutdown
Risk: data/safety/bias | Human: service lead | Fallback: staffed/manual | Exit: stop or withdraw | Guardrail: zero unreviewed high-risk action

S03

Edge-computing station

K2 | teams/residents | infrastructure operator | guardrail: data minimization
Risk: data/safety/bias | Human: service lead | Fallback: staffed/manual | Exit: stop or withdraw | Guardrail: zero unreviewed high-risk action

S04

AI walking guidance

K4 | all users | mobility operator | fallback: signs + staffed help
Risk: data/safety/bias | Human: service lead | Fallback: staffed/manual | Exit: stop or withdraw | Guardrail: zero unreviewed high-risk action

S05

International release hall

K5 | firms/visitors | release operator | exit: reversible adoption
Risk: data/safety/bias | Human: service lead | Fallback: staffed/manual | Exit: stop or withdraw | Guardrail: zero unreviewed high-risk action

S06

Qinghe low-carbon corridor

K1 | workers/youth | park operator | target: shaded continuous route
Risk: data/safety/bias | Human: service lead | Fallback: staffed/manual | Exit: stop or withdraw | Guardrail: zero unreviewed high-risk action

S07

Near-campus transfer street

K2/K3 | labs/start-ups | platform operator | target: 10-minute link
Risk: data/safety/bias | Human: service lead | Fallback: staffed/manual | Exit: stop or withdraw | Guardrail: zero unreviewed high-risk action

S08

Data-governance living room

K3 | residents/experts | public steward | appeal + audit trail
Risk: data/safety/bias | Human: service lead | Fallback: staffed/manual | Exit: stop or withdraw | Guardrail: zero unreviewed high-risk action

S09

AI daily-service street

K2/K4 | families/older users | subdistrict | non-phone alternative
Risk: data/safety/bias | Human: service lead | Fallback: staffed/manual | Exit: stop or withdraw | Guardrail: zero unreviewed high-risk action

S10

Global AI Public Life Week

K5 + spine | public/city | annual curator | post-event public review
Risk: data/safety/bias | Human: service lead | Fallback: staffed/manual | Exit: stop or withdraw | Guardrail: zero unreviewed high-risk action

THREE VALIDATION SCENARIOS + THREE PUBLIC LANDMARKS

Every AI capability needs a spatial carrier, operator, human reviewer, and risk boundary

T1 Trustworthy Urban Agent Sandbox | K1

Operator: validation steward. Risk: opaque or unsafe output. Human/fallback: reviewer + manual service. Exit: shutdown and withdraw model. Target: explainable trace log.

T2 Low-Speed Robot Loop | K4

Operator: mobility authority. Risk: pedestrian conflict. Human/fallback: marshal + remote takeover. Exit: emergency stop. Target: zero conflict within limited time/route/speed.

T3 Trusted AI Public-Service Station | K3

Operator: licensed service leads. Risk: harmful advice. Human/fallback: professional judgment + manual service. Exit: stop referral. Target: 100% high-stakes human review.

L1 AI Origin Coordinate Hall | K3

Operator: public archive. Risk: false attribution. Human/fallback: curator + appeal desk. Exit: retract record. Target: annual verifiable-contribution archive.

L2 Century Ahead Time Station | K4


Operator: heritage + park team. Risk: historical simplification. Human/fallback: curator + accessible guide. Exit: correct display. Target: annual public review.

L3 World Urban Agent Charter Square | K5

Operator: annual forum secretariat. Risk: symbolic overclaim. Human/fallback: public panel + staffed desk. Exit: withdraw commitment. Target: published review and reversible release.

DELIVERY PATH | REVERSIBLE PILOTS TO PROFESSIONAL DEVELOPMENT

The proposal does not replace planning, engineering, ownership, finance, or approval



QUALIFICATION SAFETY AND RELEASE GATE

23 tasks, 6 standards, 15 depth items, 9 geometry layers, and 4 validation gates

Spatial

PASS
Three provisional key areas retain non-blocking warnings

Visual

PASS
Core metrics match the offline review layer

Professional

PASS
Standards, depth, and evidence anchors pass

Deterministic

PASS
Formal package and bilingual contract validate

EVIDENCE: self_check.json + manifest.json | 2026-08-24 | AUTHORSHIP + PROVISIONAL GEOMETRY DISCLOSED

BRIEF–DRAWING–DELIVERY TRACE

Seven workstreams resolved through spatial proof, targets, operators, and phases

REQUIREMENT	SPATIAL PROOF	SCENE / TARGET	OPERATOR / PHASE	STATUS
01 CONCEPT	Overall p2; spine + five datums + fields	K1–K5 public-problem calibration	Haidian + campuses + firms all	TRACEABLE
02 ECOSYSTEM	North validation–central transfer–south release	Cross-institution projects / platform use	Platforms + parks near/mid	TRACEABLE
03 AI URBAN FORM	Open floors, shared courts, reversible tests	10 scenarios / staffed fallback for all	Subdistrict + operators pilots	TRACEABLE
04 PEOPLE + SERVICES	10-minute chain; K2/K3/K4	K4: 100% continuous step-free route	Mobility + services near	TRACEABLE
05 HERITAGE SPINE	9 km spine; five barrier types	K1: zero public/test-route conflict	Park + mobility + heritage segments	TRACEABLE
06 THREE CULTURES	Rail material, open-source rituals, legible AI	Annual open release + heritage walk	Heritage + culture + youth all	TRACEABLE
07 AI APPLICATIONS	K1–K5 node + section atlases	K5: withdrawal path for every adoption	Scenario owner + review pilots	TRACEABLE

PRECEDENT TRANSFER, NOT COPYING

Mechanisms translated from science cities, technology parks, and innovation districts

Kendall Square Dense R&D coupled with active public ground floors.	King’ s Cross Infrastructure heritage becomes a public knowledge backbone.	22@ Barcelona Fine-grain blocks, mixed use, and productive regeneration.
one-north Research clusters shaped together with ecological corridors.	Zhangjiang Science City Major facilities, R&D platforms, and urban services coordinated.	Zhongguancun High-frequency university-enterprise-capital-service networks.

AI ECOSYSTEM AND KPI SYSTEM

From research to trusted application through spatial carriers and public-value feedback

Four priorities

Foundation models and agents; embodied AI; AI for science; trusted AI.

Five-level network

Labs–shared platforms–incubators–firms–urban test fields.

Spatial organization

Validation north, transfer central, release south; linked by spine and datums.

Innovation KPIs

Cross-institution projects, platform use, transfer, global collaboration.

Public-value KPIs

Accessibility, staffed alternatives, participation, incident closure.

Governance guardrails

Data minimization, explainability, human review, takeover, right to opt out.

FIVE EAST-WEST DATUMS

Each datum answers a barrier, a user group, and an implementable project package

K1 Northern Gateway

Qinghe–Fifth Ring: ecological arrival, walking continuity, validation access.

K2 Knowledge Co-Creation

Qinghuadonglu–Liudaokou: stitch campuses, communities, and R&D parks.

K3 AI Origin

Chengfu Road–Qinghuayuan: open-source release, transfer, youth life.

K4 Cross-Ring Stitch

Fourth Ring–Zhichun Road: underpass space, interchange, accessible crossing.

K5 Urban Release

Third Ring–Dazhongsi: station-city integration, demos, consumption, exchange.

PUBLIC SERVICES AND NEW INFRASTRUCTURE

Technology stays behind reliable service; staffed and non-phone alternatives remain

Talent services

International desk, shared meeting, short stay, IP and finance support.

Resident services

Health, education, eldercare, childcare, sport, and civic dialogue.

Innovation services

Shared compute, testing, data compliance, prototyping, and exhibition.

New infrastructure

Edge compute, digital twins, low-carbon energy, trusted data, resilient networks.

Accessibility baseline

Continuous routes, seating, legible guidance, staffed help, privacy.

Ten-minute service circle

Transit, toilets, rest points, daily needs, and safe return.

HERITAGE, CULTURE, AND URBAN CHARACTER

Not nostalgic packaging: legible time layers, usable heritage, and open innovation rituals

Jing-Zhang railway culture

Alignment, stations, bridges, and industrial memory form a century timeline.

Zhongguancun innovation

Experimentation, sharing, and iteration shape open ground floors and civic labs.

New AI culture

Transparent, explainable, optional, and oriented to public interest.

Material palette

Rail blue, oxidized red, compute cyan, vegetation green; old meets light structures.

Night character

Low glare, safe return, switchable media; no spectacle-only technology.

Annual rituals

Open-source release, public forums, youth maker week, heritage walks.

RESILIENCE, PROJECTS, AND DELIVERY

Begin with reversible pilots; crossings, utilities, and regulated trials require professional design and approval

Resilience base

Sponge landscapes, shade, emergency communication, refuge, energy redundancy.

Near-term package

Wayfinding, accessibility retrofit, open ground floors, events, temporary test courts.

Mid-term package

Station arrival, underpass space, blue-green links, shared service, walking network.

Long-term package

Major crossings, infrastructure upgrades, regulated AVs, long-term operation.

Professional interfaces

Planning, mobility, utilities, fire, water, heritage, data, and operation reviews.

Release mechanism

Concept–professional–statutory–construction–operation gates retain human decisions.

EVIDENCE, COPYRIGHT, RISK, AND ELIGIBILITY

State what was designed, its evidence, remaining unknowns, and who must confirm it

Evidence classes

Official facts / licensed references / provisional geometry / design judgment / unknowns.

Map copyright

© OpenStreetMap contributors, ODbL 1.0; precedents are analytical references only.

Critical unknowns

Official boundary, zoning, ownership, survey, utilities, fire, heritage, engineering.

No overclaiming

Concept KPIs are not current facts; provisional extents are not official boundaries.

Eligibility safety

The formal package passes four gates; Agent generation, human principal review, and provisional geometry are disclosed accurately.

Final audit

Bilingual parity, pagination, fonts, images, sources, anonymity, size, and naming.