


01 Jing-Zhang Open Pulse | spatial concept & structure

JING-ZHANG OPEN PULSE
V3.3 · PROVISIONAL / CONCEPT ONLY

One public spine, three evidence stations, six-stage civic pulse



CORE QUESTION

AI cities should make questions, tests, decisions, exits and contributions public.

CIVIC PULSE

01 Question	Public need
02 Permission	Human mandate
03 Bounded test	Time + place
04 Human decision	Vetoable
05 Public receipt	Readable evidence
06 Scale / repair / retire	Ordinary route

11.41 km²

provisional study area

13.01 km

concept slow-mobility chain

8

land-use partitions

3

evidence stations


Dashed red boundary and all geometry are provisional; replace official polygons and recompute all layers, metrics, PDFs and HTML.

Geometry-driven review figure · source: package GeoJSON · not an official redline

04 步行、雨水、人和机器人共享一条公共缝合

JING-ZHANG OPEN PULSE
V3.3 · PROVISIONAL / CONCEPT ONLY

六个系统回路，把气候、具身智能和维护写进空间而非口号。



六个系统回路 / SIX OPERATING CHECKS

风 / 空气	开舱风廊、四季验证
雨 / 排水	源头减排、可见溢流
人 / 无障碍	无 App、连续净宽
机器人	低速有界、急停接管
夜 / 生态	暗夜模式、鸟虫复核
资产 / 维护	资产 ID、雨前雨后工单

13.01 km

slow network

3

connectors

189

OSM crossings

16

800m stations

红虚线 = provisional boundary / 非官方红线
8 类用地带*1 + 类公共主脊*3 类东西连接
OSM 仅作背景带置：安全、无障碍、排水与承载力需现场和专业复核。

OSM is a background screen: safety, access, drainage and capacity need field/specialist review.

English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

04 / Walking, rainwater, people and robots share one public seam

Six system loops integrate climate, embodied intelligence and maintenance into space rather than slogans.

Wind / air — open wind corridor, seasonal verification. Rain / drainage — source reduction, visible overflow. Human / accessibility — no app, continuous accessibility. Robot — low-speed boundary, e-stop takeover. Night / ecology — dark mode, habitat review. Asset / maintenance — asset ID, rain-before/after work order.

13.01 km slow network · 3 connectors · 189 OSM crossings · 16 stations within 800 m.

OSM is a background screen; safety, access, drainage and capacity need field and specialist review. The boundary is provisional.

03 三座智证站 | 同一主脊，三种城市能力


JING-ZHANG OPEN PULSE
V3.3 · PROVISIONAL / CONCEPT ONLY

每座站点都写清空间锚点、入口、人工责任、输出和停止条件。

01 / PROV-KEY-001

众智园 | 全栈验证站

安全验证花园



空间锚点 / anchor
GREEN-001 / ROAD-002

入口 / entry
问题卡 + 预约小测

人工闸门 / human gate
人工急停 + 专业复核

输出 / output
正负证据包


停止条件 / stop
场地、保险、数据或接管责任未确认

普通路径始终保留 / ordinary route remains

02 / PROV-KEY-002

AI原点社区 | 开放转化站

近校协作街区



空间锚点 / anchor
PUBLIC-001 / ROAD-003

入口 / entry
开源问题 + 贡献请求

人工闸门 / human gate
权利、隐私与再转替代

输出 / output
可用原型 + 回执


停止条件 / stop
版权、消防、许可或撤回路权不明

普通路径始终保留 / ordinary route remains

03 / PROV-KEY-003

大钟寺 | 城市体验站

可退出体验城区



空间锚点 / anchor
PUBLIC-001 / ROAD-004

入口 / entry
普通路径 + 服务请求

人工闸门 / human gate
站城安全、容量与维护

输出 / output
决策差异 + 复盘版本

停止条件 / stop
智道、道路、运维或文保责任不明

普通路径始终保留 / ordinary route remains

三处置点均为 provisional 评审锚点，不构成官方红线或实施承诺。

All three are provisional review anchors, not official redlines or implementation commitments.

English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

03 / Three proof stations, one public spine, three urban capabilities

Zhongzhiyuan | full-stack validation | safety verification garden. Anchor: GREEN-001 / ROAD-002. Entry: issue card + bounded test. Human gate: human e-stop + specialist review. Output: positive / negative evidence. Stop: site, insurance, data or takeover owner missing.

AI Origin | open transfer | campus collaboration street. Anchor: PUBLIC-001 / ROAD-003. Entry: open question + lineage. Human gate: rights, privacy + offline fallback. Output: usable prototype + receipt. Stop: copyright, fire, permit or withdrawal unclear.


Dazhongsi | civic experience | reversible experience district. Anchor: PUBLIC-001 / ROAD-004. Entry: ordinary route + service request. Human gate: station safety, capacity + maintenance. Output: decision delta + review version. Stop: crowd, road, O&M or heritage owner missing.

All three are provisional review anchors, not official redlines or implementation commitments. The ordinary route remains open.

02 完整用地分配 | 主骨架不是剩余空间

JING-ZHANG OPEN PULSE
V3.3 · PROVISIONAL / CONCEPT ONLY

一张可复算的 8 类用地表，把公共主脊翻译成空间接口。



用地构成 / LAND-USE MIX

科研用地	0802	23.4%
公园绿地	1401	12.0%
防护绿地	1402	10.7%
商业服务	05	13.1%
教育用地	0804	8.4%
广场用地	1403	8.0%
社区配套	0702	14.7%
道路用地	1207	9.7%

空间翻译 / SPATIAL TRANSLATION

01 公共主脊	连续慢行、风路与雨水边缘
02 三站节点	验证、转译、城市体验三种角色
03 四类接口	普通路径、急停、维护和回执

红虚线 = provisional boundary / 非官方红线
8 类用地带*1 + 类公共主脊*3 类东西连接
8 个多边形完整覆盖 provisional site；代码遵循现行用地分类标准，仍非控规结论。

Eight polygons cover the provisional site; codes follow the current land-use enum; not statutory controls.

English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

02 / Complete land-use allocation | the spine is not leftover space


An auditable eight-class land-use table turns the public spine into a spatial interface.

Research land 23.4%; public green 12.0%; protective green 10.7%; commercial services 13.1%; education 8.4%; square 8.0%; community facilities 14.7%; roads 9.7%.

Spatial translation: 01 public spine = continuous walking, wind and rainfall edges; 02 three nodes = validation, transfer and city experience;

03 four interfaces = ordinary route, e-stop, maintenance and receipt.

Eight polygons cover the provisional site; codes follow the current land-use enumeration, not statutory controls. Recompute after official polygons arrive.



English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

05 / Metrics first: can it be recomputed?


Three states, eight land uses, six components, one auditable evidence contract.

Submission geometry: site area 11.41 km²; green ratio 12.34%; public space 7.33%; building footprint 2.72%; slow mobility 13.01 km; land-use polygons 8.

K01—K06 / component → evidence receipt: K01 three stations → paper map + human → no app; K02 AI Origin / Dazhongsi → tree pit + seat → step-free; K03 Zhongzhiyuan → clear flow + backflow → rain; K04 AI Origin / Dazhongsi → paper receipt → Qinghe; K05 Zhongzhiyuan → human dispatch → e-stop; K06 AI Origin / Dazhongsi → paper archive → withdrawal.

Three states: ordinary service = paper, human, passive; bounded test = responsible person, e-stop, minimal data; exit / restore = freeze, receipt, restoration.

All values are design and recompute interfaces; unknown, design_target and provisional do not represent field performance.



English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

Regional coordination is a capability loop, not a transfer list.

Huairou Science City → originate. Future Science City → engineer. Jing-Zhang belt → book + test. Beijing E-Town → scale. Haidian university / community → demand + talent. Beijing—Tianjin—Hebei → compare + diffuse.

Eight mechanisms: land · space · industry · capital · talent · compute · data · scenario. All partnerships are conceptual and require separate ownership, funding, safety, rights and implementation review.



English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

A full lifecycle for each public token / TOKEN → TEST → RETURN

01 Request · public request

02 Review · data + access + RACI

03 Operate · bounded window + human lead

04 Review · SLA + complaint + evidence

05 Return · ordinary public use

RACI = owner + accountable lead; SLA = response + recovery clock; COST = relative band only; DATA = minimum + retention; STOP = rollback + non-AI equivalent.

14 scenario rows in scenario-operation-matrix.json. Thresholds are design gates, not statutory service levels.



English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

Identity system · two rails / three nodes / two switches

Construction rule: two parallel rails · three public nodes · two switch diamonds.

Public components: status board — what is booked / who is accountable; stitch threshold — step-free, audible, tactile crossing; rain tree pit — shade + storage + work order; withdrawal bay — robot stops without blocking people.

Palette: rail graphite, public jade, open blue, civic amber, human coral.

Concept direction · no registered mark · every active component requires a passive human equivalent and a withdrawal path.

JING-ZHANG OPEN PULSE / EVIDENCE-LED URBAN DESIGN

06 / 建设与参与：每个窗口都能回退

把概念交给证据、责任与退出闸门；当前未知状态保持可见

CR-01

资料与场地锁定

输入

问题、用户、版本化边界

交付

权属、勘察、冲突表

停止

权属、消防或责任人未解

CR-02

公共路径与被动样机

输入

许可场地、可逆组件

交付

无障碍、维护定查

停止

绊倒、夹挤、积水或阻路

CR-03

风热水与生命线

输入

几何版本、校准计划

交付

风热水 / 排水 / 消防审查

停止

无校准或没有安全路线

CR-04

有界、有人、限时窗口

输入

许可、责任、人工兜底

交付

开闭、投诉、事件日志

停止

严重事件或接管失败

CR-05

保留、改造或退出

输入

窗口终止或触发停止

交付

公开比较、清权、复原

停止

证据不足或责任悬空

当前参与状态 / CURRENT PARTICIPATION STATE

主干同步

known

本地校验

known

同类比较

known

现场基线

unknown

居民咨询

not_started

公共试点

not_started

任何一项缺证据、责任人或普通路径兜底 → STOP / 恢复普通公共使用

JSON 索引：construction-readiness.json + participation-cycle.json · 仅为概念证据 · 不构成许可或现场结果

06 / 06

许丙南 × Codex / v3.0

English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

06 / Construction and participation: every window can exit

Turn concepts into evidence, responsibility and stop gates; keep unknown states visible.

CR-01 Data and site lock: question, user and versioned boundary → ownership, survey and conflict table → stop when ownership, fire or responsible party is unclear.

CR-02 Public path and passive interface: permitted site and management piece → barrier-free route and maintenance schedule → stop on access, maintenance conflict or ponding.

CR-03 Heat, water and lifeline: geometry version and calibration plan → heat/water/drainage/fire review → stop when calibration has no safe route.


CR-04 Bounded, human-led window: permission, responsibility and human baseline → opening, complaint and event log → stop after a major incident or failed handover.

CR-05 Retain, adapt or exit: window end or publication stop → public comparison, clearance and restoration → stop when evidence is insufficient or responsibility is vacant.

Current participation state: main sync known; local verification known; peer comparison known; field baseline unknown; resident consultation not started; public pilot not started.

JSON index: construction-readiness.json + participation-cycle.json. Concept evidence only; not a permit or field result.

Jing-Zhang Innovation Belt Quantitative Observatory: Economy – Population – Air – Energy (2014–2023)



Source boundary: Beijing/Haidian statistical yearbooks; 2014–2023 historical series. 2024/2025 city bulletins are freshness context only. Xu Bingnan × Codex / v3.0