

双轨京张

TWIN-TRACK JING-ZHANG

验证 VERIFY · 共创 CO-CREATE · 发布 PUBLISH

日常路径 / ORDINARY PATH

可选叠层 / OPTIONAL LAYER

停止 / 隔离
STOP / ISOLATE

G0 概念展示 / CONCEPT ONLY

非现场证据 / NOT FIELD EVIDENCE

T-02 COMPLETE · 10/10 · 4/4 · 13/13

NEXT · JZ-05 × SCENE-011 × T-02

REALITY · G0 / NO-GO · 0 REAL SERVICE

01 / SPATIAL RELAY / SITE OVERVIEW

G0 · PROVISIONAL · NOT TO SCALE

One continuous civic track, three switchyards, two supply wings

The conceptual north–south relay shows relationships only; the dashed container is no official redline and nodes are no coordinate anchors.

A / CONCEPTUAL RELAY

Conceptual north–south relay



B / READ THE LINES

Read lines before nodes

- Continuous civic track
- - - Intermittent proof track
- - - - - Failure siding

Ordinary state always stands

enter • commute • rest • get help • leave
no registration, QR, or AI required

Truth boundary

not an existing plan, road, or station location
not approval order or construction alignment
recalculate fully when official inputs arrive

G0 relationship concept • provisional geometry • north–south is reading order only • proves no redline, coordinate, distance, station anchor, or built condition

One concept: civic track continuous, proof track intermittent; three prototypes are non-interchangeable.

02 / FUNCTION + GROUND LEVEL / LAND-USE STRUCTURE


G0 • PROVISIONAL • NOT TO SCALE

Thirty-six functional envelopes first serve three public-space duties

Unit colours show conceptual function families; continuous ordinary use, side proof, and exit/recovery determine how the ground level works.

A / 36 FUNCTIONAL ENVELOPES

A continuous functional band, not statutory parcels



Continuous ordinary ground level: entry, movement, rest, staffed help, and exit cannot be cut by a technology overlay; proof can only sit beside it

36/36 means machine-recalculable concept units only
use, ownership, FAR, intensity, and development scale remain unconfirmed



B / THREE GROUND-LEVEL DUTIES

One ground level, three duties

01 ORDINARY

ordinary continuity

screen-free wayfinding + staffed entry
route + maintenance clearance first

02 OPTIONAL

proof beside

voluntary • announced • bounded
no loss of movement or quiet rest

03 EXIT / RESTORE

exit + restore

physical stop + human takeover
restore ordinary use; no automatic restart

G0 functional envelopes • 36 concept units frozen • creates no statutory use, precise area, FAR, building height, demolition decision, or implementation conclusion

First serve ordinary continuity, proof beside, and exit/restoration duties at ground level.

TWIN-TRACK JING-ZHANG · GO RELATION DIAGRAM · PROVISIONAL · NOT TO SCALE

CONCEPT RELATION ONLY · NOT EXISTING / APPROVED / DELIVERED


Ordinary paths work first; each place restores a different ordinary space

READ: ordinary first · side proof stops · staffed handoff remains · recovery returns to the named ordinary place.

01 VERIFY · ZHONGZHIYUAN

Parallel bypass / proof court

Proof above; ordinary route below; never crossing.




FAILURE: equipment and enclosure leave; the bypass continues.
RECOVERY: recheck court and environment; not authorization or G1.

02 CO-CREATE · ORIGIN COMMUNITY

One street / two courts / four nodes

Withdraw by node; the resident street stays open.




FAILURE: nodes withdraw one by one; street and daily court use remain.
RECOVERY: temporary screens and capture leave; resident use returns first.

03 PUBLISH · DAZHONGSI

Four-way commute / off-route service

Hall, desk and rest stay off the commute route.



FAILURE: source, screens and queue leave; staff keeps a non-AI route.
RECOVERY: correct source and retest; not approval, authorization or G1.

Read ordinary first, then the stoppable overlay. Failure leaves ordinary life running; recovery returns the named ordinary place.
Evidence: PROV-KEY-001—003 · key-area-evidence-matrix · restoration register · non-AI parity contract.
LIMITS: dimensions, materials, connections, anchors, specialist conditions and real recovery duration unknown · FIELD / GO / APPROVAL = 0 · RIGHTS = not_fully_cleared.

Concept relation diagram; it proves no existing condition, delivery, staffing commitment, accessibility result or statutory boundary.

FOUR STATES ARE SPATIAL RELATIONS · G0 · PROVISIONAL · NOT TO SCALE

CONCEPT RELATIONS · NOT DURATION / AUTHORIZATION / APPROVAL


One baseline; different stop, handoff and restoration objects

READ: ordinary first · side proof stops · staffed handoff remains · recovery returns to the named ordinary place.

01 VERIFY · ZHONGZHIYUAN

Bypass below / proof court above

Upper side stops; lower ordinary route stays clear.




03 FAILURE: court equipment and enclosure leave; bypass stays clear.
04 RECOVERY: recheck court and environment; not authorization or restart.

02 CO-CREATE · ORIGIN COMMUNITY

One street / two courts / four nodes

Withdraw a node, not a shared civic timeline.




03 FAILURE: nodes 1—4 withdraw; street and daily court use remain.
04 RECOVERY: temporary layer leaves; quiet resident use returns first.

03 PUBLISH · DAZHONGSI

Commuter cross / service side

Hall, desk and rest stay off the commuter route.



03 FAILURE: service side stops; staff preserves a non-AI route.
04 RECOVERY: correct source and retest; never authorization.

All three share ordinary-first, stoppable overlay, staffed takeover and ordinary-place restoration; their ordinary line, failure object and restoration object are not interchangeable.
LIMITS: dimensions, materials, connections, anchors, specialist conditions and real recovery duration are unknown; FIELD / GO / APPROVAL = 0; RIGHTS = not_fully_cleared.

G0 concept relation diagram, not engineering section, existing condition, restoration acceptance or restart authorization.

04 / HUMAN JOURNEY / MOBILITY + BLUE-GREEN


G0 · PROVISIONAL · NOT TO SCALE

One person completes the ordinary journey first; proof appears off-route only

The blue-green and maintenance base persists throughout; failure isolates proof while staffed handoff and safe exit continue.

A / SAME ORDINARY TASK ACROSS FOUR STATES

Enter—understand—complete—ask—leave



Continuous non-AI path is a design intent, not an accessibility result • roads, water, station, dimensions, materials, slopes, lighting, and recovery time remain unknown

Enter, complete, ask, and leave without registration, QR, or AI.



TWIN-TRACK JING-ZHANG · ROUND 18 · PUBLIC READING LAYER

PUBLIC SIGNAL INTERFACE + READABLE CIVIC TIMETABLE

G0 DEMONSTRATION READER · NOT LIVE

PROVISIONAL · NOT TO SCALE · NOT APPROVAL

NO ACCOUNT · NO QR · NO AI REQUIRED

01 / SIX PUBLIC QUESTIONS

Six city signals

Colour is always paired with code, name, shape and text.

01 • ENTRY

Where can I enter?

Ordinary route before proof entry

02 • TIME

What can happen now?

Concept window is not opening hours

03 • STATE

Ordinary, proof, stop, or recovery?

Runtime is not maturity or authorization

04 • HUMAN

Who can I ask?

Show unknown if presence is unconfirmed

05 • SOURCE

Where are basis, version, and update?

Package contract is not a live status feed


06 • EXIT

How do I stop, detour, withdraw, leave?

The ordinary same-task route stays legible

02 / FOUR STATES · ONE ORDINARY BASELINE

Four states = four rejectable actions, not four colours



03 / THREE NON-INTERCHANGEABLE CARRIERS

Six questions, three different spatial carriers

ZHONGZHUYUAN / VERIFY

Bypass + isolation edge

continuous observation bypass

conditional proof court

equipment off-route

physical stop → isolate

bypass stays → restore

RELATIONSHIP · NOT SITE PLAN

ORIGIN / CO-CREATE

Street + 2 courts + 4 nodes

continuous resident street

consent / withdrawal by node

capture stops; street stays

RELATIONSHIP · NOT SITE PLAN

DAZHONGSI / PUBLISH

Four-way commute + side hall

SOURCE

REPAIR

CLEAR

withdraw release; commute stays

show staff only if confirmed

RELATIONSHIP · NOT STATION PLAN

04 / CIVIC TIMETABLE IS NOT A CLOCK

A civic timetable never pretends to be an operating roster

Each row exposes concept window, reality status, and stop action.

ORDINARY-FIRST · TYPE WINDOW

Concept window, not operating hours

Real times / opening / staff: unknown

PROOF OFF

QUIET / SCREEN-FREE · TYPE WINDOW

Quiet / screen-free / resident first

Real times, night shift, noise and light: unknown

PROOF · CONDITIONAL ONLY

Candidate after notice / approval / duty

0 schedules · 0 approvals · 0 real service

FAILURE → RECOVERY

Stop proof → tell human truth → ordinary first

0 real incidents · recovery duration unknown

TRUTH RULES

- Never encode state by colour alone
- Never show staff online without confirmation
- Missing/conflicting carriers publish safest state
- Ordinary non-AI route before proof restart

STRUCTURED BACKLINKS / REALITY GUARD

key-area-evidence-matrix.json#public_signal_interface_round18 · #twin_track_frontend_contract · civic-operations-contract.json#resident_four_window_journey

geometry / metrics / 12 scenes / 8 projects / 3 key areas unchanged · G0 · D01-D08 empty · H01-H07 unaccepted · not_fully_cleared


0 FIELD / APPROVAL

? WINDOW / STAFF


ANTIFRAGILE FAILURE GOVERNANCE | THREE-CARRIER WRITEBACK

Existing JZ-AIOS contract · G0 concept only · NOT TO SCALE · not a real incident, field recovery, or deployment licence

01 | Classify failure before choosing stop intensity




02 | Failure—stop—recover—retest storyboard (synthetic T-02 stale-source example)



03 | One state event, three atomic writebacks



04 | Four separate axes + appeals + active retirement




PERMANENT AUTHORIZATION BOUNDARY | A file check, synthetic replay, machine PASS, retest, or restoration acceptance applies only to its named object and scope.
 It authorizes no trial, procurement, construction, deployment, maturity gain, site/professional approval, rights clearance, or real-world outcome claim.

Climate-Resilience Proof Corridor


Ordinary blue-green service first; AI remains optional, stoppable, and removable

G0 · concept relation · provisional
field measures 0 · devices 0 · duties 0

A PLAN READING | Layer outwards from ordinary use; do not draw proof as continuous plant




B TYPICAL SECTION | Ordinary route + clear process + removable edge



The diagram shows relationships only—not an existing building, river section, statutory setback, fire/rail/municipal conclusion, or built facility.

C FOUR STATES | VULNERABLE-GROUP JOURNEY



Unknown: boundary, climate, shade, rest, stormwater, people, devices, rights, group results.

05 / EVIDENCE LADDER / METRICS + EVIDENCE


G0 · PROVISIONAL · NOT TO SCALE

One G0 proof is complete; the next candidate remains blocked by real-evidence gates

Separate package reviewability, reproducible synthesis, real entry, and professional sign-off so PASS cannot skip a level.

A / FROM COMPLETED TO BLOCKED

Four evidence levels; no skipping



B / PROFESSIONAL DECISION

Who may let it continue?

候选链 / CANDIDATE CHAIN

staffed counter / static-guide baseline
side shadow proof → stop + takeover
independent real-world retest

EIGHT REAL-WORLD BLOCKS

accountable party • exact site • real threshold
source coverage • staffed capacity • approval
real service • independent retest

REVISE • CONDITION
REJECT • DELETE

future competent parties accepting an exact scope only

Machine PASS is not content quality, field evidence, rights clearance, professional duty, or approval • restoring ordinary use is not restart, authorization, or G1

T-02 synthetic proof is complete; eight real-evidence gates still block real entry.

Review Synthesis and Professional Handoff

Twin-track Jing-Zhang · freeze the spatial grammar, replace real-world gaps

GO · NO-GO · provisional

A · THE 90-SECOND READING

ONE CONCEPT TWIN-TRACK JING-ZHANG

Civic track: ordinary movement, non-AI, screen-free and staffed service work first
Proof track: voluntary, announced, bounded, stoppable and removable—not continuous land

3 PROTOTYPES

ZHONGZHIYUAN
isolate / stop / restore

ORIGIN
street / withdraw / quiet

DAZHONGSI
commute / correct / staff

ONE KERNEL: JZ-AIOS + GO-G3 + evidence gates + rights; four state axes stay separate

B · SIX DUTIES, SIX REVIEW QUESTIONS

1 MASTER CONCEPT
Spatial relation or slogan?

2 ECOSYSTEM
Space + factors + public value?

3 AI+ SCENARIOS
Human review, stop, ordinary return?

4 PUBLIC SPACE
Non-AI, access and daily life first?

5 CULTURE
Verifiable, correctable, screen-free?

6 OPERATIONS
Ordinary value or event heat?

C · EIGHT REAL INPUTS TRIGGER REPLACEMENT + RECALCULATION

D01 OFFICIAL GEOMETRY
compare / replace / recalc
provisional_only

D02 SITE SURVEY
verify / revise / delete
not_measured

D03 CONTROL + TITLE
conflict check before siting
not_authorized

D04 PUBLIC PARITY
group test / redraw
design intent only

D05 PEAK MOVEMENT
stress-test civic route
conceptual

D06 CONSTRAINTS
override or remove concept
not verified

D07 DUTY + OPERATION
no schedule before proof
role types only

D08 RIGHTS + REUSE
block reuse until cleared
not_fully_cleared

FREEZE grammar → REPLACE placeholders → RECALCULATE downstream → VERIFY professionally
Then synchronize three carriers, bilingual figures/PDFs, manifest and the file-level rights ledger.

D · SEVEN DISCIPLINES + STOP LINE

- 01 Planning / urban design 02 Landscape / access
- 03 Transport 04 Architecture / interface
- 05 Rail / heritage / municipal / fire
- 06 Data / AI / rights 07 Operations / community

ANY MATERIAL GAP = NO-GO
protect civic rights, stop proof, revise or retire

Real replacement inputs 0 · accepted duties 0
99 slots submitted 0 · approvals 0 · field tests 0 · GO 0

Concept / GO / provisional / not to scale · file or PR PASS is not site, planning, construction, operation, rights, or deployment authorization



Maintenance urbanism | How an ordinary issue returns to daily life

AI is not an entry condition · An issue shell is not a real complaint · The repair seam always returns to the civic baseline

G0 · 0 / UNKNOWN
CONCEPT ONLY



pending · not a real complaint / work order



REALITY STATUS | concept contract, not operating performance

real complaints 0 · work orders 0 · budgets 0 · confirmed people 0 · planned hours unknown · actual hours unknown
repairs 0 · rechecks 0 · effects 0 · approvals 0 · operations 0

JZ-MAINTENANCE-URBANISM-V1 · all SCENEs remain G0 · no new scene, geometry, facility, or procurement list

Field evidence intake and replacement pack

Template ≠ evidence
0 collections · 0 approvals · G0 NO-GO

A · Freeze the ordinary baseline before receiving material; no sample field value

Ordinary public rights
movement / non-AI / screen-free
staffed alternative



Initial state of every D01-D08 packet
not_collected · artifact_count 0 · field_value null
source / time / version / rights / hash / limits remain empty



Any gap remains NO-GO
A complete form is not obtained evidence

B · Eight replacement packets: record both proof and non-proof

D01 Official geometry
scope / CRS / version
≠ proposal approval

D02 Condition survey
coverage / method / precision
≠ all-time condition

D03 Control and rights
authority / conditions / expiry
≠ construction permit

D04 Same-task parity
groups / consent / withdrawal
≠ universal compliance

D05 Transport peak
denominator / window
conflict · ≠ future demand

D06 Specialist limits
discipline / scope / veto
≠ all-discipline release

D07 Duty and operation
acceptance / backup
resources · ≠ future availability

D08 Rights and reuse
asset / use / term
≠ package clearance

C · Custody and professional disposition

identity → source → time/version → rights/privacy → SHA-256
→ completeness/conflict → H01-H07 professional decision

return / conflict hold

reject / expire

**Accepted for recalculation ≠ site / planning / build
or operation approval**
Professional evidence may revise, reject or delete the concept

D · Three non-interchangeable future field routes (0 completed walks)

Zhongzhiyuan · isolation and restoration

Freeze observation bypass and before-state first
No activation; check isolation / stop / takeover fields only
Missing baseline or stop right → stop overlay, keep bypass
D02 / D06 / D07 · not a resident co-learning route

Origin · consent and withdrawal

Daily street and screen-free same task stay complete
Paper/staffed consent; record group barriers, not identity
Safeguarding or quiet failure → stop collection
D04 / D07 / D08 · not an equipment test route

Dazhongsi · peak and source correction

Four-way commute stays; release and service sit off-route
Count denominator / peak definition / source version start empty
Route intrusion or source dispute → remove release overlay
D02 / D05 / D08 · not a proof court

G0 concept method · provisional boundary · not to scale · no field data · no approval · no duty acceptance · not_fully_cleared

D01-D08 / H01-H07 are unsubmitted; compare and recalculate fully when official inputs arrive.