

The Jing-Zhang Running Diagram — Re-reading a Century of Railway Dispatching Wisdom as the Spatio-temporal Operating System of the AI Innovation Belt

The JING-ZHANG RUNNING DIAGRAM re-reads the dispatching wisdom born with the 1909 Jing-Zhang Railway as the spatio-temporal operating system of the AI Innovation Belt: one main running line (Jing-Zhang Heritage Park Vitality Belt), three hub stations (Zhongzhijuan / AI Origin Community / Dazhongsi), two wing branches (Zhongnancun Technology-Service Wing, Xiaoyuehe Scenario-Empowerment Wing), ten service-call cards (AI scenarios) and an annual running diagram (event and operation system). All spatial proposals are concept suggestions generated from the repository's provisional boundary and must be fully recalculated when official geometry is released.

[阅读中文版本](#)

The Jing-Zhang Running Diagram — Re-reading a Century of Railway Dispatching Wisdom as the Spatio-temporal Operating System of the AI Innovation Belt

THE JING-ZHANG RUNNING DIAGRAM | In 1909 the Jing-Zhang Railway opened to traffic — for the first time, Chinese engineers, Chinese rails and a Chinese running diagram connected Beijing with Zhangjiakou; the running diagram has since been the oldest “operating system” of this corridor: which train, at what time, on which line, stopping at which station, dispatched by whom. This proposal re-reads that century of dispatching wisdom as the **spatio-temporal operating system of the AI Innovation Belt**: one **main running line** (the Jing-Zhang Heritage Park Vitality Belt) running north-south, three **hub stations** (Zhongzhijuan, the AI Origin Community, Dazhongsi) with distinct roles, two **wing branches** (the Zhongguancun Technology-Service Wing and the Xiaoyue Scenario-Empowerment Wing) delivering factors, ten **service-call cards** (AI scenarios) running on schedule, and one **annual running diagram** (event and operation system) dispatching the whole year. The task of urban design is to make every “innovation train” on this corridor — enterprises, talent, compute, scenarios — punctual, connected and queryable.

All spatial, activity, policy, investment-attraction and phasing content in this proposal is **openly co-created conceptual advice, reference schemes, or material for professional teams to deepen**; it does not replace formal planning, does not constitute government-approved conclusions, and does not constitute any parcel-level demolition/renovation, road redline, rail alignment or engineering-construction conclusion

Source

Because official exact boundaries have not yet been released, all geometry is generated from the repository-registered provisional boundary; every boundary is `official_boundary=false` and `provisional_constraint`, used only for generation, display, discussion and intra-package self-checks

Source

When official polygons are released, the boundary, key areas and all derived layers, metrics, figures, HTML and PDFs must be recalculated as a whole chain; this recalculation trigger is recorded in the assumptions

Depth

Executive summary (seven lines): 1. Core proposition: re-read the Jing-Zhang Railway's running diagram wisdom as the spatio-temporal operating system of the Al Innovation Belt; "dispatching" is a more fitting organizing metaphor than "artery" or "weaving" — it answers space (alignment), time (schedules) and actors (dispatchers = operating community) at once. 2. Spatial structure: one belt, three stations, two wings — the main running line (Heritage Park Vitality Belt) runs north-south; three hub stations correspond to the three key areas; two wing branches deliver capital, IP, scenarios and life services. 3. Overall concept and naming: "The Jing-Zhang Running Diagram" (JZ-RD); logo direction: "three-color signal lights plus running diagram polyline" — red/yellow/green as Al ethics colors, the polyline as a century of running traces. 4. Institutional core: the "Punctuality Protocol" — every "innovation train" (scenario, project, event) must publish its schedule, alignment and dispatcher; no riding without a ticket, no off-schedule scheduling, no black-box dispatching; the running diagram itself is released as open source. 5. Evidence status: all geometry is based on the repository-registered provisional boundary (EPG5-4548 recalculated 11,412,825 m², consistent with the announced 11.4 km²); all spatial metrics are reproducible from the package GeoJSON

Me

Spatial data

6. Key disclosure: the three key areas and the overall boundary are provisional constraints; the whole package must be recalculated when official polygons are released; regulatory-planning conditions (FAR, height, density, green ratio, setbacks) are missing and recorded as pending

Dep

7. Decision boundary: all conclusions are conceptual advice; statutory control gaps are registered, not disguised as approved values.

Design Basis and Source List

This formal proposal takes the Official Pre-qualification Announcement of the Centennial Jing-Zhang AI Innovation Belt International Urban Design Call issued by the Haidian Branch of the Beijing Municipal Commission of Planning and Natural Resources as its primary basis

Standard

the excerpted open-call taskbook for global AI agents as its secondary basis

Standard

Source

and the maintainer-registered provisional boundaries, key areas, enums, indicators and source inventory under [brief/site-package/](#) as its machine-readable basis

Source

Before generation, the agent read `design_brief.json`, `allowed_design_space.json`, `sources.json`, `enums/`, `ranges/`, `schemas/` and `data/source_registry.json`; every design judgment is decomposed into traceable sources, reproducible metrics, checkable layers and human-reviewable assumptions

Source

Depth

Source-use boundaries are as follows: the registry currently lists 7 formal-ready sources, 1 background-only source and 1 provisional-only source; the agent must not upgrade background-only or provisional-only material into official boundaries, statutory controls, formal scoring evidence or government implementation commitments


Source

The official announcement gives the areas and textual four-direction bounds of the three scope levels and three key areas, but no verifiable-coordinate polygon; the pre-qualification document download requires a password, and no official redline is publicly available

Source

All geometry therefore uses the provisional boundary (`PROV-SITE-001` and `PROV-KEY-001/002/003`), with precision limits continuously disclosed in `sources.json` , `assumptions.json` and this narrative.

京张运行图 · 总体方案总览（一带三站两翼）



Evidence chain and submission package diagram

The absence of official key-area polygons does not block content scoring, but all areas and metrics in this package are explicitly labeled "recalculated on provisional boundary"; when official data is released, the whole chain must be recalculated along the path registered in `assumptions.json`

`Metric`

`Depth`

Regulatory-planning conditions (floor area ratio, building height, building density, green ratio, setbacks) are not publicly available; all development-intensity judgments in this narrative are written as conceptual volume proposals labeled "pending official control conditions"

`Depth`

`Depth`

Three-Level Scope Framework

The proposal organizes work along the three scope levels defined by the announcement, mapping each level to one "dispatching layer" of the running diagram

`Standard`

`Depth`

- **Coordinated research area (43.6 km²):** north to the 5th Ring Road, east to the Jingzang Expressway, south to Xizhimen Outer Street, west to Wananhe Road. This layer answers the "global rail network" of the running diagram: where the AI industry chain lies, where talent comes from, how compute and data flow, and how the future city form evolves. Working depth: industry strategy and future-city-form research

`Spatial data`

- **Overall design area (11.4 km², the submitted boundary):** the 1–2 km city and industry zone around the Jing-Zhang Heritage Park. This layer answers the "main line" of the running diagram: land use and spatial structure of the main running line green belt, three hub stations and two wing branches, at regulatory-planning urban-design depth

`Metric`

- **Key detailed design area (368.4 ha):** from north to south, the Zhongzhiyuan AI Autonomous-Innovation Acceleration Area, the Beijing AI Origin Community and the Dazhongsi AI Industry Cluster. This layer answers the "station-yard design" of the three hub stations: function and format, building scale, retain/renovate/demolish classification, public-space connectivity and traffic organization, at comprehensive-implementation-plan urban-design depth

`Spatial data`

`Spatial data`

`Spatial data`

The three levels cascade as "global network — main line — station yard", each with its own layers, metrics and depth items

`Depth`

`SITE-001` and the three `KEY_AREA` features are all `provisional_constraint`: they are inferred from the announcement's textual bounds, location clues and approximate areas (EPSG:4548 deviations +0.02% to +0.43%), usable only for generation, display, discussion and self-checks, not as official redline, approval basis or precise-area basis


`Source`

`Source`

When official polygons are released, `geometry/site_boundary.geojson`, `geometry/key_areas.geojson`, all derived layers and `metrics.json` must be recalculated as a whole

`Depth`

京张运行图 · 用地结构与三站两翼（横切片语法）



Three-level scope and spatial working framework

Coordinated Research Area: Industry and Future City Research

Three positionings, five functions and the three-areas-two-wings loop

The announcement establishes three positionings — **Centennial Jing-Zhang Culture Belt, Urban AI Life Experience Belt, AI Fusion Innovation Belt**; the taskbook adds five functions — **AI full-stack autonomous innovation system, world-class AI innovation ecosystem, AI+ scenario empowerment paradigm, intelligent vibrant AI city, global voice in AI governance**— and the "three areas, two wings" spatial skeleton

Standard

Source

Depth

This proposal re-reads the three areas and two wings in running-diagram grammar: the three key areas are **three hub stations** — Zhongzhiyuan = "Engine Station" (AI full-stack autonomous innovation and global AI-governance voice), AI Origin Community = "Origin Station" (world-class AI innovation ecosystem), Dazhongsi = "Hub Station" (AI-native new business formats); the two wings are **two branch lines** — the Zhongguancun Technology-Service Wing (east; global factor allocation, Zhongguancun IP and capital empowerment) and the Xiaoyuehe Scenario-Empowerment Wing (west; AI scenario empowerment and the intelligent vibrant AI city)

Source

The synergy loop is "station—line—wing": hub stations dispatch innovation trains (enterprises, talent, projects), the main running line delivers scenarios and public experience, the wing branches return capital, IP, life services and governance feedback, forming a sustainable factor cycle

Depth

Naming system and logo direction (agent.1)

- **Primary name:** 京张运行图 (The Jing-Zhang Running Diagram, JZ-RD).
- **Naming system:** the main line is the "R-Line"; the three hub stations are named "Engine Station (Zhongzhiyuan) / Origin Station (AI Origin Community) / Hub Station (Dazhongsi)"; the wings are the "East Wing · Zhongguancun Technology-Service Branch" and the "West Wing · Xiaoyuehe Scenario-Empowerment Branch"; AI scenarios are uniformly called "service-call cards"; the event and operation system is the "annual running diagram". All names are conceptual and do not involve unauthorized use of existing trademarks or names

Source

Depth

- **Logo direction:** "three-color signal lights + running-diagram polyline" — red/yellow/green dots form a signal (red = safety boundary, yellow = human review, green = open running), and a graduated polyline passes through the three lights (the polyline = a century of running traces; the three lights = the three hub stations); auxiliary graphics abstract station canopies and rail sleepers. The relationship between the logo and the signage system, and the rights-clearing status of fonts and icon materials, are registered in `assumptions.json` and the copyright statement

Source

- **Logo VI starter kit:** this package ships `assets/media/Logo-vi.svg` (vector master, losslessly scalable) and `assets/media/Logo-vi.png` (preview bitmap) for reviewers and downstream design teams; the VI specification page (minimum size, clear space, reverse and monochrome versions) is listed for the next brand-deepening step

Depth

The three signal-light colors also enter the signage system as "AI ethics tricolor": red = safety boundary, yellow = human review, green = open running.

Global AI innovation ecosystem cases (agent.2, 5-8 cases)

Case	Location	Lesson transferable to Jing-Zhang (convertible mechanism)
King's Cross / Central Saint Martins	London, UK	A railway industrial heritage (granary, coal yard) transformed into a research-and-education cluster: heritage as an innovation container ; old factories and warehouses along the main line can serve as industrial and exhibition space
Stanford-Sand Hill Road corridor	Silicon Valley, USA	A walkable loop of university, capital and enterprise: configure research, investment and incubation within a 15-minute walking circle of each hub station
Kendall Square	Boston, USA	MIT's vertical "lab—translation—pharma" cluster: the Origin Community suits a "small blocks, dense network, high interaction" organization
one-north	Singapore	Government-led "test—display—live" trinity: Zhongzhiyuan's industry test/validation scenarios can borrow its "living lab" mechanism
Tel Aviv start-up ecosystem	Israel	Civil conversion of military technology and dense founder communities: Dazhongsi suits dual "technology translation + consumption scenarios"
Hangzhou Future Sci-Tech City	Hangzhou, China	Leading-enterprise ecosystem co-existing with start-up towns, talent apartments first: housing and life services on the wings must be supplied in the same batch as industry space

Case conclusions (all conceptual translations, not replication promises): ① innovation ecosystems need **walkable small-block districts**; ② heritage and old buildings are the first-choice low-cost innovation containers; ③ "test scenarios" are the core facility distinguishing an AI district from a traditional industrial park; ④ talent apartments and life services must be delivered in the same batch as industrial space

[Source](#)

[Depth](#)

Factor mechanisms: land, space, industry, capital, talent, compute, data, scenarios

Eight factor types are organized in running-diagram logic: **land and space** — innovation space supply is prioritized along the main line; **industry** — differentiated division among the three stations (Engine = full-stack autonomy, Origin = ecosystem incubation, Hub = new-format translation); **capital** — an open-source community fund and scenario-open revenue feed back into public-space operation (conceptual); **talent** — talent apartments and Origin-Station settlement services around hub stations; **compute** — edge-compute and public compute-pool interfaces reserved at Zhongzhiyuan; **data** — public data opened through "scenario sandboxes" with privacy and human-review boundaries labeled; **scenarios** — ten service-call cards form the annual open scenario list

[Source](#)

[Source](#)

[Depth](#)

All mechanisms are conceptual and do not constitute fiscal commitments, investment-attraction arrangements or policy promises

[Source](#)

Overall Design Area: Urban Renewal and Regulatory-Plan-Level Urban Design

Spatial structure: one belt, three stations, two wings

The spatial structure of the overall design area (11.4 km²) is "**one belt, three stations, two wings**": the **belt** = the main running line green belt (Jing-Zhang Heritage Park Vitality Belt, running north-south, a conceptual green corridor about 360 m wide containing parkland, station-platform walkways and public-space nodes)

[Spatial data](#)

[Metric](#)

the **three stations** = three hub stations (corresponding to the three key areas, each with a station forecourt and slow-traffic connections)

[Spatial data](#)


[Spatial data](#)

[Spatial data](#)

the **two wings** = the east Zhongguancun technology-service corridor and the west Xiaoyuehe scenario-empowerment corridor

[Spatial data](#)

[Spatial data](#)



Renewal targets and functional mix

Land use follows the running-diagram "cross-section (carriage)" grammar: the main running line is parkland (1401), around the three hub stations are research land (0802) and commercial-services land (05), and the wings carry education (0804), residential (0701) and culture (0803) land, forming a "industry in the middle, life on the wings" functional mix

[Spatial data](#)

[Metric](#)

[Metric](#)

This mix is conceptual: official regulatory land-use conditions are missing and the mix must be recalculated once regulatory land use is confirmed

[Depth](#)

[Depth](#)

Renewal framework and implementation policies

The renewal framework is organized in three classes: **retain** — the Jing-Zhang Railway Heritage Park and its historic structures, and mature existing communities; **renovate** — old factories, warehouses and low-efficiency buildings converted into industrial space, exhibition space and community services (station culture halls, developer workshops); **new-build** — the three hub-station complexes and forecourts, and community service facilities on the wings

[Depth](#)

[Spatial data](#)

Suggested implementation policies (conceptual) include scenario-open licensing, low-rent industrial-space replacement, a public-space co-governance fund, and developer-community co-building agreements

[Source](#)

Any parcel-level demolition/renovation conclusion requires re-verification by professional teams after existing-building, ownership and regulatory data are available

[Depth](#)

Detailed Design of Key Areas

All three key areas are designed at comprehensive-implementation-plan urban-design depth, uniformly organized as "positioning + spatial structure + building renewal + traffic/slow mobility + public space + AI scenarios + implementation risk"

[Depth](#)

All three key-area polygons are provisional; the conclusions below are directional only and must be recalculated when official polygons are released

[Source](#)

Zhongzhiyuan AI Autonomous-Innovation Acceleration Area (Engine Station, 192.1 ha)

- **Positioning:** the "Engine Station" of the AI full-stack autonomous innovation system — the source of an autonomous technology stack from foundation models and chip adaptation to industry applications; hosts industry test/validation scenarios and edge-compute pilots

[Source](#)

- **Spatial structure:** with the "Engine Tower" (conceptual landmark) at its core, an "full-stack innovation loop" is organized around the forecourt: basic-research cluster—engineering cluster—test/validation cluster—accelerator cluster

[Spatial data](#)

- **Building renewal:** retain the ecological background along the 5th Ring Road, convert existing industrial buildings into "full-stack laboratories", and add test workshops and compute support (conceptual volumes, not engineering conclusions)

Depth
- **Traffic and slow mobility:** a "test-vehicle-priority" dedicated corridor, separated from regular slow traffic, via the northern main line and transverse connectors

Spatial data
- **AI scenarios:** edge-compute and data-sandbox test ground (T3), full-stack achievement display (service-call cards in Chapter 6).
- **Implementation risk:** the industrial positioning depends on the leading-enterprise ecosystem; open onboarding agreements and public test facilities reduce single-point dependence

Depth

Beijing AI Origin Community (Origin Station, 104.3 ha)

- **Positioning:** the "Origin Station" of a world-class AI innovation ecosystem — the first stop for AI talent and founders: settlement, incubation, exchange and display

Source
- **Spatial structure:** with the "0 km Milestone" (conceptual landmark, see Chapter 9) as the origin, a founder district of "small blocks, dense network" is organized; the forecourt serves daily pitching and exchange

Spatial data
- **Building renewal:** retain the community fabric and education land around Wudaokou, convert street-front shops into "founders' living rooms", and add talent apartments and incubation buildings (conceptual volumes)

Depth
- **Traffic and slow mobility:** repair slow-traffic gaps around Wudaokou and provide "first train" commuter connections and campus shuttle branches

Spatial data
- **AI scenarios:** morning AI commuter shuttle (B01), developer night train (B02), AI health station (B04, Chapter 6).
- **Implementation risk:** complex building and ownership conditions around universities; any renewal must be preconditioned on existing-condition and ownership data

Depth

Dazhongsi AI Industry Cluster (Hub Station, 72.0 ha)

- **Positioning:** the "Hub Station" of AI-native new business formats — the interchange node of AI consumption, business and display, connecting industry with urban life

Source
- **Spatial structure:** with the "Signal-Light Plaza" (conceptual landmark) at its core, a composite hub of "AI consumption street + business towers + exhibition hall"

Spatial data
- **Building renewal:** leveraging the Dazhongsi station TOD conditions, convert surrounding low-efficiency commercial space into AI-native format carriers and add a hub complex (conceptual volumes)

Depth
- **Traffic and slow mobility:** organize rail interchange, robot-delivery branch lines and a commercial slow loop

Spatial data

Spatial data
- **AI scenarios:** robot delivery branch (B07), enterprise-service express (B06, Chapter 6).
- **Implementation risk:** commercial renewal involves existing tenants and ownership; market feasibility and ownership data must be verified

Depth

Node-level design (9 nodes, conceptual)

Below the district-level design, 9 node-level designs are added (3 per district, **confidence=Low**, conceptual) so that professional teams can deepen them directly into single-building schemes in the next stage; every node maps to in-package geometry features, verifiable in `geometry/*.geojson`

Depth

Metric				
Node	District	Core function	AI scenario	Geometry basis
N-Z01 Engine Tower • Full-stack Innovation Loop Core	Zhongzhiyuan	Forecourt as the core of the "full-stack innovation loop"; the conceptual "Engine Tower" landmark hosts full-stack achievement display and the annual "Departure Season" main venue	B06	Spatial data
N-Z02 Data Sandbox Test Ground	Zhongzhiyuan	Enclosed ground inside the test/validation cluster for T3 edge-compute and public-data sandbox testing	T3	Spatial data
N-Z03 5th-Ring Ecological Green Wedge	Zhongzhiyuan	Junction of the ecological background along the 5th Ring Road and the main-line green belt; ecological observation and slow-mobility waystation	B09	Spatial data
N-O01 0 km Milestone Plaza	Origin Community	Forecourt with the "0 km Milestone" landmark and pitch steps; daily pitching and rotating governance forum venue	B02, B10	Spatial data
N-O02 Founders' Living-Room Street	Origin Community	Street-front shops converted into "founders' living rooms + shared workstations + 24h open corner"; enterprise-service stop	B06	Spatial data
N-O03 First-Train Connector Station	Origin Community	Wudaokou slow-traffic gap repair point; morning commuter interchange with "first train" timetable installation	B01	[scenario:ai-traffic-walkability]
N-D01 Signal-Light Plaza	Dazhongsi	Forecourt with the "Signal Light" landmark (red-yellow-green = AI ethics tricolor); governance-service rotation point	B10	Spatial data
N-D02 AI-Native Consumption Street	Dazhongsi	Low-efficiency commercial space around TOD converted into an AI consumption experience street; delivery branch along the street	B07	Spatial data
N-D03 Hub Complex • AI Exhibition Hall	Dazhongsi	New hub complex at the TOD core, with AI exhibition hall and enterprise-service counters	B06, B08	Spatial data

The deepening order of the 9 nodes follows the phasing: P1 first delivers the three forecourt nodes N-O01/N-D01/N-Z01 (combined with forecourt works), P2 completes the three industry and consumption nodes N-O02/N-D02/N-Z02, P3 finishes the three slow-mobility and ecological nodes N-O03/N-D03/N-Z03, every node must be re-verified by professional teams once existing-condition, ownership and official boundary data are available

AI Innovation Ecosystem, Personas, and AI+ Scenarios

Ten service-call cards (AI scenario cards, agent.3)

AI scenarios are organized as "service calls": each scenario is a scheduled service with an explicit line (spatial location), time (operation rhythm), dispatcher (operating body) and passengers (service targets). The ten cards are

Source				
Depth				
No.	Service-call name	Line/location	Service target	Scenario registry
B01	Morning AI Commuter Shuttle	Origin Community—Zhongzhiyuan	Commuting developers	ai-traffic-walkability
B02	Developer Night Train	Origin Community forecourt	Developers, students	enterprise-service-copilot
B03	Weekend Family Local	Main running line green belt	Residents, families	ai-traffic-walkability
B04	AI Health Station	Community nodes on the wings	Residents, seniors	ai-health-service-navigation
B05	Jing-Zhang Culture Guide Train	Whole main running line	Visitors, citizens	ai-cultural-guide
B06	Enterprise-Service Express	Zhongzhiyuan—Dazhongsi	SMEs, founders	enterprise-service-copilot
B07	Robot Delivery Branch	Around Dazhongsi station	Merchants, consumers	robot-delivery-low-speed
B08	Public-Safety AI Patrol Call	Around the three hub stations	Public	public-safety-operations-review
B09	Slow Greenway Cycling Call	Wing greenways	Cyclists, commuters	ai-traffic-walkability
B10	City Forum • AI Governance Call	Rotating station forecourts	Citizens, developers, managers	Governance call (mapping in compliance_matrix)

The scenario-space-operation mapping, data sources, privacy boundaries, human review and operating bodies of every card are detailed in [compliance_matrix.json](#) and [visual/index.html](#); this narrative does not duplicate the machine index

Source

The **admission-level and technology-readiness overview** of the ten cards is provided in [assets/media/scenario-card-overview.png](#) (zh and en versions): each card shows its admission level (L1 concept demo / L2 pilot / L3 regular operation) and a TRL technology-readiness scale, matching the table above card by card; the overview figure is also embedded in [report/proposal.html](#) and the A3/A0 drawings

Depth

Three industry test/validation scenarios (agent.3)

1. **T1 Low-speed robot delivery corridor** (Dazhongsi—Origin Community segment): pilot robot delivery in a designated slow corridor with explicit speed, time-window, avoidance rules and manual-takeover points, as a supervised, reviewable low-speed pilot. 2. **T2 AI traffic-signal dispatching experiment segment** (around Wudaokou): simulation-first, phased live pilots of AI signal timing with human review and one-key rollback, verifying efficiency and safety boundaries. 3. **T3 Edge-compute and data-sandbox test ground** (Zhongzhiyuan): a compliant test environment for edge models and public-data sandboxes; data stays inside the sandbox and results are human-reviewed

Source

Five user personas (agent.3)

- **P1 AI founder** (start-up team lead): needs low-cost space, capital connections, test scenarios and recruiting; mainly active in the Origin Community and Zhongzhiyuan.
- **P2 Open-source developer**: needs 7×24 open workstations, pitching stages, honor displays and community events; mainly active on B02/B10 calls.
- **P3 University researcher and student**: needs short-distance exchange with industry, joint labs and internship channels; relies on nearby universities and the Origin Community.
- **P4 Community resident** (incl. seniors and families): needs health, education, life services and quiet public space; uses B03/B04 calls.
- **P5 Business visitor and tourist**: needs culture guides, consumption and fast access; uses B05/B07 calls.

All scenarios and personas follow privacy and human-review boundaries: no "smartness" through excessive surveillance; personal-data use must be publicly disclosed, withdrawable and human-reviewable

Source

Standard

Land Use, Building Scale, and Retain-Renovate-Demolish Strategy

Land-use layout

Land use follows the running-diagram "cross-section" grammar and fully covers the submitted boundary without gaps or overlaps (gap=0)

Spatial data

Metric

Metric

the main running line green belt is parkland (1401, about 3.63 million m²), around the three hub stations are research land (0802), commercial-services land (05) and culture land (0803), and the wings carry education (0804) and residential (0701) land

Metric

Metric

Land-use codes follow the national Land-Sea Classification Guide for territorial spatial surveys, planning and use control; no self-invented codes are used

Standard

Depth

Building scale (conceptual volumes)

The package generates 177 conceptual building footprints (about 341,000 m² in total) around the three hub stations and the wing living clusters as an illustration of industrial-space supply

Spatial data

Metric

Metric

These volumes serve **spatial-supply discussion only**: official FAR, height, density and setback conditions are not published and are registered as `status=unknown` pending; conceptual volumes are neither statutory control values nor engineering-feasibility conclusions

Depth

Depth

Depth

Retain / renovate / new-build logic

- **Retain**: the Jing-Zhang Railway Heritage Park and historic structures along the alignment, mature existing communities, and education land (campus fabric around Qinghua East Road West Gate and Wudaokou)
 - **Renovate**: old factories, warehouses and low-efficiency buildings along the main line converted into industrial space, cultural display and community services ("heritage as innovation container", translated from the King's Cross experience; see Chapter 4 cases)
- Depth

- ## Spatial data

Spatial data

- Depth

Depth

Spatial data

Spatial data

Metric

Spatial data

Spatial data

Metric

Depth

- Depth

Spa

Pub

Spatial

Depth

...

Spatial data

Spatial data

No.	Landmark	Location	Concept
L1	0 km Milestone	AI Origin Community forecourt	Origin = the starting point of AI innovation; the milestone records each year's teams that "set off from here" (honor display) Spatial data
L2	Engine Tower	Zhongzhijuan	A vertical display tower of full-stack innovation achievements with an open observation deck and pitching space on top (conceptual structure) Spatial data
L3	Signal-Light Plaza	Dazhongsi	Red/yellow/green signal-light art installation = AI ethics tricolor (safety boundary / human review / open running), with a night color-performance mode (conceptual installation) Spatial data

Source

Depth

Standard

Depth

Phase	Projects	Layer
P1 Near term (2026–2028)	Forecourts and walkways of the three hub stations; Origin Community founder-district renovation; Dazhongsi AI-native format pilot; core segment of the main running line green belt	Spatial data
P2 Mid term (2028–2031)	Wing activation: enterprise-service express nodes on the technology-service wing; community parks and health stations on the Xiaoyuehe wing; Zhongzhiyuan test-ground phase I	Spatial data
P3 Long term (2031–2035)	Periphery renewal quality upgrade; belt-wide character enhancement; routine operation of the annual running diagram	Spatial data

Depth

Depth

Standard Response and Design-Depth Evidence

The proposal responds to the five mandatory standards one by one: ① the Announcement (PROJECT-OFFICIAL-ANNOUNCEMENT) — three scope levels, three key areas, tasks and deliverable context

Standard

② the Taskbook (PROJECT-AGENT-OPEN-CALL-TASKBOOK) — three positionings, five functions, three areas and two wings, six tasks and the boundary clause

Standard

③ the Urban Design Administration Measures (MOHURD-URBAN-DESIGN-MEASURES) — public space, character and building massing requirements

Standard

④ the Regulatory Detailed Planning Measures and ⑤ the Land-Sea Classification Guide — distinguishing known controls from pending items and using compliant land-use codes, with all gaps registered in standard_matrix.json

Standard

Standard

All fifteen design-depth items (existing-conditions diagnosis, three-level framework, spatial structure, land-use layout, intensity controls, height and massing, retain/renovate/demolish, traffic and slow mobility, blue-green public space, municipal and new infrastructure, renewal project list, phasing, key-area detailed design, metric recalculation, risk and data gaps) are complete, with item-by-item evidence in design_depth_matrix.json

Depth

Depth

Depth

Risk, Copyright, and Compliance

- **Data and geometry risks:** official exact boundaries, regulatory conditions, existing buildings, ownership and engineering data are missing; this package uses the provisional boundary and registers the recalculation path — the whole chain must be recalculated when official data is released

Depth

Source

- **Implementation risks:** the industrial ecosystem depends on the external environment and test scenarios depend on regulatory licensing; all mechanisms are conceptual

Source

- **Copyright and rights clearing:** this proposal is generated by an AI agent and uses no uncleared fonts, images, trademarks, personas or corporate logos; the logo and signage are original conceptual directions; maps and geometry derive from public repository materials and the provisional boundary; rights notes for generated media are in report/copyright_statement.md.

- **Legal boundary:** this proposal is not formal planning, an approval basis, an engineering-feasibility conclusion or a government implementation commitment; names such as "running diagram", "service-call card" and "hub station" are conceptual and do not allude to existing trademarks or institutions


Source

- **Privacy and human review:** all AI scenarios (especially B04/B08/B10) follow minimal data collection, public disclosure, withdrawal, human review and one-key rollback

Standard

Standard

京张运行图 • 交通慢行与蓝绿公共空间复合系统



Traffic, slow mobility and blue-green composite system

References

- Announcement and taskbook: brief/site-package/design_brief.json, brief/site-package/agent_taskbook.json, brief/site-package/standards/references/project-official-announcement.md, brief/site-package/standards/references/agent-open-call-taskbook-0518.md

Source

Source

- Geometry and boundaries: brief/site-package/geometry/provisional_boundaries.geojson, brief/site-package/geometry/provisional_boundaries_basis.md

Source

Source

- Source registry and site package: data/source_registry.json, brief/site-package/sources.json, brief/site-package/enums/, brief/site-package/ranges/planning_limits.json, brief/site-package/schemas/

Source

Source

• Standard snapshots: `brief/site-package/standards/standards.json` and all local snapshots under its `references/` directory

Standard