




OPENLINE 100

Five layers folded into one imaginable Openline

Left: exploded 5-layer stack (S→N = L→R) • right: corridor axon on real fabric (OSM 2026-08) | provisional




OPENLINE-100 • site-overview • exploded stack + corridor axon • fabric: OSM real basemap • BOARD v1.2



Open Ticket institutional section: the fare system of the Openline

The right-of-way rewritten for the digital century | Join • Verify • Exit • Inherit × govern / space / data / time | governance concept



The Openline is the road;  
the Ticket is its rule of use.

- 1909: the fight for a Chinese right-of-way
- 2026: the citizen right-of-way, rewritten
- A line without a fare system is engineering;  
with one, it becomes a public service

4 strata × 4 gates


govern: trusteeship • space: free  
data: locked trust • time: traced

governance concept • not adopted policy  
to be co-built with district & data authorities



Land use hung on the Openline: corridor before parcels

Concept catalyst zoning (not statutory) • base = real OSM fabric | areas recalculated in EPSG:4548



OPENLINE-100 • land-use-structure • zones washed on real OSM fabric • BOARD v1.2

| Zone                                            | Code | Area ha | Share | Openline role                  |
|-------------------------------------------------|------|---------|-------|--------------------------------|
| <div></div> LU-001 West R&D & collaboration     | 0802 | ≈138.3  | 12.1% | Full-stack R&D • open question |
| <div></div> LU-002 Blue-green public spine      | 1401 | ≈258.6  | 22.7% | Heritage park spine • L1/L2    |
| <div></div> LU-003 Heritage & culture interface | 0803 | ≈220.1  | 19.3% | Heritage narrative along L1    |
| <div></div> LU-004 Native street (south)        | 05   | ≈297.8  | 26.1% | Agents / terminals / content   |
| <div></div> LU-005 East community & living      | 0702 | ≈226.5  | 19.8% | Talent living • transfer       |

Total ≈1141.3 ha • 100% (closed with submitted boundary, err <0.1%)


Checks

- Concept green ≈227.8 ha (20.0%) • public space ≈90.1 ha (7.9%)
- Concept footprint 482k m² (≈4.2%) = node envelopes, not statutory
- Never mix 1668.2 ha control-plan area with 1141 ha submission
- Full recalculation once official parcels arrive; caps yield to them



Why the three areas are not one park template

One Openline grammar, three institutions / sections / components / scenarios | real OSM fabric



Zhongzhiyuan • Garden Innovation St. ≈192 ha

Upgradeable mainboard: shared base + 5 units + collab street + governance

Status: mandatory key area, outside published block-plan extent

Falsifiable: unstable base = rebuild every generation

Origin • Innovation Source ≈104 ha

Over-the-wall: license window + 8-match + open launch + failure library

Status: one of two centers (Wudaokou)

Falsifiable: no license window = source stays walled

Dazhongsi • The Native Street ≈72 ha

Native Street: ground-floor protocol + 4-quadrant arrival + data salon

Status: one of two centers (Dazhongsi)

Falsifiable: no label = ad corridor


Shared grammar; different institutions, sections, components, scenarios.

Rectangles are not parcel lines — provisional until official polygons.



How people move: N - S through, E - W stitched

Twin-line Openline • 3 stitches • real rail & stations • breakpoints as questions, not fake bridges | OSM



- L1 Fact Line: slow-first, canopy
- L2 Service Line: stations & scenes
- 3 E - W stitches: campus/community
- Built fishbone links (joined, not redrawn)
- Real rail: Lines 13/12/15/Changping
- Blue-green: spine + Qinghe/Xiaoyue
- Breakpoint = research question → OL-01

Section logic (not engineering):

- L1 walk-first, cycling, canopy
- L2 service/emergency OK, slow-first
- Walking ≥50% of section, always
- Stitch junctions: crossing & sightlines first


Concept engineering for the worst gap:

Wudaokou 3-level deck OL-07 (pending)



Ecological commitments in numbers: verifiable targets each phase

Carbon budget • runoff capture • heat island • biodiversity net gain • canopy | sensors to trust, Verify gate publishes | targets per A-ECO-001

|                | P1 2026 - 28 • reversible demo                                                    | P2 2028 - 31 • L1 street + stitches                                                 | P3 2031 - 35 • full-line network                                                    |
|----------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                | old rail → seat • ≥60% reclaimed                                                  | permeable section • 75→85%                                                          | canopy network • -2.0° C                                                            |
|                |  |  |  |
| carbon budget  | embodied cap first<br>≥60% reclaimed / old rail<br>2025 baseline ledger           | operational -25%<br>vs 2025 baseline<br>sub-metered energy                          | operational -40%<br>embodied cap holds<br>carbon ledger quarterly                   |
| runoff capture | 75% volume capture<br>permeable + sunken green<br>Beijing sponge band             | 80%<br>three stitches in step<br>L1 fully permeable                                 | 85%<br>network + Qinghe flank                                                       |
| heat island    | -0.5° C<br>summer surface vs nearby<br>sensor corridor on                         | -1.2° C<br>canopy + water + cool pave                                               | -2.0° C<br>stable at full network                                                   |
| biodiversity   | baseline first<br>≥70% native species<br>plots + transects                        | net gain +5%<br>vs baseline                                                         | +10%<br>annual re-survey public                                                     |
| canopy cover   | 25%<br>new + retained both count                                                  | 30%                                                                                 | 35%                                                                                 |

Monitoring loop: L1 sensor poles → civic data trust (in, not out) → Verify gate quarterly → misses trigger library fixes

design targets • A-ECO-001 (Beijing sponge-city & intl BNG bands) • not measured results: recalc on official data

A promise with a meter, not a slogan

How measured

- L1 sensor poles + surveys
- runoff meters • surface temp
- material ledger • energy
- plots + canopy remote sensing

Who verifies

- civic trust in, not out
- licensed trustees open it
- Verify gate publishes quarterly

If a target is missed

- component library fix release
- targets never quietly edited
- the gap goes on public record


Why we dare commit

- reversible first = cheap trials
- targets from public practice bands
- recalc on official data



What is recalculated, what still awaits official data

Type 1 recalculated (provisional) • Type 2 structure known / intensity unknown • Type 3 performance in assumptions







Three key-area plans: real fabric, three grammars

1:2000-level study • existing fabric = real OSM basemap (white), design inserts in color | provisional boundaries


Zhongzhiyuan • Garden Innovation St.  
Upgradeable urban mainboard | ~192 ha



Origin • Innovation Source  
Over-the-wall ecology | ~104 ha



Dazhongsi • The Native Street  
Verified adoption on street | ~72 ha



Upgradeable R&D units

District product / transfer

Native street wall

Design street / deck

White = existing buildings (OSM 2026-08) • dashed = provisional boundary • color = design inserts (concept, not cadastral)


OPENLINE-100 • key-plans-2000 • fabric: OSM real basemap + designed inserts • BOARD v1.2




Massing follows the block; the skyline grows no towers

Top: white-model axons per area (concept heights) • bottom: S→N skyline along the park

Zhongzhiyuan • 18 - 36 m garden courtyards



Origin • low near campus ≤45 m (fine grain)




Dazhongsi • continuous 24 - 36 m wall, defers to existing HQ



Existing HQ 80 m  
no new tower

Along park S → N: no new towers; canopy leads the skyline






Five places — cut them open and you know them

Real place sections: courtyard / license window / deck / arrival / Qinghe edge

01 Zhongzhiyuan • courtyard & park



How to read

02 Origin • license window & KMO




Each is a cut

through ground:

walls, rails,

water, people —

03 Wudaokou • 3-level stitch deck




not a one-point

symbol street.

Depth = rules

04 Dazhongsi Sta. • arrival only




hold in section:

join • verify

exit • inherit

05 Qinghe • governance to river





OPENLINE 100


Six typical streets, one Openline grammar

Section series A-F • not engineering • walking ≥50% at all times • robot band never becomes car lane

A • L1 Fact Line (walkable rail)



B • L2 Service Line (stations dock)




C • Collaboration St. (logistics behind)




D • Transfer St. (windows on edge)



E • Native St. (trial / life split)



F • Deck (e-vehicle / people / view)



OPENLINE-100 • key-sections • walking ≥50% always • BOARD v1.2



Public space first, intensity follows: 0 - 1 • 1 - 3 • 3 - 10 yrs

Same actions as OL-01 - 10 • phasing is not a funding plan | real OSM fabric | dashed = not yet built


0 - 1 yr • prototype



1 - 3 yr • streets



3 - 10 yr • network



0 - 1 yr • prototype

- Arrival first
- KMO + M-stitch sample
- Single station prototype

1 - 3 yr • streets

- One unit cluster opens
- Native street pilot
- License window & hall


3 - 10 yr • network

- Three-area network
- OL-07 deck mid-term
- Governance center



Capital logic of phasing: reversibility is low risk

Each phase answers build / pay / operate / return | bond → pooling → adoption relay | magnitude only, A-CAPITAL-001



Three financing scenarios • relay, not either-or



What reversibility buys

deck unbolts → asset relocates


a wrong demo is not sunk cost

the real reason to go first



Rails made visible: steel sits in this ground

Real Jingbao rail alignment (OSM) × L1 Fact Line • heritage anchors at public geography



OPENLINE-100 • rails-in-fabric • real Jingbao alignment (OSM) + heritage anchors • BOARD v1.2

Five translations — steel visibly in the fabric

Ground • rail as paving

Kept rail embedded in the walk

Section • archaeology trench

cut open: subgrade & ballast strata

Furniture • rails reused

railings / bench frames / lamp bases

Narrative • question stones

AI-ethics questions beside mileposts

Sound • steam × white-noise

rhythmic dialogue, mutable

Taboo: no unreachable exhibits, no fake authenticity



Let the rails grow into the ground: five material translations


Components enter the public library, versioned via Inherit • sound & inscriptions pilot only after review

Ground • rail as paving




No unreachable exhibits

Section • archaeology trench




Furniture • rails reused




No fake authenticity

Narrative • question stones



No trivializing history

Sound • steam × white-noise



No noise nuisance

Three rules before entering the library


- ① Reuse only after clearance & safety testing
- ② Versioned via Inherit: join / exit / inherit
- ③ Sound & inscriptions pilot after permit & review

All five share one ground: rails stay in the street.



Heritage made soulful: grading • voices • rails of humanity

From preserving heritage to continuing Jing-Zhang | 3 grades × 3 voices × 3 turns | A-HERITAGE-001 framework



以人为轨

Rails of humanity

In 1909, the 「人」

drew the line's shape.

In this century, it names

whom the line belongs to.

Railway anatomy → today

switchback = Verify / Exit gates

safety siding = Failure Case Library

test track = governance sandbox

rail = human values, not compute

Each in its place

grading • for the fabric

voices • for the people

the turn • for the century

grading is a literature framework, pending survey


voice slots are empty, awaiting real collection



OPENLINE 100

Wudaokou stitch deck: a reversible 3-level crossing

On existing pier logic • no unproven tunnels • pending red-line confirmation (concept, not construction)



Courage, bounded

○ section logic &

level relations

○ concept tie-ins

Upper • viewing deck

Middle • walk & market

Lower • e-vehicles & logistics

× no spans/loads

× no construction plan

× not an approved alignment

Plan B: no piers →

independent columns →

at-grade crossing +

signal priority


OL-07 • pending red-line confirmation • concept, not for construction



Line 13 train



lower • e-logistics



middle • walk+market



upper • viewing



piers • inspect only



Wudaokou stitch deck: the boldest move drawn as credible everyday life

Section-perspective • material / level / real people • hand edges keep concept honest | OL-07

