


JINGZHANG CROSS-STREETS

Eight real cross-city streets for a 43.6 km² innovation district



THREE SCALES, THREE LEVELS OF PRECISION

43.6 → 11.4 → 368.4


Not the same map at smaller scales: network relationships transfer into blocks, ground floors, and sections.

43.6 km² Network of resources, industry, rail, rivers, campuses, and two wings	11.4 km² Concept land use, eight streets, blue-green mobility, first-row blocks	368.4 ha Three block prototypes, front/back of house, stations, first projects
---	--	--

43.6 KM² OVERALL STRUCTURE

43.6 KM² IS A CITY NETWORK,
NOT ONE LANDSCAPE STRIP

Longitudinal Jingzhang public framework × eight real cross-streets × Qinghe-Xiaoyue × western service wing; grey dashed line is provisional.



JINGZHANG CROSS-STREETS

Eight real cross-city streets for a 43.6 km² innovation district

Innovation already exists on both sides of the railway. The design task is to cross between campuses, neighbourhoods, stations, productive ground floors, and two rivers.

43.6 km ²	COORDINATED RESEARCH
resources, mobility, industry, blue-green network	
11.4 km ²	OVERALL DESIGN
land use, cross-streets, blocks, public ground	
368.4 ha	THREE KEY AREAS
front/back of house, station, sections, first projects	

THREE INHABITABLE LANDMARKS

- 01 Qinghe Prototype Court
- 02 Hundred-Table Review Hall
- 03 Dazhongsi Four-Corner Commons

EXISTING CITY → INTERFACE → BLOCK → OPERATIONS

EIGHT REAL CROSS-STREETS

CS-01 Qinghe Waterfront Cross-Street

Join the waterfront walk, research courts, Xuezh yuan transit access, and dark habitat into one walkable research edge without inventing a new water feature.

CS-02 Lindabeilu Research Cross-Street

Turn the first row of inward-facing buildings into an accessible ground floor for public reviews, shared-equipment booking, talent services, and food.

CS-03 Qinghua East Garden Cross-Street

Connect directly to the approved Xueyuan Road public-space project, its five cycle-parking areas, and six gardens to complete a station-park-street sequence.

CS-04 Chengfu Road Transfer Cross-Street

Keep the paper-to-prototype-to-company journey on the real street through small workrooms, a hundred-table review hall, night study, and daily talent services within a one-kilometre walk.

CS-05 Zhichun Road Service Cross-Street

Put legal, compute, finance, recruitment, and frequent community services at walkable ground level while auditing the unresolved Line 13 crossings toward Dazhongsi.

CS-06 North Third Ring Four-Corner Cross-Street

Deliver surface continuity, vertical access, cycle parking in all four corners, and accessible ground floors before considering bridges, underground links, or new volume.

CS-07 Xueyuan South Community Cross-Street

Prioritise independent school trips, older people’ s rest, toilets and drinking water, under-bridge sport, and repair so the street serves more than innovation workers.


CS-08 Xizhimen Arrival Cross-Street

Create an arrival ground through legible transfers, luggage-friendly walking, a historical opening chapter, and all-day services rather than decorative railway motifs.

11.4 KM² LAND USE AND SECTIONS

11.4 KM² CONCEPT LAND USE NO BLANK CANVAS

Complete topology expresses functional mix; not a survey, statutory zoning, or property right.



FIVE CITY MATERIALS

- R&D / INCUBATION**
0802
- UNIVERSITY / RESEARCH**
0804
- HOUSING / COMMUNITY**
0701/0702
- COMMERCE / SERVICE / CULTURE**
05/0803
- PARK / ECOLOGY**
1401/1402
- CROSS-STREET / PUBLIC NODE**
1207/1403

FOUR GROUND-FLOOR ACTIONS

- 01 retain
- 02 adapt ground floor
- 03 partnership lease
- 04 conditional infill

WATERFRONT RESEARCH: COMPLETE GRADIENT FROM RIVER TO SECURE R&D

STUDY RANGE: habitat 12-20 m | clear walk ≥3 m | storm 6-12 m | forecourt 8-15 m



NEAR-CAMPUS TRANSFER: A FIVE-MINUTE CAMPUS-TO-COMPANY CHAIN

STUDY MINIMA: clear walk ≥3 m | one-way cycle ≥2.5 m | workroom 6-9 m | entries ≥2/100 m



FOUR-QUADRANT STATION: SURFACE FIRST; TEST BRIDGE OR UNDERGROUND LATER


STUDY MINIMA: arrival ≥12×20 m/corner | crossing ≤2 signal stages | 150-300 cycles/corner to verify



LONGITUDINAL PARK × TRANSVERSE DAILY LIFE

THE LONGITUDINAL PARK EXISTS; DESIGN THE CROSSINGS AND COMPLETE SECTIONS


Eight streets follow real waterways or roads; each must reach ground floors, stations, campuses, or neighbourhoods beyond the park edge.



ZHONGZHIYUAN: WATERFRONT RESEARCH BLOCKS

THREE KEY AREAS: THREE BLOCK TYPES, NOT THREE ISOLATED OBJECTS

Working windows use OSM building context; colour marks ground-floor adaptation, red is conditional infill, and lines are public paths.



Qinghe Prototype Court

secure research rear + accessible review forecourt + Qinghe habitat edge

DAILY: shared-equipment booking, lunchtime review, commuting, waterfront walking, and food


EVENT: quarterly prototype open days and international standards workshops

- FIRST PROJECTS
- accessible Xuezhiyuan station-to-park link
 - public ground-floor prototype facing Qinghe
 - separated research logistics and visitor route
 - dark habitat and stormwater terraces

AI ORIGIN: NEAR-CAMPUS TRANSFER BLOCKS

THREE KEY AREAS: THREE BLOCK TYPES, NOT THREE ISOLATED OBJECTS

Working windows use OSM building context; colour marks ground-floor adaptation, red is conditional infill, and lines are public paths.



Hundred-Table Review Hall

a short chain from campus gate to workroom, public review, incubation, and daily services

DAILY: open desks, legal and compute clinics, night study, childcare, and affordable food


EVENT: weekly peer review, monthly street releases, and graduation residencies

- FIRST PROJECTS
- Chengfu Road campus-gate walking repairs
 - continuous ground floor from Origin Building to Starlight Avenue
 - distributed 50+50 open desks
 - low-impact shared longhouse

DAZHONGSI: FOUR-QUADRANT STATION BLOCKS

THREE KEY AREAS: THREE BLOCK TYPES, NOT THREE ISOLATED OBJECTS

Working windows use OSM building context; colour marks ground-floor adaptation, red is conditional infill, and lines are public paths.



Dazhongsi Four-Corner Commons

surface-first four-quadrant access + content production + intelligent devices + commuter life

DAILY: transfer, cycle parking, repair and returns, youth night school, and community services


EVENT: small releases, public screenings, device trials, and sound-culture nights

- FIRST PROJECTS
- four-corner crossing and vertical-access audit
 - cycle parking in all four quadrants
 - film-to-Dazhongsi content-production ground floor
 - intelligent-device repair and circular counter

THREE-AREA SPATIAL COMPARISON

THREE KEY AREAS: THREE BLOCK TYPES, NOT THREE ISOLATED OBJECTS

Working windows use OSM building context; colour marks ground-floor adaptation, red is conditional infill, and lines are public paths.



SEVEN REAL USER GROUPS

P-01 University researcher / student

Find public review, shared desks, affordable food, and a safe return route within 15 minutes

P-02 Solo founder and small team

Use workrooms by the hour and receive weekly legal, compute, hiring, and prototype support

P-03 Hardware engineer and test operator

Keep logistics away from public flows while demonstrating and taking over manually in a controlled forecourt

P-04 Neighbour and caregiver

Keep school trips, care, rest, drinking water, toilets, and daily shopping from being displaced by innovation events

P-05 Wheelchair user and older person with limited mobility

Receive one continuous chain of crossings, station access, ramps, lifts, and rest points with human alternatives to digital service

P-06 International visitor and partner

Arrive from Xizhimen or Xuezh yuan, understand the district, book a visit, and enter public events without insider knowledge

P-07 Park and district operator

Have real back-of-house space for storage, repair, night duty, waste sorting, event set-up, and complaints

ZHONGZHIYUAN SCENARIOS

SCN-01 Controlled Prototype Review Street

SPACE: Qinghe Prototype Court forecourt and closable test lane
OPERATOR: estate operator, test company, and human safety marshal
FREQUENCY: monthly; one test lane; no more than 40 observers
METRIC: every test records its boundary, takeover time, and clear-down
STOP: stop if the trial leaves its enclosure, manual stop fails, or the marshal leaves

SCN-02 Low-Speed Campus Logistics Window

SPACE: service lane, controlled crossings, and indoor hand-off lockers
OPERATOR: property manager, logistics provider, and transport professionals
FREQUENCY: two off-peak weekday hours; no more than four low-speed devices
METRIC: zero obstruction of accessible paths and takeover within the declared time
STOP: stop on accessible/fire-route obstruction or two safety takeovers in one session

SCN-03 Qinghe Habitat Observatory

SPACE: dark river edge, stormwater terraces, and public observation points
OPERATOR: joint river, park, university, and volunteer team
FREQUENCY: continuous environment log; quarterly species check; no more than 12 people per point
METRIC: lighting boundary, habitat continuity, and human verification coverage
STOP: stop if light crosses the dark boundary, sensors capture personal data, or storm alert triggers

SCN-04 Street-Level Shared Equipment Booking

SPACE: public booking desk, secure rear area, and waiting café
OPERATOR: estate platform and equipment owners
FREQUENCY: at least 60 weekday hours/week; 6-12 waiting seats
METRIC: open hours, equipment utilisation, and access by small teams
STOP: stop on booking/research-data mixing, blocked public passage, or secure-rear failure

AI ORIGIN SCENARIOS

SCN-05 Hundred-Table Peer Review

SPACE: divisible longhouse, street-side spill-out, and quiet booths
OPERATOR: rotating university, incubator, and developer hosts
FREQUENCY: two sessions/week; 40-100 demountable tables; 120-300 seats after fire approval
METRIC: weekly open hours, cross-institution seats, and later tenancy conversion
STOP: stop on blocked egress, loss of public/confidential separation, or noise breach

SCN-06 Distributed 50+50 Open Desks

SPACE: two small ground floors five minutes apart rather than one new mega-incubator
OPERATOR: local authority, park operator, and social operator
FREQUENCY: 100 desks total; at least 60 hours/week; two ground floors within a five-minute walk
METRIC: desk turnover, night safety, affordability, and team survival
STOP: stop if rent leaves the agreed affordable band, night staffing fails, or access breaks

SCN-07 Eight-Need Founder Clinic

SPACE: a sequence of small Chengfu Road rooms for policy, finance, compute, talent, partners, expertise, space, and scenarios
OPERATOR: professional service providers on daily rotation
FREQUENCY: eight rotating service rooms; first response target within one working day
METRIC: first-response time and conversion to long-term service
STOP: stop if public display identifies clients, no human professional is present, or conflicts are undisclosed

SCN-08 Night Study and Care Chain

SPACE: lighting, seating, and help points between station, campus gate, food, and talent housing
OPERATOR: subdistrict, universities, property managers, and merchants
FREQUENCY: daily 18:00-23:00; rest points no more than 150 m apart
METRIC: continuous lit frontage, a 150 m rest-point target, and human response
STOP: stop on loss of continuous light/help, nuisance glare, or an un-routed accessibility break

DAZHONGSI SCENARIOS

SCN-09 Four-Quadrant Device Trial

SPACE: four small indoor trial rooms and continuous surface crossing
OPERATOR: device companies, consumer representatives, and station operator
FREQUENCY: quarterly trial week; four indoor rooms; no more than eight people per room
METRIC: ease of exit, accessible use, and completed human after-sales service
STOP: stop without opt-in, on-site deletion, commuter exclusion, or human after-sales

SCN-10 Film-to-AI Production Ground Floor

SPACE: adjacent dubbing, captioning, audio description, small screening, and rights advice
OPERATOR: universities, content studios, accessibility advisers, and rights professionals
FREQUENCY: two small screenings/month; no more than 80 seats; five daily production rooms
METRIC: accessible-content share, rights completeness, and public screenings
STOP: stop if rights are incomplete, captions/audio description are absent, or sound/light breaches limits

SCN-11 Device Repair and Circular Counter

SPACE: one ground floor for repair, returns, parts, material recovery, and resale
OPERATOR: brand-neutral repair provider and producer-responsibility body
FREQUENCY: eight daily repair benches; at least one accessible bench
METRIC: repair rate, reuse rate, and affordable-service share
STOP: stop if personal data cannot be erased, battery risk cannot be isolated, or disposition is unrecorded

GLOBAL CASES: TRANSFER MECHANISMS, NOT IMAGES

Singapore Rail Corridor • 24 km corridor; first 4 km central section

Use section families along Jingzhang, let cross-streets provide access, and control night lighting in ecological segments.
☒ Tropical ecology and coordinated public land differ from Beijing.

Singapore one-north • about 200 ha

Shared labs and young-worker housing must touch public space and transit; the programme calendar starts with the spatial plan.
☒ JTC's unified land and investment authority is not transferable.

Kashiwa-no-ha / UDCK • 13 km² vision; 272.9 ha core

Each key area needs a permanent operating room, not an event-only stage.
☒ New-town development, one dominant developer, and a new station differ from Jingzhang.

Barcelona 22@ • 198.26 ha / 115 blocks

Audit every Jingzhang block for production, housing, services, and public space together.
☒ Its early employment-and-property bias and later repair of daily life are a warning.

King's Cross • 67 acres; more than 40% public space

Complete one station-street-public-space-neighbourhood chain before releasing adjacent projects.
☒ Consolidated ownership and London land values are not transferable.

Paris Rive Gauche • 130 ha; 26 ha rail deck

At Dazhongsi, prioritise surface and existing-link continuity; bridges and underground links remain options requiring proof.
☒ Rail decking is costly, slow, and can still produce weak everyday commerce.

Yangpu Waterfront • 15.5 km waterfront / 12.93 km²

Grade the railway heritage as an operating system, not one uniformly themed culture street.
☒ Waterfront value, river conditions, and public investment differ.

Brooklyn Navy Yard • about 300 acres

Add brand-neutral repair and small-batch making at Dazhongsi, and retain affordable prototype back-of-house space at Zhongzhiyuan.
☒ Production safety boundaries can still create an enclave.

FIFTEEN PROJECTS AND THREE AUTHORITIES

PUBLIC REALM	PARTNERSHIP	STATUTORY
PJT-01 As-built and ownership composite	PJT-06 Qinghe Prototype Court phase 1	PJT-13 Dazhongsi station engineering options
PJT-02 Eight-street accessibility audit	PJT-07 Hundred-Table Hall and 50+50 desks	PJT-14 Conditional Zhongzhiyuan waterfront blocks
PJT-03 Line 13 crossing verification	PJT-09 Film-to-AI production ground floor	
PJT-04 Qinghua East project interface	PJT-10 Device repair and material loop counter	
PJT-05 Cross-street basic-service kit	PJT-12 Ground-floor partnership lease	
PJT-08 Dazhongsi four-corner walking and cycling	PJT-15 Cross-street operating fund and five-year review	
PJT-11 Qinghe and Xiaoyue interface prototypes		

METRICS, EVIDENCE, AND STOP CONDITIONS

ONE LEDGER FOR DESIGN, DATA LIMITS, AND DELIVERY AUTHORITY

Known is not statutory; a target is not a baseline; unknown does not mean design stops.

OFFICIAL TASK	PACKAGE DERIVED	DESIGN TARGET	REMAIN UNKNOWN
• 43.6 km² research • 11.4 km² overall design • 368.4 ha key areas • 9 km public framework	• 8 real cross-streets • 535 OSM buildings • 15 delivery projects • 12 scenario cards	• 八条横街连续性 8/8 • 无障碍横向通行 100% target • 首层入口密度 >= 2 / 100 m target • 公共首层开放 >= 60 h/week target	• official redline / parcel / rights • FAR / height / density • structure / fire / utilities • flows / capex / programme

15 PROJECTS × THREE DELIVERY AUTHORITIES

PUBLIC REALM / 0—18 M	PJT-01 As-built and ownership composite	PJT-02 Eight-street accessibility audit	PJT-03 Line 13 crossing verification	PJT-04 Qinghua East project interface	PJT-05 Cross-street basic-service kit	PJT-08 Dazhongsi four-corner walking and cycling	PJT-11 Qinghe and Xiaoyue interface prototypes
PARTNERSHIP / 1—3 Y	PJT-06 Qinghe Prototype Court phase 1	PJT-07 Hundred-Table Hall and 50+50 desks	PJT-09 Film-to-AI production ground floor	PJT-10 Device repair and material loop counter	PJT-12 Ground-floor partnership lease	PJT-15 Cross-street operating fund and five-year review	
STATUTORY / 3—10 Y	PJT-13 Dazhongsi station engineering options			PJT-14 Conditional Zhongzhiyuan waterfront blocks			

STOP CONDITIONS

No official geometry and engineering data: do not lock FAR, height, demolition, bridge/tunnel, or capex. No lease and maintenance duty: do not claim open ground floor. No human alternative: do not operate AI scenarios.

DATA GAPS ARE NOT A DESIGN EXCUSE

A-BOUNDARY-001 • pending_official_geometry

Treat all zoning and area calculations as design research and rerun the entire package when official polygons arrive.

A-DZS-ANCHOR-001 • known_conflict

Show both the provisional rectangle and station working window; present neither as an official boundary.

A-PHASE2-001 • pending_as_built_verification

Design interfaces first and remove already delivered items after as-built and field verification.

A-OSM-001 • fit_for_context_only

Use it for working windows and route context only; ownership, redlines, storeys, height, and structure remain unknown.

A-LAND-USE-001 • conceptual_partition

Codes preserve professional semantics only and must be replaced by approved land-use evidence.

A-BUILDING-001 • pending_survey

Limit action to retain, ground-floor adaptation, partnership lease, and conditional infill; make no demolition decision.

A-HEIGHT-FAR-001 • unknown

Do not invent statutory figures; use three non-statutory envelopes to test ground relationships.

A-HERITAGE-001 • pending_official_gis

Avoid textually identified sensitive areas and require reversible, low-impact design plus professional review.

A-TRANSPORT-001 • concept_only

Prioritise surface and existing-link improvements at Dazhongsi; retain bridge and underground works as options requiring proof.

A-MUNICIPAL-001 • unknown

Reserve replaceable plant and coordination bands without promising capacity or energy savings.

A-OPERATION-001 • proposal_not_commitment

Keep them as concept proposals; publication, leasing, contracts, and live scenarios each need separate authority.

A-PRIVACY-001 • human_review_required

Require data minimisation, human alternatives, stop triggers, and voluntary participation; no persistent public-space identity tracking.

A-STATUS-DATE-001 • time_bounded

Recheck before submission because new notices, starts, and completions can change priorities.