


JZ 1:1 Prototype Mesh | structure + evidence

京张 1:1 原型网 | 总体结构与证据关系



schematic diagram · not to scale

Conceptual recommendation · provisional geometry · derived from GeoJSON + metrics

MODEL → MATTER

model card → 1:1 prototype

use → repair → reuse

100 Y

public ground

memory + daily use

30 Y

public frame

shade + access + drainage

3 Y

service room

adaptable first floor

90 D

removable kit

trial + repair + reuse

MAKE

Zhongzhiyuan

N3 controlled test

TRANSLATE

AI Origin

N0/N1

USE

Dazhongsi

N2 public trial

FORECOURTS

23,024.999 sqm

PUBLIC FRAME

4,380,279.928 sqm

TOTAL ROAD LENGTH

21,716.922 m

REVIEW POINT

Model to matter: a distributed mesh of making, translation, use, repair, and reuse.

- 1

100-year public ground
- 2

30-year public frame
- 3

3-year service room + 90-day kit

EVIDENCE ANCHOR

GeoJSON node register, prototype passport fields, metrics, assumptions, matrices, figures, HTML/PDF, and self-check form one auditable chain. Provisional geometry is never an official redline.

01 / SPACE

MAKE → TRANSLATE → USE: rooms, courtyards, porches, repair desks.

02 / EXPOSURE

N0-N3, hours, retention, handover, mask, expiry, offline equivalent.


03 / LIFE

100/30/3 years and 90 days; repair, reuse, or retire before new build.

Four service lives | public frame first

四层寿命 | 公共框架先行


JZ 1:1 / PROTOTYPE MESH



Conceptual recommendation · provisional geometry · derived from GeoJSON + metrics

LAND USE × LIFE

standard code · design share / conceptual only



100 Y	90 D
public memory ground	removable, repairable, reusable

v1.4

REVIEW POINT
The public frame survives a change of AI generation; rooms and kits can change.

- 1

Frame before kit
- 2

Reuse before new build
- 3

Passport every component

EVIDENCE ANCHOR
GeoJSON node register, prototype passport fields, metrics, assumptions, matrices, figures, HTML/PDF, and self-check form one auditable chain. Provisional geometry is never an official redline.

01 / SPACE
MAKE → TRANSLATE → USE: rooms, courtyards, porches, repair desks.


02 / EXPOSURE
N0-N3, hours, retention, handover, mask, expiry, offline equivalent.

03 / LIFE
100/30/3 years and 90 days; repair, reuse, or retire before new build.

MAKE → TRANSLATE → USE | three key areas

MAKE → TRANSLATE → USE | 三处重点区

JZ 1:1 / PROTOTYPE MESH



Conceptual recommendation · provisional geometry · derived from GeoJSON + metrics

v1.4

- 01 / MAKE / Zhongzhiyuan

prototype rooms + material passport
N3 controlled trial
- 02 / TRANSLATE / AI Origin Community

offline counter + adaptable room
N0/N1 human alternative
- 03 / USE / Dazhongsi

adoption porch + repair desk
N2 visible public trial

prototype passport: version · material · licence · life · owner · repair · next destination

REVIEW POINT

Three areas perform different jobs in one prototype production network.

- 1

MAKE / rooms + courtyards
- 2

TRANSLATE / human service rooms
- 3

USE / adoption + repair

EVIDENCE ANCHOR

GeoJSON node register, prototype passport fields, metrics, assumptions, matrices, figures, HTML/PDF, and self-check form one auditable chain. Provisional geometry is never an official redline.

01 / SPACE

MAKE → TRANSLATE → USE: rooms, courtyards, porches, repair desks.

02 / EXPOSURE


N0–N3, hours, retention, handover, mask, expiry, offline equivalent.

03 / LIFE

100/30/3 years and 90 days; repair, reuse, or retire before new build.

Low-exposure public ground | mobility + blue-green

低暴露公共地面 | 交通 + 蓝绿



Conceptual recommendation · provisional geometry · derived from GeoJSON + metrics

PUBLIC ROUTE / HUMAN ALTERNATIVE

low-exposure route

9,220.740 m

N0/N1 target; no N2/N3 crossing

minimum clearance

219.868 m

conceptual envelope distance

continuity

1.00

geometry reading; field audit pending

public frame

4,380,279.928 sqm

green + public union

FORECOURTS

23,024.999 sqm

PUBLIC FRAME

4,380,279.928 sqm

TOTAL ROAD LENGTH

21,716.922 m

No sensing is mandatory for access; pause and restore ordinary mode when thresholds are met.

v1.4

REVIEW POINT

People-first ground, visible sensing limits, and a removable service edge.

1

N0/N1 continuous route

2

Station exchange pockets

3

Off-state restores ordinary mode

EVIDENCE ANCHOR

GeoJSON node register, prototype passport fields, metrics, assumptions, matrices, figures, HTML/PDF, and self-check form one auditable chain. Provisional geometry is never an official redline.

01 / SPACE

MAKE → TRANSLATE → USE: rooms, courtyards, porches, repair desks.

02 / EXPOSURE

N0-N3, hours, retention, handover, mask, expiry, offline equivalent.


03 / LIFE

100/30/3 years and 90 days; repair, reuse, or retire before new build.

Metrics evidence | passport → phase gate

指标证据 | 原型护照 → 分期

JZ 1:1 / PROTOTYPE MESH



EVIDENCE LOOP



Fairness baseline: older/disabled/child-care/night-shift/non-digital service time, maintenance burden, event displacement, complaint remedy are unknown until field protocol.

Conceptual recommendation · provisional geometry · derived from GeoJSON + metrics

v1.4

REVIEW POINT

Evidence separates object-scale forecourts from the long-life public frame and reports the conceptual relationship network.

- 1

Forecourt ratio is not a district rate
- 2

Operating outcomes stay unknown until measured
- 3

Official geometry triggers full redraw

EVIDENCE ANCHOR

GeoJSON node register, prototype passport fields, metrics, assumptions, matrices, figures, HTML/PDF, and self-check form one auditable chain. Provisional geometry is never an official redline.

01 / SPACE

MAKE → TRANSLATE → USE: rooms, courtyards, porches, repair desks.

02 / EXPOSURE

N0-N3, hours, retention, handover, mask, expiry, offline equivalent.

03 / LIFE

100/30/3 years and 90 days; repair, reuse, or retire before new build.