



JZ 1:1 Prototype Mesh

Model to Matter



京张 1:1 原型网 | 总体结构与证据关系

JZ 1:1 / PROTOTYPE MESH



schematic diagram • not to scale

Conceptual recommendation · provisional geometry · derived from GeoJSON + metrics

MODEL → MATTER

model card → 1:1 prototype
use → repair → reuse

100 Y

public ground
memory + daily use

public frame
shade + access + drainage

service room
adaptable first floor

removable kit
trial + repair + reuse

MAKE

Zhongzhiyuan
N3 controlled test

TRANSLATE

AI Origin
N0/N1

USE

Dazhongsi
N2 public trial

FORECOURTS
23,024.999 sqm

PUBLIC FRAME
4,380,279.928 sqm

TOTAL ROAD LENGTH
21,716.922 m

v1.4

ONE-TO-ONE PROPOSITION

Turn AI outputs into one-to-one streets, furniture, service interfaces, and removable components. MAKE, TRANSLATE, USE, repair, and reuse form a distributed urban prototype mesh.

100 Y

Public ground

30 Y

Public frame

3 Y

Service room

90 D


Removable kit

A mesh, not a corridor

Four service lives | public frame first

四层寿命 | 公共框架先行

JZ 1:1 / PROTOTYPE MESH



LAND USE × LIFE

standard code · design share / conceptual only

05	commercial and service land	Dazhongsi service interface · design share 16.0% · 1,823,447 sqm	16.0%
0803	cultural land	Jingzhang railway culture interface · design share 20.2% · 2,301,500 sqm	20.2%
0702	urban community service land	AI Origin community services · design share 20.4% · 2,330,185 sqm	20.4%
0802	research land	near-campus innovation mixed street · design share 20.0% · 2,284,181 sqm	20.0%
1401	park green land	Qinghe - Jingzhang public frame · design share 13.5% · 1,541,419 sqm	13.5%
0802	research land	Zhongzhiyuan safe-making zone · design share 9.9% · 1,132,114 sqm	9.9%

100 Y

public memory ground

90 D

removable, repairable, reusable

Conceptual recommendation · provisional geometry · derived from GeoJSON + metrics

v1.4

MAKE

Prototype rooms, courtyards, material passports, and a controlled N3 view.

TRANSLATE

Adapt research into service rooms, human counters, and N0/N1 low-exposure routes.


USE

Let daily users decide what stays, what is repaired, and what is retired.

ALGORITHMIC EXPOSURE CADASTRE

Every node records sensing mode, N0–N3 exposure, operating hours, retention, owner, human handover, no-capture mask, expiry, and an offline equivalent. Unregistered footprints stay out of public space.

MAKE → TRANSLATE → USE



Zhongzhiyuan / MAKE

A bookable room-and-courtyard system for accessible wayfinding, adjustable furniture, and material-led testing.

AI Origin / TRANSLATE

Research becomes a human-facing service room before it reaches a public segment.


Dazhongsi / USE

Station and commercial fronts host adoption, repair, offline service, and visible N2 public trials.


PROTOTYPE PASSPORT

Version · material · licence · life · owner · tools · maintenance time · next destination

Low-exposure public ground



Twelve cards, four service lives



Passport → field review → repair

P0 / SURVEY


Official geometry, ownership, building survey, and public-frame inventory; register every node.

P1 / 90 DAYS

One low-risk prototype in MAKE, TRANSLATE, and USE; publish faults and the off-state.

P2 / 3 + 30 YEARS

Adapt service rooms, then deepen shade, access, drainage, lighting, and blue-green frame after formal checks.



KNOWN / UNKNOWN

Known: six land-use polygons; four object-scale forecourts (0.20% forecourt ratio); 38.38% conceptual public frame; 21,716.922 m relationship network, including 12,496.182 m connectors. Unknown until operation: room adaptability, reuse rate, off-state verification, public-mode hours, route continuity, and response time.

PUBLIC INTEREST FLOOR

Human and offline service remains parallel. A sensing threshold pauses the kit; a public log explains why; repair, reuse, or retirement follows. Provisional geometry is replaced and the full package is recomputed before formal use.