


## Three scope layers, one continuous public baseline

- Continuous north-south spine
- Direct multimodal path
- Quiet low-stimulus alternative
- Three transverse interfaces
- Ten independent-completion points

The taskbook states only a role for each unit. The positioning and spatial actions listed here are this proposal's design judgements and conceptual recommendations, not an official division of responsibility.

PUBLIC BACKGROUND    PROVISIONAL    CONCEPT PROPOSAL

# Conceptual land use and shared baseline



## 03 / LAND USE + STRUCTURE

### Four conceptual functions share one baseline

Functional relationships test whether R&D, public space, adoption and community service support each other. They are not existing land use, zoning, title or development-capacity conclusions.


- Universal interface R&D + validation
- Accessible park + quiet open space
- Inclusive AI services + adoption
- Independent-living co-design + community

#### SHARED DENOMINATOR AND DELIBERATE OVERLAP

|                                     |                    |          |
|-------------------------------------|--------------------|----------|
| Shared denominator site_area_sqm    | 11,412,825.386 sqm | 100%     |
| Green envelope green_space          | 2,432,035.047 sqm  | 21.3097% |
| Public-space envelope public_space  | 2,074,716.512 sqm  | 18.1788% |
| Deliberate overlap · spine greenway | 452,986.656 sqm    | 3.9691%  |

Both ratios use the same denominator and the envelopes deliberately overlap by 452,986.656 sqm — they must not be added.

#### KEY READINGS ON THIS BOARD



Four conceptual functions share one baseline; the land-use drawing tests functional relationships and never replaces statutory classification, title or capacity conclusions.

#### CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND PROVISIONAL CONCEPT PROPOSAL

# Three areas: validate — co-design — adopt

EVERY SENSE JING-ZHANG / 万感京张


## THREE KEY AREAS: FROM CAMPUS ROLES TO HUMAN-SCALE OPERATING CONTRACTS

TEN CONCEPT NODES · PUBLIC / BACK-OF-HOUSE FLOWS · AI-OFF RECOVERY


01

### ZHONGZHIYUAN UNIVERSAL INTERFACE LAB

continuous arrival, emergency stop and human handover



#### EQUIVALENT PATHS WITHIN ONE FIELD OF VIEW



**STOP**  
stop if emergency stop or handover fails


**RESUME**  
closed test + fault bypass + maintenance card

DAILY MODE ⇌ TEST MODE (REVERSIBLE)


02

### AI ORIGIN INDEPENDENT-LIVING CO-DESIGN LAB

quiet alternative, easy-read flow and error recovery



#### EQUIVALENT PATHS WITHIN ONE FIELD OF VIEW



**STOP**  
stop if accommodation or withdrawal is missing


**RESUME**  
participant review + reversible correction record

DAILY MODE ⇌ TEST MODE (REVERSIBLE)


03

### DAZHONGSI INCLUSIVE ADOPTION MARKET

no-account service, payment alternative and event exit



#### EQUIVALENT PATHS WITHIN ONE FIELD OF VIEW



**STOP**  
stop if staffed service, appeal or quiet exit fails

**RESUME**  
equivalent route + disposal record + G3 review

DAILY MODE ⇌ TEST MODE (REVERSIBLE)

CONCEPT PROPOSAL · PROVISIONAL BOUNDARY · NOT A STATUTORY PLAN · NOT AN ENGINEERING ALIGNMENT

PUBLIC / PROVISIONAL / CONCEPT

04 / THREE KEY AREAS

## The three key areas are not three identical campuses

Zhongzhiyuan hosts controlled validation; AI Origin Community hosts voluntary co-design and independent-task tests; Dazhongsi tests procurement, maintenance, correction and exit. Every key-area boundary is provisional.

01 ZHONGZHIYUAN

### UNIVERSAL INTERFACE LAB

Validation gate · visible status · human takeover

02 AI ORIGIN COMMUNITY

### INDEPENDENT-LIVING CO-DESIGN LAB

Quiet alternative · easy-read lobby · voluntary exit

03 DAZHONGSI

### INCLUSIVE ADOPTION MARKET

Multichannel commerce · payment alternative · maintenance entry

#### STOP + RESUME

##### STOP

Emergency stop or human takeover fails · reasonable accommodation or withdrawal path missing · staffed service, appeal or quiet exit fails — any one stops the work.

##### RESUME

Closed testing + fault detour + maintenance card · participant review + reversible correction record · equivalent path + disposal record + G3 independent review.

#### KEY READINGS ON THIS BOARD

3

Key areas

10

Operating nodes

4

Evidence gates

6

User personas

3

Cultural / accountability landmarks

Each key area states its spatial actions, operating gates and external dependencies; the three are complementary, not identical, and every boundary is provisional.


CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND

PROVISIONAL

CONCEPT PROPOSAL

# Ten-Node Service Reachability + Blue-Green & Slow Mobility



CONCEPT · PROVISIONAL GEOMETRY · NOT AN ENGINEERING ALIGNMENT: every line, boundary and mass is provisional working geometry and is not an official redline, a title boundary, a road line, a statutory control or a precise-area basis. The domains use a concept caliber computed in this drawing and may be cited only after an authorised accessibility, transport and site-operations team calibrates them on site.

Data: geometry/roads · green\_space · public\_space · constraints · key\_areas · site\_boundary · buildings.geojson (EPSG:4548, metres) · caliber and algorithm wpe2/compute.py

EVERY SENSE JING-ZHANG / 05

## 05 / REACHABILITY · BLUE-GREEN · SLOW MOBILITY

### The gap between the two reach domains is the first thing to audit

The five roads.geojson centrelines are noded at their crossings (20,166 m in total) and each node joins by its shortest straight access stub: AI-on takes a 300 m network distance, AI-off 150 m, and the reachable linework is buffered to a service band of half-width 40 m. The gap covers 237,622 sqm, 48.16% of the AI-on domain; ranked by gap area, the JZ-01 first audit breaks are OP-04 · OP-02 · OP-03. All of this is a concept-caliber construction pending field-audit calibration; ai\_off\_service\_equivalence\_gap is still status=unknown in metrics.json, and the gap area is only that metric's geometric audit target — not a coverage commitment, a compliance conclusion or a service-level promise.

- AI-on reach domain, R = 300 m network distance
- AI-off reach domain, R = 150 m (overlap)
- The gap: the spatial form of ai\_off\_service\_equivalence\_gap
- Shortest node access stub (computed here, not submitted geometry)

#### STAGE ZERO: FOUR EVIDENCE GATES

- G0

Material and permission

Verify official material, permissions and task scripts
- G1

Reversible prototype

Removable, revertible on-site prototype
- G2

Closed paired testing

AI-on and AI-off compared in pairs
- G3

Independent review

Third-party review and a public receipt

AI ON = AI OFF: when the network or power is down or consent is declined, cast lettering, braille, tactile relief and fixed graphics remain readable; historical content does not disappear when the system is off.

#### KEY READINGS ON THIS BOARD

237,622 sqm

Two-state reach gap

48.16%

Gap share of AI-on domain

10

Independent-completion points

2

Equivalent paths

1.00

AI-off exit-path coverage

All ten nodes must let a task be completed with AI on and with AI off; where they cannot, work stops at the gate and does not advance.

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND

PROVISIONAL

CONCEPT PROPOSAL

# Brand, culture and international communication

EVERY SENSE JING-ZHANG / 万感京张

## Brand system: common gauge translated into universal design

PARALLEL SENSORY LINES + OPEN NODES · LOGO / PALETTE / TYPE / GRAMMAR · AI ON = AI OFF

01 / Identity and mark construction LOGO / TWO GROUNDS / GEOMETRY

ON DARK #10383d



万感京张  
EVERY SENSE JING-ZHANG


ON PAPER #f2efe7



万感京张  
EVERY SENSE JING-ZHANG

**MARK CONSTRUCTION**

- Parallel sensory lines** Two solid rails carry the continuous spine for sight and sound; two dotted lines carry tactile paving and the low-stimulus alternative. Four channels run in parallel, none subordinate.
- Open node** The ring keeps openings left and right: a service can be entered and can be left. The node never closes, and never locks in one kind of body or one kind of device.
- Origin** The centre point is Every Sense Origin — where human help, human takeover and the right to stop land. Always visible, always reachable.



All four gaps sit on one construction circle. A common gauge lets different trains share one network; universal design lets different bodies share one city.

02 / Palette and colour semantics SIX COLOURS / CONTRAST RULES

|                                                                                                                                                    |                                                                                                                                                         |                                                                                                                                                              |                                                                                                                                                                   |                                                                                                                                                                                          |                                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>Deep Teal</b> 深青<br/>#10383d</p> <p>11.0:1<br/>Body text</p> <p>Urban base and the public baseline; dark ground, and body text on paper.</p> | <p><b>Rail Teal</b> 永鸭青<br/>#177c78</p> <p>4.4:1<br/>Body text</p> <p>The continuous spine and the AI ON path; primary signage and section numbers.</p> | <p><b>Coral</b> 珊瑚<br/>#d76459</p> <p>3.1:1<br/>Large text only</p> <p>Right to stop, emergency stop, human takeover and help; risk and failure notices.</p> | <p><b>Node Purple</b> 紫<br/>#6b5b95</p> <p>5.1:1<br/>Body text</p> <p>The ten independent-completion nodes OP-01—OP-10; tactile dot grids and braille layers.</p> | <p><b>Assumption Gold</b> 金<br/>#d6a13b</p> <p>2.0:1<br/>Graphics only</p> <p>Unverified assumptions and the Jing-Zhang cultural layer; refill triggers and heritage interpretation.</p> | <p><b>Paper</b> 米白<br/>#f2efe7</p> <p>11.0:1<br/>Text on dark</p> <p>Fixed signage, paper procedures and no-account receipts once AI is off.</p> |
|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|

Contrast recomputed under WCAG 2.1 against paper #f2efe7; the paper row is measured against deep teal #10383d. Deep teal, rail teal and node purple are cleared for body text; coral only above 24px bold or as graphics; gold as graphics and fills only. Text on dark ground uses paper or light teal, never the unlightened primary.

03 / Type strategy SERIF / SANS / MONO

**Display / Serif**  
Georgia · Songti SC · Source Han Serif SC

万感京张 Every Sense

Section titles, the three landmark names and exhibition display. Carries the printing character of the Jing-Zhang era.

**Text / Sans**  
Source Han Sans SC · Helvetica Neue · Arial

One city, many senses

Body copy, signage and easy-read text. Open apertures, stable CJK-Latin mixing, legible at distance.

**Data / Mono**  
SF Mono · Menlo · Consolas

11.4128 km<sup>2</sup> OP-01


Metrics, node identifiers and scenario codes. Fixed width keeps tables aligned and characters checkable one by one.

Font licensing is being verified face by face; any face whose commercial-use clearance is incomplete does not enter publicly released material. No corporate marks or portraits are used. Minimum signage size, leading and viewing distance are to be set after an on-site audit.

04 / Grammar in use SIGNAGE / PAVING / COLLATERAL / INTERFACE


**Wayfinding** SIGNAGE

The main panel carries the mark and bilingual name, a low panel adds tactile and braille layers, and the coral help post stays in view.



**Tactile paving** GROUND

Parallel sensory lines become paving bands; the open node becomes a dot-grid circle that can be walked around, with the help post at its centre.




**Event collateral** PRINT

Posters flood-hill the parallel lines, booklets keep the stop notice, and tickets stay usable without an account through mono codes and a tactile strip.



**Interface** SCREEN

Both channel states stay visible, stop ranks equal to human handover, and the paper version is the same grammar in an equivalent form.



One city. Many ways to sense it. 一座城市，多种感知，共同行走

INTERNATIONAL LINE / 国际传播句

Concept proposal · provisional boundaries · not statutory planning · not engineering alignments

PUBLIC / PROVISIONAL / CONCEPT

06 / BRAND · CULTURE · GLOBAL

## One line grammar carries brand, culture and outward communication

The brand grammar abstracts the Jing-Zhang railway's "one standard gauge" into parallel sensing lines and an open node: one gauge lets different trains share a network, universal design lets different bodies share a city. Cultural work first builds a traceable resource inventory, then chooses carriers, and only then reaches symbols and wayfinding.

One city. Many ways to sense it.

一座城市，多种感知，共同行走

Spine narrative line

SPINE NARRATIVE

Three landmarks

THREE LANDMARKS

Node micro-stories

NODE MICRO-STORIES

AUDIENCE LAYERS

International professionals

Test methodology, protocols and failure samples in the open

International public

Paired AI-on / AI-off comparisons that show service equivalence

Residents along the corridor

Easy-read Chinese, sign language and captions

Developer community

Open problem library and scenario test procedures

KEY READINGS ON THIS BOARD

3

Cultural narrative tiers

3

Cultural landmarks

10

Node micro-stories

6

Colour semantics

4

Application domains

Brand, culture and outward communication share one line grammar; with network, power or consent withdrawn, historical content and public commitments stay readable.

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND

PROVISIONAL

CONCEPT PROPOSAL

# Metric recalculation and evidence chain

