


THE POROUS

GROUND CONTRACT


A PORE MUST EXCHANGE AIR WITHOUT
DELIVERING NOISE.

A MULTI-PHYSICS CONTRACT FOR SECTIONS, GROUND-FLOOR
PORES, AND STATION-CITY BUFFERS

两处落位概念 + 一个未锚定类型 / 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE



两处落位概念 + 一个未锚定类型 / 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE




ONE THESIS

A pore must exchange air/heat, block direct sound, retain shade/quiet side, and remain removable.

E0 explains the conflict; OSM only orients rail/road/park context.

RAIL-CORRIDOR CONFLICT | REAL-COORDINATE CONTEXT



两处落位概念 + 一个未锚定类型 / 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE



SCOPE + 2+1 STATE



T3 TYPE LOCATOR · UNANCHORED · NOT MAPPED

- 43.6 km² research context
- 11.4 km² overall carrier
- S1 + S2 2 located concepts
- rail
- road
- building
- park/green
- S1/S2 concept cut
- T3 not mapped

NORTH IS RIGHT · LOCAL METRIC APPROXIMATION · OSM ODbL 2026-06-17 · NOT SURVEY/OFFICIAL/AUTHORIZATION

PLAN—SECTION—NODE CONTINUITY INDEX

S1

Zhongzhiyuan |
back-of-house—evidence

S1 A-A' → S1 PLAN → S1 SECTION → N1

RELATIVE-COORDINATE CONCEPT

PROV-KEY-001 · ROAD-PGC-04

S2

AI Origin | multi-directional
crossing—quiet learning edge

S2 B-B' → S2 PLAN → S2 SECTION → N2

RELATIVE-COORDINATE CONCEPT

PROV-KEY-002 · ROAD-PGC-03 + ROAD-PGC-05

T3

Dazhongsi | UNANCHORED type
frame

T3 TYPE → T3 PLAN/SECTION → N3

TYPE ONLY / UNANCHORED

PR-SOUTH · NO MAP CARRIER

TWO WINGS


HAIDIAN NORTH: rules, tool versions, exit
assets

NW BEIJING: authorised, minimised, licensed
methods only

S1 Zhongzhiyuan | back-of-house—evidence interface—public front

S1 A-A' → S1 PLAN → S1 SECTION → N1

Relative concept plan: controlled back-of-house to evidence interface to public front



SECTION: SOURCE—PATH—RECEIVER / ZERO-POWER SERVICE REMAINS



Matching section: source—path—receiver layers are not interchangeable

SECTION TYPE SCALE 0 / 2 / 5 / 10 m · PARAMETER ENVELOPE



Node N1 | evidence interface: only signed slices may be published

Failure mode: back-of-house noise/access leaks through the public front.



Relative concept plan:
controlled back-of-house to
evidence interface to
public front

Matching section:
source—path—receiver layers
are not interchangeable

Node N1 | evidence
interface: only signed
slices may be published


Failure mode: back-of-house
noise/access leaks through
the public front.

RELATIVE DESIGN COORDINATES
ARE NOT FIELD SURVEY


S2 AI Origin | multi-directional crossing—quiet learning edge

S2 B-B' → S2 PLAN → S2 SECTION → N2

Relative concept plan: cross-movement is offset from the quiet learning edge



SECTION: SOURCE-PATH-RECEIVER / ZERO-POWER SERVICE REMAINS



Matching section: shared path stays continuous; setback protects the quiet edge

SECTION TYPE SCALE 0 / 2 / 5 / 10 m · PARAMETER ENVELOPE



Node N2 | visible learning window: legible without crossing the quiet edge

Failure mode: crossing flows spill into the quiet edge, producing false openness.



Relative concept plan: cross-movement is offset from the quiet learning edge

Matching section: shared path stays continuous; setback protects the quiet edge

Node N2 | visible learning window: legible without crossing the quiet edge


Failure mode: crossing flows spill into the quiet edge, producing false openness.

RELATIVE DESIGN COORDINATES ARE NOT FIELD SURVEY

T3 Dazhongsi | UNANCHORED type frame

T3 TYPE → T3 PLAN/SECTION → N3

Type plan only: prototype room—removal path—temporary receiving ground



0 10 20 40 m TYPE SCALE

SECTION: SOURCE-PATH-RECEIVER / ZERO-POWER SERVICE REMAINS



Type section: define removability first; await a canonical anchor

SECTION TYPE SCALE 0 / 2 / 5 / 10 m · PARAMETER ENVELOPE



Node N3 | mechanical release: no cutting, no burial, verifiable clear-down

Failure mode: a type diagram is mistaken for a located proposal.



Type plan only: prototype room—removal path—temporary receiving ground




Type section: define removability first; await a canonical anchor

Node N3 | mechanical release: no cutting, no burial, verifiable clear-down

Failure mode: a type diagram is mistaken for a located proposal.

T3 carries no WGS84 location; type scale only.

两处落位概念 + 一个未锚定类型 / 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE



RECEIVER, CLEAR WIDTH, EGRESS, AND ACCESS DO NOT MOVE; AI CHANGES DELETABLE VARIABLES ONLY.

SPATIAL DELTA + ABLATION GATE

x_pore	pore position	AI variable / hypothesis
d_shade	shade depth	AI variable / hypothesis
w_clear	continuous clear width	INVARIANT / hard gate
R	receiver position	INVARIANT / protected
E3/E4	field/mock-up evidence	0 / 0


01 FREEZE INPUT/VERSION

02 HELD-OUT TEST VS B1

03 STABLE, EXPLAINABLE, NOT B1-DOMINATED

04 FAIL: DELETE AI, DO NOT MOVE KPI

AI NEVER TRIGGERS CONSTRUCTION, OPENING, SAFETY, RESTORATION, OR C-I STATE TRANSITION.



PHASE-I-C CANDIDATE | PUBLIC-CONTEXT LOCATOR

Public records only orient a 'Zhichun Rd-North 4th Ring' candidate context; exact section, title, boundary, area, shelter/fire/access conditions await authority and field E3. This is not a pilot location.

NAMED AUTHORITY

1

A-OWN site / A-EMG emergency
authority: names UNKNOWN

2

R-PM pilot / R-OPS operations:
names UNKNOWN

3

R-DATA steward / A-DES design
sign-off: names UNKNOWN

4

C-FIRE / C-ACC accessibility / C-ENV
acoustics

5

I-AUD independent log / I-PUB public
notice

UNSIGNED A = NO-GO | AI CANNOT CHANGE STATE

BoQ L0 • QTY/QUOTES UNKNOWN

■

 survey/protocol

■

 instruments/co-location

■

 reversible components

■

 install/removal

■

 daily maintenance

■

 third-party review

■

 insurance/notice

■

 restoration reserve

BEFORE PROCUREMENT: 3 COMPARABLE QUOTES OR LAWFUL BASIS

PHASE-I-C SHOWS A PUBLIC-CONTEXT SEARCH AREA, NEVER AN INVENTED PILOT BOUNDARY.

PHASE-I-C MECHANICAL INTERLOCK / FAIL-SAFE CLEAR

1

TRIGGER: PO / EGRESS / ACCESS
/ NO AUTHORITY

→

2

MECHANICALLY RELEASE, NO
CUTTING/BURIAL

→

3

CLEAR CONTINUOUS WIDTH +
REFUGE PATH

→

4

ONLY A-EMG + A-OWN MAY
RESTORE STATE

DRAFT SLO: PO ACK 5 min / ESCALATE 15 min; T_clear and restoration time require E4 mock-up, currently UNKNOWN.

EVIDENCE LADDER

S1 + S2 UNION FOOTPRINT • 17,186.61 m² • E0

E0

synthetic

E1

task/provisional

E2

standards/methods

E3

authorised field

E4

mock-up/sign-off
restore

E3 = 0
E4 = 0

References answer which mechanism may enter the contract; no location, performance, or partnership is inferred.

SINGAPORE · land · scenario · talent

one-north + LaunchPad

Transfer scenario admission and talent-service interfaces, not campus form.

FRANCE · compute · data · talent

Paris-Saclay + DATAIA + Jean Zay

Bind compute/data access to the evidence gate of research space.

TORONTO · space · capital · talent

MaRS + Vector Institute

Use back-of-house—evidence interface—public front layering.

EINDHOVEN · industry · space · talent

Brainport + HTCE

Cluster shared facilities around industry while exposing living/mobility loads.

PITTSBURGH · land · scenario · data

Hazelwood Green + CMU

Make restoration, community interface, and auditable exit preconditions.

BARCELONA · land · industry · capital

22@ Barcelona

Lock land obligations, reuse, and exit conditions into the development contract.

两处落位概念 + 一个未锚定类型 / 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE

01 LAND

carrier

canonical anchor + restore
duty

02 SPACE

source—path—receiver

clear width + refuge +
access

03 INDUSTRY

production interface

named operator + conflict
review

04 CAPITAL

reversible capital

BoQ + reserve + stop-loss

05 TALENT

public front

access rule + duty roster

06 COMPUTE

controlled back

quota + fail-safe shutdown

07 DATA

evidence interface

schema + lineage + release
signature

08 SCENARIO

90-day pilot

baseline + exit +
restoration

HARD GATES

Any element without a canonical carrier, named A/R, baseline, BoQ/restoration reserve, or exit evidence stays at C-I. OSM is context only; T3 remains UNANCHORED; E3=0 and E4=0.

AI HAS NO STATE-TRANSITION AUTHORITY • MACHINE PASS IS NOT DESIGN QUALITY OR FIELD RELEASE

两处落位概念 + 一个未锚定类型 / 2 LOCATED CONCEPTS + 1 UNANCHORED TYPE

KNOWN

Task scales, two located-concept names, one unanchored-type name, provisional geometry, submitted metrics, public standards, and methods.

UNKNOWN

Official geometry, real section, sources, authority, fire/access, instruments, quotes, and performance.

HARD BOUNDARY / HOLD

Machine PASS is not design quality; C-I stays HOLD until E3/E4, reversible mock-up, and restoration evidence.

MINIMUM NEXT STEP: obtain one lawfully authorised real section, pre-register B0/B1/AI no-harm comparison, and reserve restoration funding; any missing item stops production.

AI-generated concept image: gpt-image-2 family · E0 · no input/reference image · not site evidence