

Jingzhang Works



A city should not pay merely for putting an AI system online. It should pay when real tasks are completed safely, independently accepted, and sustained.

01 Zhongzhiyuan

Real product adoption

Problem desk → shadow trial → independent evaluation
→ adopt / decline / exit

02 Beijing AI Origin Community

Two-level street closure

Candidate pool → capacity pull → response closure →
outcome closure → structural upgrade

03 Dazhongsi

Controlled shared curb

Fixed rules first → AI for exceptions → human
confirmation → safe degradation


The route may reverse. The task moves forward.

Evidence Boundary and Three-Level Scope

FIGURE 01 / EVIDENCE DIAGRAM


One Results Line, Three Complete Loops

The plan does not force an □-shaped masterplan. It returns problems, responsibility, operation, evaluation and exit to spaces people can see.



Source: package GeoJSON + proposal design logic

THE SIX-STEP COMPLETE LOOP



Provisional geometry supports conceptual generation and recalculation only; it is not an official boundary, ownership record, or engineering basis.

Coordinated research 43.6 km² / overall design 11.4 km² / key areas 368.4 ha

A city should not pay merely for putting an AI system online. It should pay when real tasks are completed safely, independently accepted, and sustained.


Exact official polygons are unavailable. Package geometry supports concept generation, topology checks, and communication only. When official GIS/CAD arrives, recompute layers, metrics, figures, and prose together.

One Line, Three Loops, Two Wings

FIGURE 02 / EVIDENCE DIAGRAM

Space as an Interface for Closure

Four low-impact interfaces return urban services from an abstract backend to the field. Submitted land use is a recalculable concept model, not existing or statutory zoning.



CARRIER PRIORITY

Existing public ground floors □ controlled spaces with clear authority □ reversible installations □ fixed works only after evidence

Source: conceptual program + geometry/land_use.geojson (design model)

Provisional geometry supports conceptual generation and recalculation only; it is not an official boundary, ownership record, or engineering basis.

Six-step loop in every zone


- 01 Real problem
- 02 Named responsibility
- 03 Controlled exploration
- 04 Live operation
- 05 Independent acceptance
- 06 Procure / repair / exit

Three Flagships and Their Users

FIGURE 03 / EVIDENCE DIAGRAM

Three Zones, One Protocol, Distinct Flagships

Each zone carries a complete loop and a distinct flagship. Areas are approximate announcement values; official polygons remain pending.



Source: official approximate areas + provisional key-area geometry + proposal program Provisional geometry supports conceptual generation and recalculation only; it is not an official boundary, ownership record, or engineering basis.

01

01 Zhongzhiyuan

Real product adoption

Problem desk → shadow trial → independent evaluation → adopt / decline / exit

02

02 Beijing AI Origin Community

Two-level street closure

Candidate pool → capacity pull → response closure → outcome closure → structural upgrade

03

03 Dazhongsi

Controlled shared curb

Fixed rules first → AI for exceptions → human confirmation → safe degradation

Eleven Scenarios and Human Authority

Eleven scenario cards

SC-01

Controlled shared curb

SC-02

Accessible last leg

SC-03

Station exception

SC-04

Two-level street closure

SC-05

Finite-capacity task desk

SC-06

Public response window

SC-07

Structural-upgrade workshop

SC-08

Product shadow adoption

SC-09

Evaluation and migration

SC-10

Public service receipt

SC-11

Open validation week

Five direct user groups

- 01

Commuters and students
- 02

Frontline staff
- 03

People with limited mobility
- 04

Companies and R&D teams
- 05

Residents, shops, and visitors

The public window responds, explains, and reassures; it does not absorb bulk operational decisions. A pre-agreed principal operator must accept each formal task.

Shared Curb: Rules by Default, AI for Exceptions


FIGURE 04 / EVIDENCE DIAGRAM

Shared Curb: Rules by Default, AI for Exceptions

This is a functional section and operating-state diagram, not an engineering cross-section. Dimensions, curb authority and traffic operations require formal review and field data.



FUNCTIONAL RELATIONSHIP / NOT ENGINEERING DIMENSIONS



Source: scenario SC-01 + conceptual operating protocol

Provisional geometry supports conceptual generation and recalculation only; it is not an official boundary, ownership record, or engineering basis.

Normal

Fixed windows, priorities, and timeout release.

Fluctuation

Adjust capacity within rules; never move the safety floor.

Exception

AI advises; a human confirms before action.

Degraded mode


Sensor, model, or network failure returns to fixed rules.

Three Acceptance Gates

FIGURE 05 / EVIDENCE DIAGRAM

Three Gates: Safety, Results, Then Scale

Deployment, calls, alerts and model accuracy cannot replace real task outcomes. Field performance is measured independently after baseline freeze.



Source: metrics.json + independent evaluation protocol

Provisional geometry supports conceptual generation and recalculation only; it is not an official boundary, ownership record, or engineering basis.

GATE 01

Safety and legality

Severe event | lawful authority | human takeover | accessible minimum service

Fail: degrade or stop immediately

GATE 02

Task and frontline load

Primary task | workload | complaints and correction | capacity constraint

Fail: no outcome payment, no expansion

GATE 03

Durable result and exit

Observation | independent recomputation | export | migration and degradation drill

Fail: observe, upgrade, or exit

Projects, Phasing, and Exit

Project	First action	Condition to expand	If it fails
P-01	Controlled shared curb	Clearly governed internal site	Return to fixed rules
P-02	Two-level street closure	Named owner + recurrence upgrade	Pause new signals
P-03	Product shadow adoption	Independent review + portability	Decline and exit
P-04	Distributed service receipt	Timely, consistent, correctable	Paper / human substitute
P-05	Three public landmarks	Site, heritage, fire, operations	No fixed structure
P-06	Annual open validation week	No disruption to daily service	Reduce or cancel

About 100 days is a controlled-validation concept, not an official programme. Baseline, shadow mode, human confirmation, independent acceptance, and observation gate every phase.

Sources, Rights, and Missing Data

Known and reproducible

- Official task and approximate three-tier scope
- Names, order, and programme of three zones
- Provisional package boundary and topology checks
- 11 scenarios, three validation fields, five user groups
- All core figures generated from package data

Source: submission GeoJSON, metrics.json, task matrices, and proposal text. Recompute the whole package when official data arrive.

Required before implementation

- Official GIS/CAD boundary and coordinate reference
- Road, building, ownership, heritage, and utility conditions
- Real flow, workload, complaint, and safety baselines
- Named owner, independent evaluator, and lawful data catalogue
- Procurement, funding, insurance, and dispute process