







English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

A full lifecycle for each public token / TOKEN → TEST → RETURN

01 Request · public request

02 Review · data + access + RACI

03 Operate · bounded window + human lead

04 Review · SLA + complaint + evidence

05 Return · ordinary public use

RACI = owner + accountable lead; SLA = response + recovery clock; COST = relative band only; DATA = minimum + retention; STOP = rollback + non-AI equivalent.


14 scenario rows in scenario-operation-matrix.json. Thresholds are design gates, not statutory service levels.

06 / 建设与参与：每个窗口都能回退

把概念交给证据、责任与退出闸门；当前未知状态保持可见



当前参与状态 / CURRENT PARTICIPATION STATE




任何一项缺证据、责任人或普通路径兜底 → STOP / 恢复普通公共使用

JSON 索引：construction-readiness.json + participation-cycle.json · 仅为概念证据 · 不构成许可或现场结果

English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

06 / Construction and participation: every window can exit
Turn concepts into evidence, responsibility and stop gates; keep unknown states visible.
CR-01 Data and site lock: question, user and versioned boundary → ownership, survey and conflict table → stop when ownership, fire or responsible party is unclear.
CR-02 Public path and passive interface: permitted site and management piece → barrier-free route and maintenance schedule → stop on access, maintenance conflict or ponding.
CR-03 Heat, water and lifeline: geometry version and calibration plan → heat/water/drainage/fire review → stop when calibration has no safe route.
CR-04 Bounded, human-led window: permission, responsibility and human baseline → opening, complaint and event log → stop after a major incident or failed handover.
CR-05 Retain, adapt or exit: window end or publication stop → public comparison, clearance and restoration → stop when evidence is insufficient or responsibility is vacant.
Current participation state: main sync known; local verification known; peer comparison known; field baseline unknown; resident consultation not started; public pilot not started.
JSON index: construction-readiness.json + participation-cycle.json. Concept evidence only; not a permit or field result.



English translation of figure text

The source graphic is preserved above; this panel translates its detected text.


Identity system · two rails / three nodes / two switches
Construction rule: two parallel rails · three public nodes · two switch diamonds.
Public components: status board — what is booked / who is accountable; stitch threshold — step-free, audible, tactile crossing; rain tree pit — shade + storage + work order; withdrawal bay — robot stops without blocking people.
Palette: rail graphite, public jade, open blue, civic amber, human coral.
Concept direction · no registered mark · every active component requires a passive human equivalent and a withdrawal path.

03 THREE PROOF STATIONS | ONE SPINE, THREE ROLES

The same spatial frame shows provisional key-area geometry, anchors, human gates and stop rules.

JING-ZHANG OPEN PULSE

V3.3 · PROVISIONAL / CONCEPT ONLY



01 / PROV-KEY-001	
ZHONGZHIYUAN FULL-STOCK VALIDATION	
Safety verification garden	
ANCHOR	GREEN-001 / ROAD-002
ENTRY	Issue card + bounded test
HUMAN GATE	Human e-stop + specialist review
OUTPUT	Positive / negative evidence
STOP	Site, insurance, data or takeover owner missing.
02 / PROV-KEY-002	
AI ORIGIN OPEN CONVERSION	
Campus collaboration street	
ANCHOR	PUBLIC-001 / ROAD-003
ENTRY	Open question + lineage
HUMAN GATE	Rights, privacy + offline fallback
OUTPUT	Usable prototype + receipt
STOP	Copyright, fire, permit or withdrawal path unclear.
03 / PROV-KEY-003	
DAZHONGSI CIVIC EXPERIENCE	
Reversible experience district	
ANCHOR	PUBLIC-001 / ROAD-004
ENTRY	Ordinary route + service request
HUMAN GATE	Station safety, capacity + maintenance
OUTPUT	Decision delta + review version
STOP	Crowd, road, O&M or heritage owner missing.

All three anchors are provisional review geometry, not official redlines or implementation commitments.

ENGLISH GEOMETRY READOUT

01 / Zhongzhiyuan — the longest north–south provisional polygon; trusted testing.

02 / AI Origin — a shorter transfer band; open conversion and ordinary services.


03 / Dazhongsi — a compact east-west experience band; station interface and rollback.

Shape and relative position are shown for review only. Replace official polygons and recompute all layers, metrics, drawings and HTML.



02 完整用地分配 | 主骨架不是剩余空间

一张可复算的 8 类用地表，把公共主轴翻译成空间接口。

JING-ZHANG OPEN PULSE
V3.3 · PROVISIONAL / CONCEPT ONLY



红虚线 = provisional boundary / 非官方红线
—— 8 类用地带 + 1 条公共主轴 + 3 条东西连接
8 个多边形完整覆盖 provisional site；代码遵循现行用地分类枚举，仍非控规结论。



Eight polygons cover the provisional site; codes follow the current land-use enum, not statutory controls.

English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

02 / Complete land-use allocation | the spine is not leftover space

An auditable eight-class land-use table turns the public spine into a spatial interface.

Research land 23.4%; public green 12.0%; protective green 10.7%; commercial services 13.1%; education 8.4%; square 8.0%; community facilities 14.7%; roads 9.7%.

Spatial translation: 01 public spine = continuous walking, wind and rainfall edges; 02 three nodes = validation, transfer and city experience;

03 four interfaces = ordinary route, e-stop, maintenance and receipt.

Eight polygons cover the provisional site; codes follow the current land-use enumeration, not statutory controls. Recompute after official polygons arrive.


05 指标先问「能否复算」

三种状态、八类用地、六个构件、一份可追责的智证合同。

JING-ZHANG OPEN PULSE

V3.3 · PROVISIONAL / CONCEPT ONLY

提交几何 / SUBMISSION GEOMETRY



三态 / THREE STATES

- 01

普通服务

纸面、人工、被动构件
- 02

有界测试

责任人、急停、最小数据
- 03

退出 / 修复

冻结、回执、复原

K01—K06 / 构件 → 智证回执

K01	三站	纸图 + 人工	无 App
K02	原点/钟寺	树荫 + 座椅	无障碍
K03	众智园	清流 + 溢流	雨洪
K04	原点/钟寺	纸面回执	清权
K05	众智园	人工配送	急停
K06	原点/钟寺	纸质档案	撤回

所有数值为设计/算算接口；unknown、design_target与 provisional 不代表现场绩效。

Values are design/recompute interfaces; unknown, design_target and provisional are not field performance.

English translation of figure text

The source graphic is preserved above; this panel translates its detected text.

05 / Metrics first: can it be recomputed?

Three states, eight land uses, six components, one auditable evidence contract.

Submission geometry: site area 11.41 km²; green ratio 12.34%; public space 7.33%; building footprint 2.72%; slow mobility 13.01 km; land-use polygons 8.

K01—K06 / component → evidence receipt: K01 three stations → paper map + human → no app; K02 AI Origin / Dazhongsi → tree pit + seat → step-free; K03 Zhongzhiyuan → clear flow + backflow → rain; K04 AI Origin / Dazhongsi → paper receipt → Qinghe; K05 Zhongzhiyuan → human dispatch → e-stop; K06 AI Origin / Dazhongsi → paper archive → withdrawal.


Three states: ordinary service = paper, human, passive; bounded test = responsible person, e-stop, minimal data; exit / restore = freeze, receipt, restoration.

All values are design and recompute interfaces; unknown, design_target and provisional do not represent field performance.

04 步行、雨水、人和机器人共享一条公共缝合

六个系统回路，把气候、具身智能和维护写进空间而非口号。

JING-ZHANG OPEN PULSE
V3.3 · PROVISIONAL / CONCEPT ONLY



六个系统回路 / SIX OPERATING CHECKS

- | | |
|---------|--------------|
| 风 / 空气 | 开敞风路、四季验证 |
| 雨 / 排水 | 源头减排、可见溢流 |
| 人 / 无障碍 | 无 App、连续净宽 |
| 机器人 | 低速有界、急停接管 |
| 夜 / 生态 | 暗夜模式、鸟虫复核 |
| 资产 / 维护 | 资产 ID、雨前雨后工单 |

红虚线 = provisional boundary / 非官方红线

8 类用地带 + 1 条公共主轴 + 3 条东西连接

OSM 仅作背景筛查；安全、无障碍、排水与承载力需现场和专业复核。

OSM is a background screen; safety, access, drainage and capacity need field/specialist review.

English translation of figure text

The source graphic is preserved above; this panel translates its detected text.


04 / Walking, rainwater, people and robots share one public seam

Six system loops integrate climate, embodied intelligence and maintenance into space rather than slogans.

Wind / air — open wind corridor, seasonal verification. Rain / drainage — source reduction, visible overflow. Human / accessibility — no app, continuous accessibility. Robot — low-speed boundary, e-stop takeover. Night / ecology — dark mode, habitat review. Asset / maintenance — asset ID, rain-before/after work order.

13.01 km slow network · 3 connectors · 189 OSM crossings · 16 stations within 800 m.

OSM is a background screen; safety, access, drainage and capacity need field and specialist review. The boundary is provisional.



English translation of figure text


The source graphic is preserved above; this panel translates its detected text.

Regional coordination is a capability loop, not a transfer list.
Huairou Science City → originate. Future Science City → engineer. Jing-Zhang belt → book + test. Beijing E-Town → scale. Haidian university / community → demand + talent. Beijing–Tianjin–Hebei → compare + diffuse.
Eight mechanisms: land · space · industry · capital · talent · compute · data · scenario. All partnerships are conceptual and require separate ownership, funding, safety, rights and implementation review.

01 Jing-Zhang Open Pulse | spatial concept & structure

One public spine, three evidence stations, six-stage civic pulse

JING-ZHANG OPEN PULSE
V3.3 · PROVISIONAL / CONCEPT ONLY



CORE QUESTION

AI cities should make questions, tests, decisions, exits and contributions public.

CIVIC PULSE





- | | | |
|----|-------------------------|-------------------|
| 01 | Question | Public need |
| 02 | Permission | Human mandate |
| 03 | Bounded test | Time + place |
| 04 | Human decision | Vetoable |
| 05 | Public receipt | Readable evidence |
| 06 | Scale / repair / retire | Ordinary route |

11.41 km ²	13.01 km	8	3
provisional study area	concept slow-mobility chain	land-use partitions	evidence stations

Dashed red boundary and all geometry are provisional; replace official polygons and recompute all layers, metrics, PDFs and HTML.

Geometry-driven review figure · source: package GeoJSON · not an official redline

Jing-Zhang Innovation Belt Quantitative Observatory: Economy – Population – Air – Energy (2014–2023)



Source boundary: Beijing/Haidian statistical yearbooks; 2014–2023 historical series. 2024/2025 city bulletins are freshness context only. Xu Bingnan × Codex / v3.0

许丙南 × Codex / v3.3