




Urban resilience is a public-space project

One Life-Line, three stations and four stress conditions

JINGZHANG LIFE-LINE

From innovation corridor to graceful-degradation public care

THREE LEVELS / ONE EVIDENCE CHAIN



43.6 km²

Coordinated research

11.41 km²

Overall design (provisional)

368.4 ha

Three announced key areas

CONCEPT / PROVISIONAL - not a statutory plan, survey or approval

Four urban stress tests

01

EXTREME HEAT

shade + water + staffed refuge

02

HEAVY RAIN

verified accessible detours

03

POWER / NETWORK LOSS

offline kit + manual queue

04

MODEL / CROWD FAILURE

pause, handover, rollback

Evidence chain

official task / standards

provisional geometry

design model

recomputed metrics

failure rehearsal

scale / change / stop

VALUE

Normal: exchange. Stress: care. Failure: degrade. Dispute: exit. The 72-hour period is a rehearsal target, never a guarantee.

EVIDENCE

Official tasks -> provisional geometry -> design model -> recomputed metrics -> failure rehearsal -> scale/change/stop.

BOUNDARY

The 43.6 km² research area, approximately 11.41 km² provisional overall area and 368.4 ha announced key areas remain distinct.

FIG 01




Overall urban design and land-use structure

Three scopes, six seams and evidence-first renewal

ONE LINE · THREE STATIONS · TWO WINGS

Topology-complete study structure, not statutory zoning



Operational ecosystem



Three station roles

- 01** Zhongzhiyuan Resilience Test Yard
failure injection / robot safety
- 02** AI Origin Public Care Station
heat care / offline services
- 03** Dazhongsi Continuity Depot
supply / business continuity

CONCEPT / PROVISIONAL - not a statutory plan, survey or approval

FIG 02

STRUCTURE

One slow-mobility and care spine, three stations, six accessible verification seams, two wing interfaces and multiple reversible service points.

LAND USE

Six topology-complete study bands use repository-permitted codes. They are not current or statutory land use.

RENEWAL

Audit, micro-renewal, reversible pilot, public evidence review and conditional scale/change/stop.



Three key areas and twelve scenario contracts


Space, operation, failure and human authority on one sheet

THREE RESILIENCE STATIONS

Each prototype exposes failure, human authority and an exit

01

Zhongzhiyuan Resilience Test Yard



SPATIAL KIT

- isolated test corridor
- handover court
- reconfigurable cells
- public failure archive


TEST SCENARIOS

- S06 anomaly inspection
- S07 twin fault injection
- S08 model drift

STOP when authority, audit, fire/access or data conditions fail

02

AI Origin Public Care Station



SPATIAL KIT

- public porch
- climate refuge court
- staffed service window
- offline service cabinet


TEST SCENARIOS

- S01 heat care
- S03 blackout continuity
- S09 multilingual service

STOP when authority, audit, fire/access or data conditions fail

03

Dazhongsi Continuity Depot



SPATIAL KIT

- convertible delivery court
- bounded low-speed loop
- business continuity desk
- crowd lobby

TEST SCENARIOS

- S04 crowd load shedding
- S05 supply relay
- S12 business continuity

STOP when authority, audit, fire/access or data conditions fail

NORTH

Isolated failure injection, robot safety, human-handover court and public failure archive.

MIDDLE

Climate refuge, staffed account-free service, offline kit and accessible rest loop.

SOUTH

Bounded supply relay, event load shedding and small-business continuity desk.

CONTRACT

Twelve cards each declare trigger, data minimum, graceful degradation, human authority, stop rule and evidence.

CONCEPT / PROVISIONAL - not a statutory plan, survey or approval

FIG 03




Mobility, blue-green, metrics and implementation

Recomputable geometry and explicit non-expansion gates

ACCESS + BLUE-GREEN + CONTINUITY

A public-service audit spine, not a new road alignment



Three service states

NORMAL

grid + network + edge AI + dynamic guidance

DEGRADED

battery + cached directory + static rules + manual queue

MINIMUM SAFE

visible exit + emergency contact + staff broadcast + stop risky devices

Six-seam field audit

- 01 entrance & opening time
- 02 width, slope & steps
- 03 crossing & lighting
- 04 shade & rest
- 05 works & seasonal condition
- 06 staff / complaint / stop contact

CONCEPT / PROVISIONAL - not a statutory plan, survey or approval

FIG 04

SERVICE STATES

Normal; degraded with battery/cache/static rules/manual queue; minimum safe with visible exits and risky devices stopped.

CORE METRICS

11.41 km2 site, 29.6% green, 17.7% public space, twelve scenario contracts and 100% manual-equivalent design coverage.

IMPLEMENTATION

0-18 month audit/pilots; 18-36 month integration after review; 36-72 month evidence decision. Missing operator, complaint path or logged stop test blocks expansion.

