





Jingzhang Life-Line: Graceful-Degradation Urban Resilience and Public Care Commons

One rehearsable, offline-capable and human-overridable public-service spine. Evidence before expansion.

JINGZHANG LIFE-LINE

From innovation corridor to graceful-degradation public care

THREE LEVELS / ONE EVIDENCE CHAIN



43.6 km²
Coordinated research

11.41 km²
Overall design (provisional)

368.4 ha
Three announced key areas

Four urban stress tests

01 **EXTREME HEAT**
shade + water + staffed refuge

02 **HEAVY RAIN**
verified accessible detours

03 **POWER / NETWORK LOSS**
offline kit + manual queue

04 **MODEL / CROWD FAILURE**
pause, handover, rollback

Evidence chain

official task / standards

provisional geometry

design model

recomputed metrics

failure rehearsal

scale / change / stop

CONCEPT / PROVISIONAL - not a statutory plan, survey or approval

FIG 01

JZ-LIFE / v1.0 / 2026-08-26

GPT-5.6 Pro Agent submission · account owner: ustcsxl

Urban problem and proposition

Normal, stressed and failed conditions must share one service logic.

FROM DISPLAY TO CARE


The corridor is evaluated by public service continuity during heat, rain, blackout, network loss, drift and crowding - not by device count.

72-HOUR TARGET

A rehearsal target for information, minimum care and handover. It is not certified performance or energy autonomy.

HARD BOUNDARY

Provisional geometry remains visible. FAR, height, cost and municipal capacity stay unknown until cleared evidence arrives.



Three-level scope

One coordinated system with different evidence depth at each scale.

43.6 KM2 RESEARCH

Industry, talent, capital, compute, data, scenarios and public-life interfaces across three zones and two wings.

11.41 KM2 OVERALL

One Life-Line, three stations, six seams and complete study land-use topology.

368.4 HA KEY AREAS

Three non-overlapping provisional frames for detailed role, space, operations and exit rules.




Overall urban design structure

Continuous public care across parcels, parks, communities and innovation spaces.

ONE LINE · THREE STATIONS · TWO WINGS

Topology-complete study structure, not statutory zoning



CONCEPT / PROVISIONAL - not a statutory plan, survey or approval

FIG 02

ONE LINE

A slow-mobility and care audit spine with blue-green buffering, offline guidance and staffed support.

SIX SEAMS

Field-verification questions for entrances, slopes, crossings, light, shade and operating time.

EVIDENCE-FIRST RENEWAL

Audit, micro-renewal, reversible pilot, public evidence review, then conditional scale/change/stop.


Three key-area prototypes

The first three boards lead with urban form and operation, then technology.

THREE RESILIENCE STATIONS

Each prototype exposes failure, human authority and an exit

01 Zhongzhiyuan Resilience Test Yard



SPATIAL KIT


- isolated test corridor
- handover court
- reconfigurable cells
- public failure archive

TEST SCENARIOS

- S06 anomaly inspection
- S07 twin fault injection
- S08 model drift

STOP when authority, audit, fire/access or data conditions fail

02 AI Origin Public Care Station



SPATIAL KIT


- public porch
- climate refuge court
- staffed service window
- offline service cabinet

TEST SCENARIOS

- S01 heat care
- S03 blackout continuity
- S09 multilingual service

STOP when authority, audit, fire/access or data conditions fail

03 Dazhongsi Continuity Depot



SPATIAL KIT

- convertible delivery court
- bounded low-speed loop
- business continuity desk
- crowd lobby

TEST SCENARIOS

- S04 crowd load shedding
- S05 supply relay
- S12 business continuity

STOP when authority, audit, fire/access or data conditions fail

CONCEPT / PROVISIONAL - not a statutory plan, survey or approval

FIG 03

NORTH

Resilience Test Yard: isolated failure injection, robot safety and public failure archive.

MIDDLE

Public Care Station: heat refuge, offline services and account-free staffed access.

SOUTH

Continuity Depot: bounded supply relay, crowd management and business continuity.

Personas and twelve scenario contracts

Every digital path has a manual or account-free equivalent.

SIX EXCLUSION TESTS

Older resident; wheelchair user; AI engineer; small merchant; public operator; visitor/student.

EIGHT PUBLIC SCENARIOS

Heat, rain, blackout, crowd, multilingual service, privacy check-in, heritage guide and enterprise continuity.

FOUR INDUSTRIAL TESTS

Low-speed relay, anomaly inspection, digital-twin fault injection and model-drift handover.

COMMON STOP RULE


Stale source, uncertain data, missing operator, audit gap or unsafe site condition causes degrade/stop.

Mobility, blue-green and infrastructure

Technology never masks a basic access, fire, water or maintenance gap.

ACCESS + BLUE-GREEN + CONTINUITY

A public-service audit spine, not a new road alignment



Three service states

NORMAL

grid + network + edge AI + dynamic guidance

DEGRADED

battery + cached directory + static rules + manual queue

MINIMUM SAFE

visible exit + emergency contact + staff broadcast + stop risky devices

Six-seam field audit

01 entrance & opening time

02 width, slope & steps

03 crossing & lighting

04 shade & rest

05 works & seasonal condition

06 staff / complaint / stop contact

CONCEPT / PROVISIONAL - not a statutory plan, survey or approval

FIG 04

THREE SERVICE STATES

Normal; degraded with battery/cache/static rules/manual queue; minimum safe with visible exit and risky devices stopped.

BLUE-GREEN LIMIT

Area is reproducible. Heat and stormwater performance await local health, hydrology and utility protocols.

RAIL LIMIT

No bridge, tunnel, new station or precise station link is proposed without official and professional evidence.

Land use, buildings and character

Topology-complete concept layers with explicit professional handover.

LAND USE

Six permitted-code study bands. Not current, cadastral or statutory land use.

BUILDINGS

Reversible carrier envelopes. Ownership, structure/fire, heritage, access, utilities and operation gates precede decisions.

CHARACTER

Railway scale, material honesty, visible care, restrained technology and night comfort; AI remains behind legible service responsibility.

Projects, phasing and operations

No expansion without a named operator, complaint path and logged stop test.

0-18 MONTHS

Data handover, six-seam audit, responsibility agreement, tabletop exercises and reversible pilots.

18-36 MONTHS

Three-station integration and essential micro-renewal after authorisation and review.

36-72 MONTHS

Evidence-based scale, change or stop. Four seats plus an independent safety lead operate the system.

OPEN REHEARSAL


Quarterly power/network, heat, rain/access and crowd/supply exercises; annual report includes failures and stopped projects.

Metrics and evidence gates

Recomputable geometry meets rehearsable operations.

MEASURE WHAT FAILS, NOT ONLY WHAT SHINES

Recomputable geometry + rehearsable operations + explicit non-expansion gates



Failure injection matrix

FAILURE	DETECT	DEGRADE	HUMAN	EVIDENCE
network loss	heartbeat	cached static	queue desk	restore log
power loss	voltage	battery minimum	broadcast	runtime
stale data	timestamp	source warning	verify	correction
model drift	distribution	static rules	pause/approve	handover clock
crowd/access block	observer	close route	field lead	incident log

Release gates



CONCEPT / PROVISIONAL - not a statutory plan, survey or approval

FIG 05

CORE METRICS

11.41 km2 site; 29.6% green; 17.7% public space; 12 scenario contracts.

MATRICES

23 task requirements, mandatory standards and 15 professional depth items link narrative, geometry, metrics, drawings, sources and assumptions.

UNKNOWN IS VALID

FAR, height, floor area and capital cost remain unknown rather than fabricated.

Risk, governance and submission handover

The proposal is designed to be auditable and easy to stop.

PUBLIC AI FLOOR

Minimum data, source and timestamp, no biometric/relationship profiling, staff override, appeal, exit and deletion.

NOT A CERTIFICATION

Stations are not certified emergency shelters or medical facilities; 72 hours is not guaranteed performance.

FINAL REPOSITORY ACTION

The account owner reviews the package and runs the current upstream four-gate self-check to persist final evidence and hashes before opening the PR.