




FROM SPATIAL EVIDENCE TO MIXED-USE PROGRAMMING AND ACCEPTANCE

Overall evidence + six mixed-use functions + conditions-design-impact-acceptance chain



DESIGN THE BELT: Let Evidence Change Key Areas, Nodes and the Pilot

8 retained + 4 consensus replacements; CORRIDOR-04 lead; different first move in each key area

03 / THREE URBAN CASES

THREE KEY AREAS, THREE DIFFERENT FIRST MOVES

Population-weighted mobility, health and service gaps define three distinct first-stage spatial prototypes.

ZHONGZHIYUAN

VALIDATION + EVERYDAY-SERVICE COMPLETION

FIRST-STAGE PROJECT

The ~1.5 ha test field is a research hypothesis and must be checked together with real everyday-service deficits.

Concept visualization / not factual evidence

AI ORIGIN COMMUNITY

SHARED GROUND FLOOR: TALENT / FAMILY / HEALTH

FIRST-STAGE PROJECT

Mobility is comparatively mature; prioritize learning, talent/family support and health referral.

Concept visualization / not factual evidence

DAZHONGSI

STATION-CITY CONNECTIVITY FIRST

FIRST-STAGE PROJECT

Low rail access, high service gaps and the largest detour proxy put walking/cycling connectivity first.

Concept visualization / not factual evidence

Key-area polygons remain provisional; formal redlines, tenure, rail safety, fire/accessibility and field survey can trigger revision.

V5 / THREE SYSTEMS, ONE SPINE

Mobility + Blue-Green + Climate: One Continuous Concept Infrastructure Spine

CORRIDOR-04 is only the first 1 km window; the actual design object is the continuous walking, cycling, shade, stormwater and public-stay system.



05 / EVIDENCE CONTRACT

From Evidence to Design, Impact and Acceptance


The metrics page connects observed/model-estimated conditions to spatial response, expected impact and explicit verification - rather than stacking KPI cards.

OBSERVED / MODEL-ESTIMATED


WorldPop model population · OSM walking network · Sentinel-2 green proxy · official identity/address cross-check

DESIGN RESPONSE

Consensus nodes · pilot corridor lead candidate · key moves · reversible public-service modules



SAME 12-NODE SCENARIO / MODELLED COVERAGE



All values are modelled/design-stage evidence, not built outcomes. Official geometry, statutory controls, tenure, utilities and field surveys remain implementation prerequisites.

MAKE IT WORK: Turn Concept Design into Reviewable, Reversible Packages

320 m² node modules + 1 km pilot + 0-24 month delivery + AI governance loop

10 / SERVICE NODE GUIDE

Public-service Node Delivery and Operations Guide

A 320 m² prototype defines site, program, staffing, utilities, acceptance and exit requirements



NODE AXONOMETRIC INTENT | 20 m × 16 m | continuous accessible loop

NODE DELIVERY + OPERATIONS

210-400 m² program range | 320 m² prototype

01

FOOTPRINT

320 m²

20 m × 16 m prototype with demountable components
ACCEPT site and built-area check

02

HUMAN SERVICE

24–36 m²

counter, waiting, storage and staffed position
ACCEPT hours and staffing roster

03

MICROCLIMATE

≥70%

continuous shade across principal day street
ACCEPT summer solar study + field audit

04

RESPONSE

60 s / 24 h

human acknowledgement and routine fault logging
ACCEPT monthly response + work-order log

HANDOVER + EXIT MANAGEMENT

- joint utilities, fire access and site permit review
- facility list, duty register and monthly inspection record
- remove equipment if operations lapses retain basic civic amenities

spatial.joon · implementation-operation-contract.joon · generated-service-node-axonometric.jpg

node delivery integrates utilities, fire review, accessibility and operating maintenance

10

09 / TYPICAL SECTION

Typical-section Controls for the Jingzhang Pilot

A 12-m typical section addresses walking gaps, mixed traffic, limited rest and stormwater drainage



PILOT DELIVERY VIEW | accessible walk + rain garden + two-way cycling + human service

SECTION CONTROLS + ACCEPTANCE

12.0 m total | four continuous functional bands

01

WALKING

≥3.0 m

continuous clear width, tactile and kerb-ramp links
ACCEPT field width survey

02

STORMWATER

≥2.5 m

complete inflow, overflow and drainage route
ACCEPT hydraulic check + flow test

03

CYCLING

≥4.0 m

two-way operation with speed control at crossings
ACCEPT marking width + conflict review

04

SERVICE EDGE

≥2.5 m

seating, shade and staffed wayfinding
ACCEPT facility list + access audit

DELIVERY INTERFACES

- coordinate rail protection and maintenance access
- integrate street links, utilities and existing trees
- retain physical wayfinding and human service during outages

spatial.joon · generated-section-section.jpg · Beijing walk/cycle standards


section dimensions are developed with rail safety, street limits, utilities and existing trees

09

13 / PHASED DELIVERY

Phased Delivery Plan and Annual Evaluation

Complete 90-day preparation, then advance six projects by readiness with monthly scheduling and annual evaluation
PROPOSED 0-24 MONTH DELIVERY WINDOW



DO-15 base map/tenure | D16-45 survey/costing | D46-75 drills | D86-90 action decision

implementation-operation-contract.joon · user-cohort-plan.joon

delivery sequencing is updated with boundaries, tenure, specialist review and funding

13

06 / SERVICE MANAGEMENT

Project Review Requirements for Public AI Services

Review accountable owner, human service, data use-stop authority, complaints and annual evaluation for twelve proposed services

12

PROPOSED SERVICES

8

REVIEW CONDITIONS

4

EARLY TRIAL SERVICES

5

MANAGEMENT STAGES

TWELVE PROPOSED SERVICES

SERVICE | LOCATION | OWNERS | TYPE | STARTED ROUTE

S01	AI literacy room	Daxingmen · named operating body		
S02	Multilingual Jing-Zhang guide	combinator · named operating body		
S03	Youth urban issues studio	AI Origin · named operating body		
S04	Learning and career support	AI Origin · named operating body		
S05	Intergenerational digital service desk	senior+middle · named operating body		
S06	Accessible-route co-mapping	combinator · named operating body		
S07	Child-safe dialogue evaluation	Zhongguoyuan · named operating body		
S08	Low-speed robot route test	Zhongguoyuan · named operating body		
S09	Privacy-preserving learning tool test	AI Origin · named operating body		
S10	Edge-office and energy test	Zhongguoyuan · named operating body		
S11	Facility maintenance training	Zhongguoyuan · named operating body		
S12	AI service notice and public feedback	3 districts · named operating body		

APPLICATION REVIEW

- owner + funding
- staffed or physical route
- necessary data + retention
- personal-data protection
- fault switching + emergency
- stop + termination authority
- fees, status + complaint notice
- records + annual review

APPLICATION

JOINT REVIEW

TRIAL OPERATION

HANDOVER

ANNUAL REVIEW

project brief

review options

action list

handover record

adjustment list

growth-runbook.joon · implementation-operation-contract.joon

review records feed project initiation, trial operation, handover and annual review

06

Scenario impacts are not built-performance commitments; annual review and re-selection triggers remain explicit

CULTURE, GOVERNANCE & OPERATIONS Support Long-term Urban Life

Competition tasks remain complete but are separated from existing-condition spatial evidence

14 / PUBLIC IDENTITY

Public-space Identity and Wayfinding Guidelines

A three-level system coordinates corridor gateways, direction signs and service confirmation



HIERARCHY + APPLICATION	
A continuous, legible and all-age public information system	
L1 CORRIDOR GATEWAY	At district entrances and station-city interfaces, show identity and overall direction
L2 DIRECTION SIGN	At route decisions, show destination, distance, accessible route and street change
L3 SERVICE CONFIRMATION	At service nodes, show hours, human scale, safety and feedback route
INFORMATION + MAINTENANCE	
Separate project identity from government entities and maintain a clear information boundary	
Every AI service point includes a human service sign and non-digital access instructions	
Clear marks day, service space and stop information, may not carry support notice messages	
Inspect monthly (create and publish a notice-lead work order within 12 hours)	

17 / CULTURE + LANDMARKS

Cultural Narrative, Civic Landmarks and Recognition

Three narratives become everyday civic facilities; contributions receive annual review

THREE CIVIC NARRATIVES		
INDEPENDENT ENGINEERING 1909—1949 Rail engineering, survey and construction archive	OPEN INNOVATION 1980—2025 Zhongguancun research, open source and transfer	CIVIC INTELLIGENCE 2026— Rights, duties and rules for AI public service
THREE CIVIC LANDMARKS		
L-01 ORIGIN MILESTONE COURT AI Origin Community	1909 / 1980 / 2026 archive and courses 1 oral history set + 1 course / year	OPEN CONTRIBUTION ARCHIVE problem discovery open tools + data safety + accessibility long-term maintenance AWARD RULE Public output, co-authorship and verifiable record; sponsorship alone does not qualify
L-02 OPEN MODEL GALLERY Zhongguancun	Models, methods, failure cases and stop records 20 validation records / year	
L-03 CIVIC GOVERNANCE SIGNAL TOWER Dachengli Public Hall	Use status for twelve public AI services five status + annual public report	

07 / INCLUSIVE SERVICES

Priority-user Needs and Project Rectification List

Complete priority user walk-throughs before initiation and record issues, rectification duties and responses
REGISTERED USER ISSUES 0-3

	mobility	rest + care	human service	learning + work	delivery burden	data + digital	maintenance + takeover
Children and families	3		2		3		
Elderly people and caregivers	1	3	3				1
Disabled users	3		1		1	2	
Long-term residents			1		3		1
Renters and small businesses	1		1	3	3		1
Students and young talent			3	3		1	
Commuters and visitors	3				1		
Frontline service and maintenance staff			1	2		1	3
Neighborhood, parks and public institutions				1	2	1	

SURVEY + ACTION ARRANGEMENT

9类
priority user groups

6项
participation steps

1套
rectification register

Coverage is calculated after population, employment and time-of-day flow baseline; current action follows group issue list.

12 / AI SERVICE GOVERNANCE

Delivery and Operating Management for Public AI Services

Define accountable bodies, tasks and filed outputs across initiation, review, testing, opening and evaluation

12

PROPOSED SERVICES

8

REVIEW CONDITIONS

60 s

HUMAN ACKNOWLEDGEMENT

5 days

PUBLIC RESPONSE

01 APPLICATION

FILE BUILD

OWNER

Implementer

INPUT

site location, data and related service plan

ACTION

define core, function and accountability body

TRANSFER GATE

brief and building source complete

FILE project brief

02 JOINT REVIEW

FILE CHECK

OWNER

lead + operators

INPUT

project brief and risk list and emergency plan

ACTION

review safety, data access and operations

TRANSFER GATE

all review actions closed

FILE joint review opinion

03 TRIAL REVIEW

FILE

OWNER

operator + users + evaluator

INPUT

review brief, plan and laborer procedure

ACTION

review safety with group; users and/or staff do

TRANSFER GATE

actions closed and completed

FILE issue + action register

04 OPERATIONS

MONTHLY

OWNER

operator + human service

INPUT

project list, staff orders and work orders

ACTION

deliver mission, fault, measure and document

TRANSFER GATE

monthly evidence complete

FILE monthly report + orders

05 ANNUAL REVIEW

ANNUAL

OWNER

lead + evaluator

INPUT

performance, comments and maintenance cost

ACTION

confirm safety, verify or terminate

TRANSFER GATE

next year list agreed

FILE annual adjustment list

NO TRANSFER UNTIL DOCUMENTS, OWNERSHIP AND RECTIFICATION ARE COMPLETE

SERVICE ACCESS

01 Staffed from digital route

02 physical wayfinding during outages

03 public reply within 5 days

DATA MANAGEMENT

01 Necessary data only

02 strict use and retention

03 update annual data inventory

SAFE OPERATIONS

01 Include critical faults

02 80% human acknowledgment

03 include work order within 24 h

PUBLIC OVERSIGHT

01 Monthly fault summary

02 quarterly role review

03 annual adjustment list

18 / ANNUAL OPERATION

Annual Events, Developer Community and Conversion

Four seasons, four working groups and a five-gate pathway share one annual programme

FOUR-SEASON ACTION CALENDAR			
SPRING URBAN PROBLEM SEASON 30 needs + 6 site walks scenario register	SUMMER OPEN VALIDATION SEASON 20 prototypes + 8 negative tests test + correction records	AUTUMN CIVIC INTELLIGENCE WEEK 12 co-tests + 4 workshops co-test + open output catalogue	WINTER ANNUAL GOVERNANCE ASSEMBLY 12 services + 4 packages reviewed continue / correct / reduce / stop list
FOUR DEVELOPER WORKING GROUPS			
01 public service + accessibility 02 model safety + evaluation 03 edge devices + robotics 04 urban data + maintenance			
ANNUAL: 12 open workdays and 8 reusable outputs			
FIVE-GATE CONVERSION PATHWAY			
REGISTER → VALIDATE → CO-TEST → PROCURE → SCALE			
NEXT GATE: rights clear, cost affordable, owner assigned and correction closed. Events, site maintenance and staffed service use separate budgets.			

15 / BASIS + MATERIALS

Planning Basis and Material-use Statement

Materials are classified, sourced, managed by use and reviewed as an updatable planning record

8	30	4	2	
MATERIAL CLASSES	PLANNING FIGURES	PDF DELIVERABLES	LANGUAGE SETS	
MATERIAL	SOURCE / RIGHT	PLANNING USE	MANAGEMENT REQUIREMENT	STATUS
proposed text and translations	agent-authored for this submission	original submission text	policy and standard summaries remain attributed	REVIEWED
technical figures and diagrams	generated locally from submission data by the package build script	agent-authored graphics	personal geometry is labelled and stored to license or liability mapping	REPRODUCIBLE
OpenStreetMap content	OpenStreetMap contributors	ODC 1.0 attribution	background content only, no licensing or liability reference	LICENSED
NASA POWER climate baseline	NASA POWER daily API, documentation and related notes	public scientific data with attribution	concept stage point-grid baseline, engineering design requires local data	REVIEWED
Blender corridor rendering	agent-generated from conceptual modeling	agent-authored rendering	not an as-built or surveyed model	CONCEPT
generated concept scenes	OpenAI image generation directed for this submission	submission concept imagery	design sheet only, no identifiable real people or official endorsement	REPRODUCIBLE
Thema.js office viewer	Three.js 100% licensed locally	MIT license	source code released in source package	LICENSED
system facts	Microsoft Teams or available L2 system test	render only local test use	test files are not redistributed	REVIEWED
STATUTORY BASIS		TECHNICAL BASIS		
Policies, standards and task sources are indexed in the source register		The working base is updated with official boundaries, survey and current-condition records		
		DELIVERABLE USE		
		Concept visuals convey planning intent, delivery proceeds through specialist design outputs		