


Jing-Zhang City Model Commons

From Centennial Railway to an Open Spatial Intelligence Benchmark Belt

A city should be seen, understood, simulated, and jointly verified.

A public spatial-intelligence commons built from source-traceable data, reproducible models, controlled trials, human review, and rollback. The proposal keeps every unknown control visible and every field test bounded.



Positioning, functions, Three Zones and Two Wings

Translate the taskbook into spatial roles, public interfaces, and operating responsibility.

Three positionings

Centennial cultural belt; urban AI life-experience belt; AI-integrated innovation belt.

Five functions

Full-stack innovation, world-class ecosystem, AI-enabled scenarios, active city, and governance voice.

Four layers / seven nodes

Physical, semantic, simulation, and controlled field layers make governance visible.

识别系统 / Identity System

主名、英文名、Logo方向与可复用的公共界面规则；原创概念，不调用第三方商标或图片。

核心符号

分岔 / fork

提交 / submit

回滚 / rollback

京张城模公地

Jing-Zhang City Model Commons

从百年铁路到空间智能开放基准带

识别规则

轨道灰

模型蓝

铁锈红

植被绿

历史、工程、可信底座

数据状态、开放接口、可读证据

京张记忆、分岔与警示

气候、公共空间、日常兜底

最小应用：路牌 / 版本牌 / 观察廊 / 提交墙 / 回滚台

Original identity direction; trademark and legibility review still required. [source: DATA-SRC-AGENT-TASKBOOK-20260518]

Three key areas


Zhongzhiyuan: benchmark and controlled validation. Beijing AI Origin Community: open city-model commons. Dazhongsi: everyday runtime market.

Jing-Zhang City Model Commons · wms2537 · CC-BY-4.0 · conceptual recommendation

2 / 12

Three key areas: validation, co-creation, and everyday value

Each area specifies an interface, a scenario owner, and a human fallback.



Three key areas use provisional rough geometry; detailed lines await official evidence.

Zhongzhiyuan

Benchmark vault - validation workshop - low-speed loop - observation walk - rollback desk.

Origin Community


City-model museum - open-submission wall - model clinic - developer lounge.

Dazhongsi

Everyday service arcade, accessible station, merchant waste reduction, night slow interface.

Landmarks, honor display, and component library

Sit, understand, and ask for help before opening AI; contributions move through five public states.



Component	Interface	Safety floor
C-01 Shade seating	Green spine and node edges	Shade, accessibility, night lighting
C-02 Version marker	Model/scenario entrances	Source, date, change, tactile route
C-03 Accessible co-pilot	Version line and service stations	Opt-in AI, phone, on-site help
C-04 Observation / handover	Zhongzhiyuan test boundary	Separation, speed cap, stop
C-05 Algorithm notice	Origin Community / Dazhongsi	Purpose, limits, appeal, exit
C-06 Honor plaque	Submission wall / museum	No unauthorized material

Fourteen AI scenario cards and scenario-space-operation mapping

Four industry validation scenarios; every card keeps minimum data, a responsible owner, human review, appeal, and sunset.

Public experience

- SC-01 railway memory guide
- SC-02 accessible co-pilot
- SC-03 heat-safe route
- SC-06 rule and service explainer

Community and daily life


- SC-04 school route
- SC-05 health navigation
- SC-07 learning and mentor match
- SC-08 public-space co-governance
- SC-09 waste and queue routing
- SC-10 evacuation rehearsal

Industry validation

- SC-11 embodied last-500-metre validation
- SC-12 open spatial-intelligence benchmark
- SC-13 edge-model interoperability
- SC-14 low-carbon building operations

People have default right-of-way; machines must request right-of-way

Walking, blue-green, station interfaces, static transport, and municipal responsibility are verification lists, not invented engineering alignments.



Concept network: 30.8 km walking/test lines, 22.5% green layer, eight east-west stitches.

Station / parking / municipal


Station integration, parking supply, utilities, capacity, and heritage controls remain unknown until formal evidence arrives.

Non-AI fallback

Physical wayfinding, basic lighting, accessibility, human help, and emergency routes remain available through network or model failure.

From public problem to a reversible scenario service

Developer community, open scenarios, annual activities, and international translation share one responsibility chain.



Submit -> review -> replay -> controlled trial -> public evaluation -> translation or exit.

Annual program

Open Benchmark; Model-to-Street Week; Centennial Submission Festival; City Algorithm Hearing Day.

Developer community

Open workshop -> mentors and reviewers -> contribution record -> public benchmark.

Recalculable metrics and honest unknowns

Known values come from one GeoJSON package or explicit task material; unknowns are evidence interfaces, not vision values.

核心指标不是“漂亮数字”，而是可复算证据链

Known 只来自提交几何或明确公告；法定强度、红线、现状与市政容量保持 Unknown。

11.413

临时总体边界

site_area_sqm

369.3

三处重点区

key_area_total_area_sqm

22.5

概念蓝绿覆盖

green_ratio

0.67

七个公共节点

public_space_ratio

30.8

慢行与测试线网

slow_mobility_network_length_m

14 / 4

场景 / 产业验证

scenario_card_count

明确 Unknown

容积率 FAR

建筑高度

法定建筑密度

道路红线与退线

现状建筑总基底

市政容量

文保控制面积

证据链 / Evidence Chain

来源

公告 / 任务书 / 标准

假设

临时边界与缺失控制

几何

9 个可读 GeoJSON

复算

EPSG:4548 面积与长度

正文

判断 + 缺口 + 深化路径

图纸

A3 / A0 / 离线 HTML

专业包覆盖

23

任务合规项

6

专业标准

15

设计深度项

5

核心专业图

9

GeoJSON 图层

0

远程数据

原则：不把临时边界升级为官方红线；不把概念基底升级为法定规模；不把仿真升级为工程批准；不把 AI 建议升级为自动决策。

Sources, assumptions, matrices, taskbook outputs, and the self-check receipt travel with the package.

JING-ZHANG CITY MODEL COMMONS · WMS2537 · CC-BY-4.0

11.413 km2

provisional overall design area

14 / 4 / 7

scenarios / validation / personas

Known

Extent, topology, green layer, public nodes, walking/test network, scenarios, personas, phasing, and component counts.

To be verified

Official boundary, regulatory plan, buildings, stations, parking, municipal capacity, heritage, and ownership.

Jing-Zhang City Model Commons · wms2537 · CC-BY-4.0 · conceptual recommendation

8 / 12

Locatable review entry points

Each agent task has proposal paragraphs, figures, structured files, quantities, and explicit limits.

Task	Proposal entry / figure	Key quantity
agent.1 overall and brand	Positioning / identity-system / site-overview	3 positionings / 5 functions / 3 zones + 2 wings
agent.2 ecosystem	Ecosystem map / sources.json	7 cases / 8 mechanisms
agent.3 scenarios	Scenario-space-operation mapping	14 scenarios / 4 validation / 7 personas
agent.4 public space	Honor display / public-space-system	4 landmarks / 6 components
agent.5 culture and wayfinding	Brand / identity / public-space-system	3 bilingual wayfinding levels
agent.6 activities and operations	Developer community / operations pathway	4 activities / 6 gates

Shared boundary

All spatial, industry, operation, and brand arrangements are conceptual open co-creation recommendations. Professional teams, the public, and official data must continue validation; no unknown control may be visually read as approval.

Three key areas: renewal, transport, public space, and risk

Mini-plans split each area into professional worklines whose evidence can be added without pretending that unknown data is approved.

Key area	Renewal / building	Transport / walking	Public space	Risk / gate
Zhongzhiyuan	Retain adaptable carriers; survey structure and lab safety	Low-speed loop, handover, observation; station interface pending	Vault, workshop, rollback, human help	Speed, stop, independent review, incident, sunset
Origin Community	Museum, open ground floor, workshop; ownership/capacity pending	Version line, accessible co-pilot, school/service arcade	Submission wall, clinic, notice kiosk, physical guide	Minimum privacy, appeal, deletion, exit, dual channel
Dazhongsi	Continue daily commerce/culture; flows, fire, heritage pending	Slow interface, loading, short stay, accessible parking	Open market, climate adaptation, honor plaque	No differential pricing; merchant/fire responsibility cards

First

Check official boundary, ownership, existing buildings, stations, fire, and public-service inventories.

Then test

Digital replay -> small controlled trial -> public evaluation; retain physical routes and human takeover.

Only then translate

Safety, inclusion, permission, operations, and exit must pass before a method becomes portable.

Unknown controls, provenance, and reversible governance

Confidence is a handover list: source, owner, gate, failure record, and exit condition are all locatable.

KNOWN

Geometry topology, conceptual areas, green space, public nodes, walking length, 14 scenarios, 7 personas, 4 landmarks, components, and activities.

UNKNOWN

Official redline, regulatory plan, buildings, FAR, height, stations, parking, municipal capacity, ownership, and heritage.

PROVENANCE / ROLLBACK

Canonical source IDs, access dates, licence notes, conversion notes, human takeover, stop, incident log, appeal, sunset, delete, and exit.

Pending control	Responsible input	Gate to next phase
Transit / station / parking	Official station, transfer, accessibility, loading, and fire lists	Station-by-station walk and conflict check; never draw unknown as a line
Municipal / energy / network	Utilities, capacity, load, drainage, waste, fire, maintenance owner	Responsibility card, basic service in failure, operations budget
Ownership / heritage / existing	Ownership, survey, structure, heritage, public-process records	Retain-renovate-demolish evidence chain and reversibility review

Submission package, audit entry points, and quality gates

Every task moves from proposal to figure, structured evidence, and a self-check receipt; the package is offline-reviewable and rebuildable.

Taskbook coverage

agent.1-agent.6 + announcement -> compliance_matrix.json -> taskbook_outputs.json.

Professional depth

6 standards + 15 depth items -> geometry / metrics / sources / assumptions.

Display materials

9 original figures, A3 12 pages, A0 3 pages, offline report, and static visual index.

Quality gate	Current evidence	Result
Deterministic	Manifest hashes, JSON schema, source/metric/matrix completeness	PASS
Spatial	EPSG:4548 recalculation, topology, provisional boundary and key-area notice	PASS
Visual	Overview, scope, key areas, land use, mobility, blue-green, renewal, assumptions, metric hooks	PASS
Professional	Standards, depth, 45 metric references, 14-row scenario matrix	PASS

Honest closing statement

Formal review can begin. Official boundary and professional controls still require evidence from data providers, planners, engineers, the public, and operators. This conceptual proposal does not replace statutory procedure, engineering design, or public authorization.

Haidian evidence baseline - five regional interfaces - six component handoff contracts

Public signals provide current context only; every design response has a verification gate. Interfaces and proof-mile entries are conceptual contracts, not proof of construction, approval, partnership, budget, or endorsement.

CONTEXT ONLY · CONCEPTUAL · NO APPROVAL CLAIM

04 Public signals for the five regional interfaces

Public signal	Design response	Verification gate
Beijing population / rail	No growth or future-footfall assumption; test service and reuse by time, user, and person-hours	Verify station, walking, coverage, and time-of-day observations before sizing
Haidian economy	Research -> validation -> public explanation -> everyday adoption, not an AI island	Survey institutions, building capacity, ownership, demand, and operating owner
Ageing society	Shade, seating, physical signs, human help, and non-digital routes before AI	Run a consented all-ages accessibility / heat-safety walk and publish negatives
Jing-Zhang heritage park	Translate the roughly 9 km renewal/green context into an open version line; no invented alignment	Reconcile station, road, heritage, ownership, fire, and emergency records
Haidian AI policy context	A translation layer between research, controlled tests, public service, and accountability	Name owner, data permission, safety, service baseline, and exit decision

05 Five component handoff contracts

Direction	Input	Minimum output	Contract gate
Beiwèi / AI Origin	Resident questions, accessibility gaps	De-identified problem card, human-service gap, close reason	Consent, rights/privacy, named safety owner, maintenance record, withdrawal
Future Science City	Edge models, embodied devices, engineering validation	Model card, device passport, failure list, re-test condition	Voluntary test, IP, safety, maintenance/recall, exit/re-test
Huairou Science City	Measurement, calibration, research methods	Calibration note, uncertainty, independent-review question	Permission/consent, professional safety, IP, maintenance handoff, withdrawal
Beijing E-Town	Engineering, manufacturing, supply chain, maintenance	Interoperability evidence, maintenance, stop/recall condition	Voluntary, product safety/consumer rights, maintenance/recall, exit
Beijing-Tianjin-Hebei	Cross-city problems and portable rules	Location-agnostic schema, negative result, version difference, handoff	Local legal review; rights, safety, maintenance, withdrawal/no recognition

06 Six component handoff contracts for the five regional interfaces

ID	Spatial anchor and owner	Opening gate	Positive -> negative evidence / stop decision
C-01	Heritage green spine / public-node edge Public-space or park operator	Consented accessibility/heat walk + maintenance owner	Usable rest and human help; close or relocate when unsafe/unmaintainable, publish why
C-02	Version-line model / scenario entries City-model commons trustee	Named maintainer reviews source and version register	Visitor can see source, date, uncertainty; hide or revert if source cannot be verified
C-03	Version-line public-service node Public-service window operator	Human fallback, consent language, accessibility sign-off	Choice between AI and human help; disable AI but keep ordinary service when explanation/fairness fails
C-04	Zhongzhiyuan low-speed loop / observation edge Bounded-test operator + independent evaluator	Permission, risk assessment, separation, trained operator, emergency drill	Reproducible and contained; return to simulation after critical failure until independent re-test
C-05	AI Origin / Dazhongsi service corridor Model-card and public-service operator	Model card, public notice, human owner, appeal route, sunset date	People understand limits and can appeal; withdraw algorithmic service if explanation/fairness fails
C-06	Submission wall / city-model museum / contribution nodes Commons curator + independent reviewer	License/consent, review state, public correction, accessible display	Contribution reproducible, attributed, challengeable, withdrawable; quarantine unresolved rights/privacy/accuracy

5 regional interfaces

Problem -> capability -> credential. Each direction records consent, rights/IP, safety, maintenance, and withdrawal/no-recognition gates.

6 component contracts

Spatial anchor, minimum data, human takeover, maintenance record, positive/negative evidence, opening and stop decisions.

0 approval illusions

Statistics are context only; the boundary remains provisional; no partnership, budget, construction, endorsement, or forecast claim.

Dazhongsi local implementation unit | official evidence appendix

This page adds verified Beijing public-resource transaction attachments to the evidence chain. It anchors HD00-1603-01/03A and its mobility/municipal interfaces; it does not replace formal controls for the 43.6 km2 research area, 11.4 km2 overall design area, or the 72 ha Dazhongsi key area.

01 Official source chain

Transaction record | survey report (2025 survey no. 0074) | supply-plan review (no. 0006) | municipal/traffic plan | water-impact review (letter no. 153)

DATA-SRC-DAZHONGSI-TRANSACTION-20251231 | DATA-SRC-DAZHONGSI-SURVEY-20250806 | DATA-SRC-DAZHONGSI-SUPPLY-REVIEW-20251218 | DATA-SRC-DAZHONGSI-MUNICIPAL-TRAFFIC-2025 | DATA-SRC-DAZHONGSI-WATER-20250819

02 Verified controls

- 39,522.111 m2 | surveyed local total
- 60 m | HD00-1603-01 height
- FAR 2.45 | approx. 96,656.065 m2 above ground
- min 25% | green ratio
- min 30 m | North Third Ring setback

03 Mobility + municipal interface

- 300 m | station integration radius (local report)
- 16 bus lines / 3 stops
- ~0.14 ha | bicycle parking
- 3,190 person-trips/h | 491 pcu/h (model)
- 36% | rail share (model)

04 Water + delivery gates

- 2027 planning year
- 214,000 m3 annual production/living water cap
- 129,000 m3 new-water cap
- Runoff coefficient max 0.34; rainwater to Tucheng ditch
- Approval pending; not a whole-belt baseline

05 Boundary + next gate

The survey PDF does not make CRS, axis order, or units explicit. The original local coordinate table is retained as evidence only; it has not been converted to GeoJSON or used to replace formal boundaries. Upgrade to approval-ready geometry only after CRS, permission, and formal controls are confirmed.