

CENTENNIAL JING-ZHANG AI INNOVATION BELT

RAILWEAVE 2.1

SPATIAL PROTOTYPES · DELIVERY LEDGER · TRUSTWORTHY AI · PUBLIC VALUE




CONCEPTUAL RECOMMENDATION / PROVISIONAL WORKING EXTENT / NOT FOR CONSTRUCTION

P01 / PROVISIONAL WORKING EXTENT

RailWeave 2.1 | Overall Working Structure

A provisional working extent organises spatial audits and project interfaces; official boundaries, controls and delivery conditions are unavailable.



L5 provisional working extent and conceptual links | official vector boundary unavailable | not survey or statutory

1 **Jing-Zhang longitudinal axis**

continuity audit and public interface

3 **cross-corridor links**

Qinghe, Xiaoyuehe/universities, Zhuan River

3 **key-area study windows**

differentiated registers and prototypes

? **formal control conditions**

boundary, rights, red lines, scale and utilities to verify

D01 / WORKING STRUCTURE

Layered Study Structure and Action Envelopes

No statutory land-use class, boundary, intensity or property right is shown; the diagram only organises verification and concept-design tasks.

01

Jing-Zhang longitudinal continuity audit

Six segment work units; opening, accessibility and crossings require field verification

02

Qinghe-Xiaoyuehe/Knowledge-Zhuanhe cross-links

Three conceptual connection bands; not road, bridge, tunnel or greenway alignments

03

Zhongzhiyuan-AI Origin-Dazhongsi key areas

Three working envelopes; parcels, rights, fire and engineering conditions remain unverified

04

Reversible spatial components and delivery gates

Six component types and seven gates; implementation follows lawful confirmation of responsible entities

EVIDENCE GATE BEFORE THE NEXT LAYER

L1-L3

formal documents and official facts

L4

open basemap as location clue only

L5

proposal geometry explicitly labelled

FIELD

opening, slope, clear width, barriers, crossings

EXPERT

planning, mobility, fire, water, heritage, data security

If any critical evidence is missing, retain an unverified status and exclude quantities, budgets and approvals.

P02 / THREE KEY AREAS

Three Key Areas: One Gate System, Three Differentiated Roles

Study windows organise tasks only; sites, rights, entities, funding and construction proposals require lawful verification.

01ZHONGZHIYUAN

CONTROLLED VALIDATION

01version and provenance

02isolated reproduction and failure injection

03independent finding and public summary

TWO INDEPENDENT GATES

fabric maturity: space, rights, expertise, resources, restoration

thread admission: purpose, data, human review, equivalent service, unweaving

If either gate fails, deployment does not proceed.

02AI ORIGIN

DEMAND COORDINATION

01co-define real demand

02staffed and non-digital service

03send to PoC or close with reasons

TWO INDEPENDENT GATES

fabric maturity: space, rights, expertise, resources, restoration

thread admission: purpose, data, human review, equivalent service, unweaving

If either gate fails, deployment does not proceed.

03DAZHONGSI

FIRST-USE CONVERSION

01demand and market review

02lawful procurement or cooperation

0390/180-day post-use review

TWO INDEPENDENT GATES

fabric maturity: space, rights, expertise, resources, restoration


thread admission: purpose, data, human review, equivalent service, unweaving

If either gate fails, deployment does not proceed.

P03 / CONTINUITY AUDIT

Jing-Zhang Axis and Three Cross-Links: From Alignment Vision to Segment Audit

Coloured lines denote audit and connection tasks only; opening, accessibility, railway, water, road and engineering conditions remain unverified.



SIX AUDIT TESTS

- 01 OPENING STATUS
- 02 STEP-FREE CONTINUITY
- 03 WALK/CYCLE/CROSSING SAFETY
- 04 WATER/RAIL CONDITIONS
- 05 NIGHT SERVICE/EMERGENCY
- 06 OPERATIONS/EXIT

Verified continuously open length may be calculated only after field records and professional review.

E01 / VERIFIABLE DELIVERY

Verifiable Delivery Metrics and Declared Unknowns

Counts describe package completeness; working values test internal consistency only and are not statutory metrics or field performance.

11.41 km² provisional working extent medium confidence not official boundary	3 + 12 key areas + scenario contracts submission count not approval	3 concept prototype specifications S01 / S06 / S11 not deployed
72 explicit synthetic regression branches 12 normal PASS / 60 defect BLOCK	9 + 8 audit segments + accessibility nodes field-work units only	6 + 7 reversible components + delivery gates subject to lawful confirmation

DECLARED UNKNOWN



official boundary and statutory metrics | building inventory and rights | continuously open step-free length | accessible-crossing ratio | utility capacity | project readiness | procurement price and funding source

Unknowns may not be replaced by interpolation, AI generation, local extrapolation or proposal targets.

D00 / EVIDENCE & BOUNDARY

Evidence, Boundary and Design-Depth Control

Review confirmed facts, working basemap, provisional geometry and design proposals as separate evidence classes.



P0 DATA GAPS

Official vector boundaries

Parcels and rights

Building survey / structure / fire

Road lines and traffic counts

Rail protection conditions

River and flood controls

Heritage coordinates


Utility capacity

Budget, procurement and 5-year OPEX


D01 / OVERALL URBAN DESIGN

One Axis, Three Corridors, Three Hubs · Three Coordinated Chains

The structure organises spatial links and project flow; it is not a statutory road, river-control or land-use plan.



THREE-CHAIN PROJECT LOOP





BRIEF-TO-DELIVERABLE ALIGNMENT

3 positions	innovation + renewal + international communication
5 functions	R&D, validation, public service, conversion, exchange
3 areas + 2 wings	three differentiated hubs + two-way inputs/outputs
Key areas	study plan + interface section + project register
AI+ scenarios	12 scenarios, 3 operating prototypes

C1 / KEY-AREA STUDY

Zhongzhiyuan · Controlled Validation System

Four zones—public observation, semi-controlled validation, controlled testing, and service/emergency—prioritising verified indoor reuse.



COMPONENT-LEVEL GATES

- G0 Register
- G1 Reproduce
- G2 Inject failure
- G3 Human takeover
- G4 Independent finding

STOP

site/rights unverified

no human fallback



major risk unresolved

OPEX/exit unaccounted

C2 / KEY-AREA STUDY

AI Origin · Distributed Demand-Coordination Network

Start with one shared ground floor with verified rights, fire safety and opening hours, linked to communities, universities and talent services.



COMPONENT-LEVEL GATES

- G0 Publish issue
- G1 Recruit
- G2 Co-define
- G3 Rights review
- G4 Send to validation



STOP

- site/rights unverified
- no human fallback
- major risk unresolved
- OPEX/exit unaccounted

C3 / KEY-AREA STUDY

Dazhongsi · Station–City First-Use Interface

Organise step-free surface access from station to demand service, Jing-Zhang axis and Zhuan River; no underground connection is assumed.



COMPONENT-LEVEL GATES

- G0 Real demand
- G1 Market review
- G2 Lawful procurement
- G3 Controlled launch
- G4 90/180-day review

STOP

site/rights unverified

no human fallback





major risk unresolved

OPEX/exit unaccounted

S01 / SECTION FAMILY

Four Typical Spatial Interfaces

All dimensions remain variables; no construction section is claimed without official lines, survey and water-control inputs.




Common verification: rights and hours | accessibility | fire and emergency | maintenance and energy | data boundary | removal and site restoration

AI01 / SERVICE BLUEPRINTS

Three AI Concept Prototype Specifications

Each prototype delivers a service blueprint, spatial interface, data flow, responsibility matrix, and acceptance/stop criteria.



P01 / DELIVERY LEDGER

Project Gates, Responsibility and Five-Year Operating Account

A project does not advance while site, demand, data, funding, procurement, acceptance, operations or exit responsibility remains unresolved.



RW-A01

AI Origin Demand Room

Input

problem evidence pack

Acceptance artifact

demand brief + response

Stop condition

unclear demand / rights

RW-B01

Zhongzhiyuan Validation Lab

Input

version + test brief

Acceptance artifact

reproducible pack + review

Stop condition

major risk unresolved

RW-C01

Dazhongsi First-Use Operations Pool

Input

demand + validation + WLC cost

Acceptance artifact

launch list + post-review

Stop condition

procurement / OPEX unaffordable

RACI: normally one accountable role per task

CM coordination

IE implementation / rights

DO demand / application

TO technology / operations

IV independent validation

DC data security

PF procurement / finance / legal

PO public oversight

Integrated acceptance requires written views from implementation, demand and independent-validation roles; high-risk matters also require a clear data-security opinion.

FIVE-YEAR TOTAL COST TC5

$C0 + \Sigma(Ot + Mt + Pt + Vt + At + Rt) + U + X$

tech / equipment / premises

35–55%

staff / ops / management

25–40%

validation / legal / audit / security

8–15%

participation / accessibility / communication

5–10%

insurance / emergency / exit

8–15%

Bands may overlap and are not a quotation; funding is not secured before approval or effective contract.

Public Participation, Public Value and Risk-Governance Loop

Public participation is embedded in demand formation, prototype observation, operating review and exit decisions.



Targets enter formal performance documents only after baseline survey, professional review and confirmation by the lawfully determined responsible entities; they are not government commitments.

PROPOSED STARTING CONTROLS

Demand-brief completeness	≥95%
Public response rate	≥90%
High-risk takeover coverage	100%
Severe safety/privacy events	0
Critical accessibility barriers closed	100%
Exit completion	100%

MANDATORY PAUSE / EXIT TRIGGERS

- Demand owner or site rights unclear
- Unclear data provenance, version or legal basis
- No human fallback in a high-risk scenario
- Severe safety, privacy or fairness issue unresolved
- Whole-life cost or operations unaffordable
- No exit provision, deletion or alternative service

B01 / IDENTITY & LANDMARK KIT

RailWeave Identity System and Three Reversible Landmarks

Identity is built around project status, evidence and public service—not corporate logos, giant screens or permanent monuments.

RAILWEAVE



FIVE EVIDENCE COLOURS

L1

L2

L3


L4

L5

Tactile code | easy-read type | low-reflectance material | replaceable parts | low-glare night lighting

01

Validation Results Gallery




- pass/restrict/correct/stop
- model version + human review
- redacted summary

site, fire, maintenance and restoration to verify

02

Collaborative Innovation Courtyard




- paper/digital demand wall
- objection and exit record
- movable accessible parts

site, fire, maintenance and restoration to verify

03

First-Use Conversion Gateway



- demand-validation-procurement
- 90/180-day review
- rail mileage / project ID

site, fire, maintenance and restoration to verify

RECALCULATE AS ONE PACKAGE WHEN OFFICIAL INPUTS ARRIVE

- official boundaries and regulatory drawings
- parcels, rights and building survey
- road, metro, railway, water and heritage controls
- utility capacity, procurement budget and five-year operating account
- field accessibility and opening-status survey

RECALCULATION PACKAGE

- boundary–geometry–metrics–drawings
- one version, date and responsibility chain
- retain superseded values; no silent overwrite

FIELD AND PROFESSIONAL REVIEW

- opening, accessibility, crossings and night use
- mobility, utilities, water, fire and heritage
- data security, procurement, insurance and audit

GATE AND EXIT RECORD

- entities, rights and written responsibility
- five-year total cost and funding sources
- acceptance, correction, pause and restoration receipt

This package is not a statutory plan, engineering design, investment decision, procurement result or approval basis.