



LONG-TERM EXCHANGE HALL
CONCEPT VIEW; NOT THE P0
FOOTPRINT; FIELD UNVERIFIED.

UNSIGNED AND UNAPPROVED: T00
PRECEDES WEEK 1; T01-T11 OCCUPY
REFERENCE WEEKS 1-15 ONLY AFTER
T0, WITH ONE ACCOUNTABLE PER
TASK ACROSS 12 ROLE CLASSES.

A 16-LINE UNPRICED SCHEDULE
SEPARATES 14
DESIGN/REFERENCE-DERIVED LINES
FROM TWO TBC AFTER SURVEY OR
AUTHORISED REVIEW; FORMAL
UNIT-RATE ENTRIES ARE ZERO.

EXTERNAL DOCUMENT RECEIPTS ARE
ZERO FOR 12 GATE HANDOFFS; ZERO
OF 12 ACCEPTANCE INDICATORS
CARRIES AN AUTHORISED FIELD
VALUE. THESE COUNTS DESCRIBE
DOSSIER STATE ONLY.

THREE KEY AREAS / A • B • H IN PLAN + SECTION

PAIRED BAYS • DIFFERENCE CLOISTER • ONE QUEUE

ONE MECHANISM, THREE CONSTRUCTION AND CIVIC-HANDOFF FORMS; PARAMETRIC PLANS + SECTIONS LOCATE H, REMOVABLE SLOTS AND STOP CONDITIONS


03

ZHONGZHIYUAN • PROOF YARD

Proof Yard

COURT / controlled proof visible to the public


A/B MAY CHANGE OR CLOSE • H BYPASS • HUMAN SERVICE STAY OPEN



PUBLIC GROUND — CLIMATE EDGE — LONG-LIFE SUPPORT — REPLACEABLE INFILL

DEMOUNTABLE EAVE • VISIBLE DRAINAGE • FREEZE/THAW ACCESS

CERTIFIED LONG-LIFE 6 M SUPPORT → BOLTED SECONDARY FRAME → DRY REPLACEABLE INFILL
INSPECTABLE SERVICE BAND



RETAIN / REPAIR / INSERT retain usable frame • repair public threshold • insert reversible first bay

FIRST PILOT observation cloister + isolated test cell

FUTURE ROLE TYPE • UNAPPOINTED test safety lead + independent checker (PROPOSED CLASS; UNAPPOINTED)

STOP RULE stop on boundary breach, failed replay or unsafe continuation


CANDIDATE PLACEMENT • OFFICIAL EXTENTS TRIGGER REVIEW + REBIND

AI ORIGIN • ORIGIN CLOISTER

Origin Cloister

CLOISTER / a retrofit-first campus-community weave


A/B MAY CHANGE OR CLOSE • H BYPASS • HUMAN SERVICE STAY OPEN



PUBLIC GROUND — CLIMATE EDGE — LONG-LIFE SUPPORT — REPLACEABLE INFILL

DEMOUNTABLE EAVE • VISIBLE DRAINAGE • FREEZE/THAW ACCESS

RETAIN AND CERTIFY EXISTING FRAME FIRST → INDEPENDENT BOLTED PLUG-IN → DRY 1.2 M INFILL
COORDINATION → EXPOSED MAINTAINABLE SERVICE STRIP



RETAIN / REPAIR / INSERT retain campus/community stock • repair access • insert porous cloister

FIRST PILOT timed campus threshold + care court

FUTURE ROLE TYPE • UNAPPOINTED campus-community joint operator (PROPOSED CLASS; UNAPPOINTED)

STOP RULE no build without access agreement and care operator


CANDIDATE PLACEMENT • OFFICIAL EXTENTS TRIGGER REVIEW + REBIND

DAZHONGSI • EXCHANGE HALL

Exchange Hall

HALL / four public entrances and one all-weather room


A/B MAY CHANGE OR CLOSE • H BYPASS • HUMAN SERVICE STAY OPEN



PUBLIC GROUND — CLIMATE EDGE — LONG-LIFE SUPPORT — REPLACEABLE INFILL

DEMOUNTABLE EAVE • VISIBLE DRAINAGE • FREEZE/THAW ACCESS

LONG-LIFE 8 M PRIMARY FRAME → DEMOUNTABLE ROOF CASSETTES → REPLACEABLE
MARKET/SERVICE INFILL → INSPECTABLE PERIMETER SERVICE BAND



RETAIN / REPAIR / INSERT survey retain/repair/insert • repair four-quadrant walking • add all-weather eave

FIRST PILOT station porch + Rider Dock + staffed help desk

FUTURE ROLE TYPE • UNAPPOINTED local authority + transit + Shared Floor operator (PROPOSED CLASS; UNAPPOINTED)

STOP RULE no scale-up before movement, ownership, fire and cost evidence

CANDIDATE • NEAR NATIONAL-KEY JUESHENG TEMPLE; OVERLAY CONTROLS; NO GUESSED BUFFER

EVIDENCE / ACTUAL SHADOW Δ + P0 CONTROL TEMPLATE

MAKE FAILURE VISIBLE; BIND NEXT STEPS TO EVIDENCE

ONE LOCAL BGE-M3 SHADOW RUN EXPOSES SEVEN DELTAS; P0 CONNECTS DESIGN TO GROUNDING GATES THROUGH A CONDITIONAL PROGRAMME, RACI, QUANTITIES, EVIDENCE AND ACCEPTANCE

05

LOCAL MODEL SHADOW

29 / 36

B AGREES WITH PARTICIPANT A/REFERENCE; A IS NOT INDEPENDENT TRUTH

VISIBLE DELTAS

7 Δ

4 NON-HARD-STOP DELTAS CONCENTRATE ON ORIGIN TASKS

DETERMINISTIC H

12 / 12

EVERY HARD-STOP OVERRIDES B; NO MODEL-TRIGGERED FIELD ACTION IN DOSSIER

MODEL PROMOTION

0

B STAYS SHADOW-ONLY; IT CANNOT SELF-PROMOTE

ONE ACTUAL LOCAL INFERENCE: A/REFERENCE × B/CANDIDATE

BGE-M3 • 1 BATCH / 39 INPUTS • 1024-D • EXACT TAG/MANIFEST/BLOB HASHES

A/REFERENCE	B=PROOF	B=ORIGIN	B=EXCHANGE
PROOF YARD	10	0	2
ORIGIN CLOISTER	3	7	2
EXCHANGE HALL	0	0	12

FOUR NON-HARD-STOP DELTAS: A101-AMBIGUOUS • A106-NORMAL/AMBIGUOUS • A108-AMBIGUOUS

SPATIAL CHANGE / KEEP B IN SHADOW

FOUR NON-HARD-STOP DELTAS ARE ORIGIN-LABELLED; KEEP THE H TABLE + DIFFERENCE DISPLAY NON-REMOVABLE; DO NOT PROMOTE B; CLAIM NO SIZE CHANGE.


THE UNSIGNED PARTICIPANT CONTROL TEMPLATE STATES WHO MUST HAND WHAT TO WHOM NEXT; IT DOES NOT TURN UNPERFORMED IMPLEMENTATION INTO COMPLETION.

One local BGE-M3 embedding call compares 36 hypothetical fixtures: 29 topology agreements, seven deltas, all twelve hard-stops held and zero promotion.

The unsigned participant template binds T00 plus eleven timed conditional activities, single-accountability RACI, sixteen unpriced lines, twelve gate handoffs and twelve acceptance indicators; every external transition remains HOLD.

THE SHARED FLOOR / THE REAL CITY IS THE GROUND

SEVEN LOCAL FIGURE-GROUNDS; DATA GAPS ARE NOT FILLED BY ASSUMPTION



© OpenStreetMap contributors • ODbL 1.0 • MORPHOLOGY + ATTACHMENT READING ONLY
NOT A STATUTORY MAP, REDLINE, PARCEL, SURVEY, BUILDING INVENTORY, ACCESS AGREEMENT OR NAVIGATION PRODUCT

SCOPE + EVIDENCE

43.6 km²

research / official approximate

DARK-OSM BUILDING UNION • FIN

C1 • South Gate

C3 • Zhichun Learning Cross

C5 • Qinghua East Road Camp

C7 • Qinghe Rail-Water Cross

Jing-Zhang Park is treated as civic ground already - not a blank site.

A 412.5 m boundary conflict is disclosed; official polygons trigger rebinding.

The project works at real corridor interfaces: campus, community, transit, heritage, rivers and service.

SCOPE + EVIDENCE STATUS

43.6 km²

research / official approximate

11.4 km²

overall design / official approximate

368.4 ha

three key areas / official approximate

DARK=OSM BUILDING UNION • FINE=STREET • RED=RAIL • BLUE=WATER/GATE • ●=STATION • □=CAMPUS CENTROID • NUMBER=CANDIDATE

C1 • South Gate



BEIJING NORTH + CURRENT/FORMER RAIL TERMINUS


HERITAGE THRESHOLD

FORECOURT, HERITAGE + FLOW SURVEY REQUIRED

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 44 BUILDING / 13 STREET RECORDS

C2 • Dazhongsi Exchange



STATION + RAIL + FOUR-QUADRANT FRACTURE


P0 STATION PORCH; NIGHT ROOM CONDITIONAL

TITLE, METRO, FIRE + OPERATOR

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 12 BUILDING / 48 STREET RECORDS

C3 • Zhichun Learning Cross



STATION + RAIL + LEARNING DISTRICT

ZHICHUN LEARNING CROSS

7-DAY FLOW, ACCESS + CORNER SURVEY

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 39 BUILDING / 94 STREET RECORDS

C4 • Origin Commons



FORMER-RAIL/PARK CONNECTOR + DAILY LIFE

ORIGIN COMMONS / CARE PORCH

HERITAGE, LOCAL NEED + OPERATOR AGREEMENT

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 68 BUILDING / 170 STREET RECORDS

C5 • Qinghua East Road Campus Eave



STATION + CAMPUS CENTROID; GATE NOT CAPTURED

NEGOTIATED CAMPUS GATE

EXACT GATE, SECURITY + CAMPUS AGREEMENT

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 51 BUILDING / 90 STREET RECORDS

C6 • Fifth Ring Approach



CURRENT/FORMER RAIL NEAR FIFTH RING; ROAD SEAM UNVERIFIED

RIDER DOCK / SERVICE FORECOURT

ROAD, LOADING, FIRE + LAND SURVEY

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 49 BUILDING / 128 STREET RECORDS

C7 • Qinghe Rail-Water Crossing



CURRENT RAIL × QINGHE


SPONGE CROSSING

HYDROLOGY, RAIL, DRAINAGE + FLOOD REVIEW

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 31 BUILDING / 48 STREET RECORDS

JING-ZHANG EVIDENCE LINE



ARCHIVE / RECORD

FIELD / SURVEY

P0 / REVERSIBLE PILOT

SAME INDICATORS / EXP+RES

ADOPT • REVISE • RETIRE

1909 RECORDS—NOT C1-C7 SITE EVIDENCE


INHERIT THE METHOD, NOT THE FORM • NO SCORING YET

CREDIT: TONGSHENG PHOTO STUDIO, JING-ZHANG LU GONG CUO YING, 1909 • ORIGINAL NLC • WDL/LOC • LCCN 2021668851

43.6 km² research field.

11.4 km² shared-floor grammar.

Three provisional reference areas for architectural depth.



The completed park and rail memory form the public-ground reference.

Long-life frames attach at interfaces; they do not claim an official redline.

JING-ZHANG EVIDENCE LINE



LINE



STATION



WATER



BUILD

1909 RECORDS—NOT C1-C7 SITE EVIDENCE



ARCHIVE / RECORD



FIELD / SURVEY



P0 / REVERSIBLE PILOT



SAME INDICATORS / EXP+RES



ADOPT • REVISE • RETIRE

INHERIT THE METHOD, NOT THE FORM • NO SCORING YET

CREDIT: TONGSHENG PHOTO STUDIO, JING-ZHANG LU GONG CUO YING, 1909 • ORIGINAL NLC • WDL/LOC • LCCN 2021668851

Each room follows archive → field evidence → reversible pilot → same-indicator expert and resident review → adopt, revise or retire.


No scoring has yet occurred; every address remains provisional until survey, operator and access agreement exist.

THREE KEY AREAS • THREE SIMULTANEOUS CHANGEOVER TOPOLOGIES

07

ZHONGZHIYUAN • PROOF YARD

N ↑



SPATIAL TOPOLOGY

PAIRED BAYS: SAME FIXTURES; CENTRAL H STRIP

CONTRACTS

AI02 • AI05 • AI09 • AI11

WITNESS SWAP

LOCAL SHADOW: 29/36 AGREEMENT ACROSS TOPOLOGIES


STOP RULE

CRITICAL REGRESSION, SCOPE EXPANSION OR EITHER KEY REFUSES

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

AI ORIGIN • ORIGIN CLOISTER

N ↑



SPATIAL TOPOLOGY

DIFFERENCE CLOISTER: READ A/B; COMPLETE SAME TASK AT H

CONTRACTS

AI01 • AI04 • AI06 • AI08

WITNESS SWAP

4 NON-HARD-STOP DELTAS CONCENTRATE ON ORIGIN LABELS


STOP RULE

UNRESOLVED SOURCE, AUTHORITY OR EXPERT DISAGREEMENT ROUTES H

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

DAZHONGSI • EXCHANGE HALL

N ↑



SPATIAL TOPOLOGY

ONE QUEUE / THREE EXITS: A / B / H; NO CHERRY-PICKING

CONTRACTS

AI03 • AI07 • AI10 • AI12

WITNESS SWAP

12/12 HARD-STOPS HELD BY DETERMINISTIC H

STOP RULE

BURDEN SHIFT OR SEVERE EVENT RETURNS ALL FLOW TO A/H

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

SAME TASK / FAIR COMPARISON

A/B SHARE THE TASK, FIXTURES, DATA BOUNDARY + USER ENTRY

One queue and the same-task H path prevent B from selecting easy users; comparison is a delta, not a flattering isolated score.

HUMAN AUTHORITY / TWO KEYS

SERVICE STEWARD + RIGHTS/SAFETY STEWARD; EITHER KEY MAY HOLD

B cannot self-promote. Any user may choose H; high-risk disagreement produces a proposal for H only.

EVIDENCE BOUNDARY / DELTA RECEIPT

29/36 AGREEMENT; 7 DELTAS; 12/12 H HOLDS; 0 PROMOTION

11/11 Beijing delivery modules are mapped, but 12/12 external permission and accountability gates remain HOLD; real users, field rollback and non-inferiority are unknown.

29/36 AGREE

7 DELTA

12/12 H

0 PROMOTE

Any authorised pilot must give A and B the same task, fixtures, data boundary and user entry while keeping H available.

B cannot self-promote; either independent steward or on-floor H can hold or roll back.


LAND-USE STRUCTURE / OPEN BUILDING

FOUR PROGRAMME BANDS; FIVE RENEWAL SPEEDS

CONCEPT LAND USE IS NOT ZONING; GROUND AND SUPPORT ENDURE WHILE SERVICES, INFILL AND EQUIPMENT CHANGE


02

N ↗ • PLAN ROTATED 65° CLOCKWISE FOR SHEET READING




CONCEPT LAND-USE STRUCTURE • NOT STATUTORY ZONING • REVIEW + REBIND ON OFFICIAL CONTROLS
FILL=FOUR PROGRAMME BANDS • DARK=THREE LONG-LIFE FRAMES • GOLD=PUBLIC ROOMS • RED=SEVEN CROSS-INTERFACES

PROGRAMME × DESIGN LIFE




DAZHONGSI • ENCOURAGED SHARED LEVELS



ENCOURAGED ≠ BUILT, OPEN, EASEMENT OR 24H ACCESS

METRO / OWNER / FIRE / STRUCTURE / OPERATIONS ARE PREREQUISITES

FIVE RENEWAL SPEEDS



KEEP FRAME, CHANGE CORE, RECORD EACH REPLACEMENT. TARGETS ARE NOT WARRANTIES.

OFFICIAL EXTENTS • CONTROLS TRIGGER REVIEW, RECALCULATION + REISSUE.

Four authored programme bands are shown spatially; they are not statutory zoning.

Public ground → support → service chassis → infill → equipment.

PROGRAMME × DESIGN LIFE

0802MAKE

0804TRANSLATE

07LIVE

05MEET

DAZHONGSI • ENCOURAGED SHARED LEVELS

2FENCOURAGED

GENCOURAGED

B1ENCOURAGED

B2ENCOURAGED

ENCOURAGED ≠ BUILT, OPEN, EASEMENT OR 24H ACCESS

METRO / OWNER / FIRE / STRUCTURE / OPERATIONS ARE PREREQUISITES

FIVE RENEWAL SPEEDS

00GROUND + CLIMATE EDGE100+

01LONG-LIFE SUPPORT100

02SERVICE CHASSIS25-40

03REPLACEABLE INFILL5-20


04SCENARIO KIT≤5

KEEP FRAME; CHANGE CORE; RECORD EACH REPLACEMENT. TARGETS ARE NOT WARRANTIES.

OFFICIAL EXTENTS + CONTROLS TRIGGER REVIEW, RECALCULATION + REISSUE.


Public ground and support endure; services, infill and equipment change at different intervals.

Design-life bands are targets, not warranties.



Roof capture → rail-bed bioswale → forebay → garden → reuse → safe overflow.

Beijing checks add winter drain-down, snow storage, freeze-thaw, dust and north-wind protection.



12 AI CARDS / 4 SHOWN

SPACE • FUTURE ROLE TYPE (UNAPPOINTED) • HUMAN FALLBACK

AI01

STEP-FREE TRANSFER CHECK

7 ROOMS • ACCESS

FAIL→PAPER+ESCORT

TEST

AI02

LOW-SPEED DELIVERY TRIAL

YARD • SAFETY

FAIL→CART+STOP

TEST

AI05

CLIMATE-REFUGE OPERATING CUES

EAVES • STEWARD

FAIL→MANUAL CHECK

TEST

AI12

MULTILINGUAL HUMAN HELP DESK

HELP POINT • CIVIC STAFF

FAIL→INTERPRETER

TEST

S01-S15 EVERYDAY-LIFE REHEARSALS

7 PERSONAS • 24H × 4 SEASONS

ALL SEVEN CIVIC ROOMS REQUIRE A 7-DAY FIELD BASELINE

COMPLETE CARDS ≠ PROVEN LOCAL DEMAND OR PERFORMANCE

ROBOTS: LOW SPEED, YIELD, SAFE STOP; HUMAN SERVICE CONTINUES

Fifteen rehearsals cover elders, children, carers, students, riders, service shifts, disability, women at night and no-phone users.


Every local flow, price and access claim remains field-baseline required.



Plan, axon, section and operational passport come from one typed prototype.

All dimensions remain reference design geometry.

N ↑




Read public, service and controlled routes together.

North arrow, grid and scale remain visible.

Proof Yard

COURT / controlled proof visible to the public



Long-life support and replaceable infill are visually separated.


Sun and climate moves are design hypotheses pending simulation.

SECTION + SHARED EAVE

PUBLIC GROUND — CLIMATE EDGE — LONG-LIFE SUPPORT — REPLACEABLE INFILL

DEMOUNTABLE EAVE • VISIBLE DRAINAGE • FREEZE/THAW ACCESS


CERTIFIED LONG-LIFE 6 M SUPPORT → BOLTED SECONDARY FRAME → DRY REPLACEABLE INFILL → INSPECTABLE SERVICE BAND



The public floor remains legible through daily change.

Human handoff and safe-stop are spatial provisions, not interface copy.

PUBLIC / SERVICE / CONTROLLED



TYPE PASSPORT


TYPE PASSPORT	
CONCEPT GFA	32,768 m ²
SUPPORT / INFILL	7,960 / 864 m ²
THRESHOLDS / MODES	2 / 5
COVERED EDGE / WET NODES	900 m ² / 2
FORECOURT—CLOISTER—THRESHOLD—TEST YARD / SAFE STOP	



Plan, axon, section and operational passport come from one typed prototype.

All dimensions remain reference design geometry.

N ↑




Read public, service and controlled routes together.

North arrow, grid and scale remain visible.

Origin Cloister

CLOISTER / a retrofit-first campus-community weave



Long-life support and replaceable infill are visually separated.


Sun and climate moves are design hypotheses pending simulation.

SECTION + SHARED EAVE

PUBLIC GROUND — CLIMATE EDGE — LONG-LIFE SUPPORT — REPLACEABLE INFILL

DEMOUNTABLE EAVE • VISIBLE DRAINAGE • FREEZE/THAW ACCESS


RETAIN AND CERTIFY EXISTING FRAME FIRST → INDEPENDENT BOLTED PLUG-IN → DRY 1.2 M INFILL COORDINATION → EXPOSED MAINTAINABLE SERVICE STRIP



The public floor remains legible through daily change.

Human handoff and safe-stop are spatial provisions, not interface copy.

PUBLIC / SERVICE / CONTROLLED




TYPE PASSPORT

TYPE PASSPORT	
CONCEPT GFA	24,480 m ²
SUPPORT / INFILL	3,744 / 2,700 m ²
THRESHOLDS / MODES	3 / 5
COVERED EDGE / WET NODES	520 m ² / 3
PUBLIC LANE / CARE / FORUM / MAKING COURTS / QUIET LOOP	

DAZHONGSI • FOUR-QUADRANT CONNECTIVITY + CANDIDATE SCREEN

21



THREE SCREEN ENVELOPES / ONE SURVEY PRIORITY

THE SCREEN ANSWERS WHERE TO MEASURE NEXT—NOT WHERE BUILDING IS PERMITTED.

A SURVEY NEXT

ORIENTATION SCREEN ONLY; FORMAL EVIDENCE MAY REJECT

B HOLD / VERIFY

ORIENTATION SCREEN ONLY; FORMAL EVIDENCE MAY REJECT

C HOLD / VERIFY

ORIENTATION SCREEN ONLY; FORMAL EVIDENCE MAY REJECT

FIELDWORK → DECISION CHAIN

01 7-DAY FOUR-QUADRANT COUNTS + NIGHT / RAIN REPEAT

02 ACCOMPANIED WHEELCHAIR WALK + NO-PHONE SERVICE TEST

REDLINE, TITLE, METRO, UTILITIES, FIRE + OPERATOR AGREEMENT


IF A FAILS, REBIND B/C; IF ALL FAIL, DO NOT BUILD

STOP GATE

UNTIL OFFICIAL EXTENT, TITLE, MEASURED ACCESS, METRO/UTILITIES, FIRE, STRUCTURE, MEP, OPERATOR + 12-MONTH
OPEX RESERVE EXIST: A/B/C ARE NOT SITES; NO BUILD, NO OPEN.

PLACEMENT SCREEN / 1:500 AT FULL-SIZE A0

OSM MORPHOLOGY—NOT PARCEL, REDLINE, VACANCY OR BUILDABILITY EVIDENCE




A measured 1:500 A0 view shows both the rejected station-centred 148-m frame and the offset orientation-screen envelope.

OSM is morphology evidence - not a parcel, survey or metro-protection record.


P0 PLAN / 1:100 AT FULL-SIZE A0

ONE 8 m SUPPORT BAY WITHIN 16 m REVERSIBLE GROUND



INHABITED SECTION / 1:200 AT FULL-SIZE A0

OPEN CANOPY: NO COOKING / TRACTION-BATTERY CHARGING; FIRE + OCCUPANT LOAD TBC




The proposed 8-by-8-m bay, 16-by-16-m reversible ground, 1:100 plan and 1:200 section share one model.

Every life-safety dimension remains subject to local review.

EAVE-WATER-SERVICE INTERFACE / 1:20 AT FULL-SIZE A0

CLEAR GEOMETRY TO SCALE; MEMBER + PRODUCT THICKNESSES TBC STRUCTURE/FIRE/MEP

DEMOUNTABLE ROOF CASSETTE / 2% FALL HYPOTHESIS



64 m² ROOF × 10 mm RAIN = 0.64 m³; OUTLET/STORAGE/INFILTRATION TBC TOPO, SOIL + MUNICIPAL DRAINAGE.

PERFORMANCE SCHEDULE / PARTICIPANT REFERENCE SPEC

01	BOLTED GALVANISED FRAME • SECTION/GRADE/FIRE TBC	¥1.9–3.8M
02	DEMOUNTABLE METAL CASSETTE • WIND/SNOW/CONDENSATION TBC	PARTICIPANT ROM / NOT A TENDER PRICE
03	DRY-LAID REPLACEABLE PAVING • SLIP/FROST/PERMEABILITY TBC	06:00–24:00 • 5-FTE ROSTER
04	VISIBLE DRAINAGE + WINTER DRAIN-DOWN; DISCHARGE OUTSIDE CLEAR ROUTE	OPEX ASSUMPTION ¥1.2–2.2M/Y
05	SURFACE ISOLATABLE SERVICE RAIL • LOAD/METERING/FIRE TBC	OPEX ASSUMPTION 1.2–2.2M/Y
		06:30 RIDER/CLEANER WATER + REST
		12:30 FOOD HANDOFF; NO COOKING
		19:00 REPAIR/LEARNING/STAFFED HELP

NO TITLE/REDLINE, NAMED OPERATOR, 12-MONTH OPEX RESERVE, ACCESS AGREEMENT, METRO/UTILITY, FIRE/STRUCTURE/MEP REVIEW + PERMIT: NO BUILD, NO OPEN.

The 1:20 A0 clear-geometry interface coordinates drainage, inspectable services and wet edge; member and product thicknesses remain TBC.

Cost and operations remain participant assumptions until a named operator and approvals exist.

THREE KEY AREAS / A • B • H IN PLAN + SECTION

PAIRED BAYS • DIFFERENCE CLOISTER • ONE QUEUE

ONE MECHANISM, THREE CONSTRUCTION AND CIVIC-HANDOFF FORMS; PARAMETRIC PLANS + SECTIONS LOCATE H, REMOVABLE SLOTS AND STOP CONDITIONS

03

ZHONGZHIYUAN • PROOF YARD

Proof Yard

COURT / controlled proof visible to the public

ALTERATION: DEMOLITION • REPAIR/REUSE • REPAIR/REUSE • REPAIR/REUSE

N ↑

PUBLIC GROUND — CLIMATE EDGE — LONG-LIFE SUPPORT — REPLACEABLE INFILL

DEMOUNTABLE EAVE • VISIBLE DRAINAGE • FREEZE/THAW ACCESS

CERTIFIED LONG-LIFE 6 M SUPPORT → BOLTED SECONDARY FRAME → DRY REPLACEABLE INFILL INSPECTABLE SERVICE BAND

REPAIR / REPAIR / INSERT

retain usable frame • repair public threshold • insert reversible first bay

FIRST PILOT

observation cloister • isolated test cell

FUTURE ROLE TYPE • UNAPPOINTED

test safety lead • independent checker (PROPOSED CLASS; UNAPPOINTED)

STOP RULE

stop on boundary breach, failed replay or unsafe continuation

CANDIDATE PLACEMINT • OPTICAL EXTENTS TRIGGER REVIEW • REBINE

AI ORIGIN • ORIGIN CLOISTER

Origin Cloister

CLOISTER / a retrofit-first campus-community weave

ALTERATION: DEMOLITION • REPAIR/REUSE • REPAIR/REUSE • REPAIR/REUSE

N ↑

PUBLIC GROUND — CLIMATE EDGE — LONG-LIFE SUPPORT — REPLACEABLE INFILL

DEMOUNTABLE EAVE • VISIBLE DRAINAGE • FREEZE/THAW ACCESS

RETAIN AND CERTIFY EXISTING FRAME FIRST → INDEPENDENT BOLTED PLUG-IN → DRY 3.2 M INFILL COORDINATION → EXPOSED MAINTAINABLE SERVICE STRIP

REPAIR / REPAIR / INSERT

retain campus/community stock • repair access • insert porous cloister

FIRST PILOT

timed campus threshold • care court

FUTURE ROLE TYPE • UNAPPOINTED

campus-community joint operator (PROPOSED CLASS; UNAPPOINTED)

STOP RULE

no build without access agreement and care operator

CANDIDATE PLACEMINT • OPTICAL EXTENTS TRIGGER REVIEW • REBINE

DAZHONGSI • EXCHANGE HALL

Exchange Hall

HALL / four public entrances and one all-weather room

ALTERATION: DEMOLITION • REPAIR/REUSE • REPAIR/REUSE • REPAIR/REUSE

N ↑

PUBLIC GROUND — CLIMATE EDGE — LONG-LIFE SUPPORT — REPLACEABLE INFILL

DEMOUNTABLE EAVE • VISIBLE DRAINAGE • FREEZE/THAW ACCESS

LONG-LIFE 8 M PRIMARY FRAME → DEMOUNTABLE ROOF CASSETTES → REPLACEABLE MARKER / SERVICE INFILL → INSPECTABLE PERIMETER SERVICE BAND

REPAIR / REPAIR / INSERT

survey retain/repair/insert • repair four-quadrant walking • add all-weather eave

FIRST PILOT

station porch • Rider Dock • staffed help desk

FUTURE ROLE TYPE • UNAPPOINTED

local authority • transit • Shared Floor operator (PROPOSED CLASS; UNAPPOINTED)

STOP RULE

no scale-up before movement, ownership, fire and cost evidence

CANDIDATE • NEAR RATIONAL • KEY JUEJUE TON-FILE OVERLAY CONTROLS, NO CUESSED BUTTER

Bay, court, lane, cloister and threshold are operating rules - not applied historical imagery.

What remains after AI is removed: public ground, climate edge, rooms, services and care.

Material atmosphere only: oxide red marks the long-life support layer; it does not prescribe imitation historic brick.


REFERENCE ARCHITECTURE • OFFICIAL POLYGONS TRIGGER REVIEW, RECALCULATION + REISSUE

换模型，不换城市 / REPLACE THE MODEL, NOT THE CITY

THREE KEY AREAS • THREE SIMULTANEOUS CHANGEOVER TOPOLOGIES

07


ZHONGZHIYUAN • PROOF YARD



SPATIAL TOPOLOGY	PAIRED BAYS: SAME FIXTURES; CENTRAL H STRIP
CONTRACTS	AI02 • AI05 • AI09 • AI11
WITNESS SWAP	LOCAL SHADOW: 29/36 AGREEMENT ACROSS TOPOLOGIES
STOP RULE	CRITICAL REGRESSION, SCOPE EXPANSION OR EITHER KEY REFUSES

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP


AI ORIGIN • ORIGIN CLOISTER



SPATIAL TOPOLOGY	DIFFERENCE CLOISTER: READ A/B; COMPLETE SAME TASK AT H
CONTRACTS	AI01 • AI04 • AI06 • AI08
WITNESS SWAP	4 NON-HARD-STOP DELTAS CONCENTRATE ON ORIGIN LABELS
STOP RULE	UNRESOLVED SOURCE, AUTHORITY OR EXPERT DISAGREEMENT ROUTES H

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

DAZHONGSI • EXCHANGE HALL



SPATIAL TOPOLOGY	ONE QUEUE / THREE EXITS: A / B / H; NO CHERRY-PICKING
CONTRACTS	AI03 • AI07 • AI10 • AI12
WITNESS SWAP	12/12 HARD-STOPES HELD BY DETERMINISTIC H
STOP RULE	BURDEN SHIFT OR SEVERE EVENT RETURNS ALL FLOW TO A/H

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

SAME TASK / FAIR COMPARISON

A/B SHARE THE TASK, FIXTURES, DATA BOUNDARY + USER ENTRY

One queue and the same-task H path prevent B from selecting easy users; comparison is a delta, not a flattering isolated score.

HUMAN AUTHORITY / TWO KEYS

SERVICE STEWARD + RIGHTS/SAFETY STEWARD; EITHER KEY MAY HOLD

B cannot self-promote. Any user may choose H; high-risk disagreement produces a proposal for H only.

EVIDENCE BOUNDARY / DELTA RECEIPT

29/36 AGREEMENT; 7 DELTAS; 12/12 H HOLDS; 0 PROMOTION

11/11 Beijing delivery modules are mapped, but 12/12 external permission and accountability gates remain HOLD; real users, field rollback and non-inferiority are unknown.

29/36 AGREE

7 DELTA

12/12 H

0 PROMOTE

THREE INDEPENDENT DESIGN ROOTS

HARD GATES PASS; ARCHITECTURE IS NOT A PROXY SCORE


07

NOT THREE STYLES: ROUTE SEQUENCE / CLIMATE CARE / A/B/H CHANGEOVER USE DIFFERENT CAUSAL GENERATORS

C01

R1 ROUTE-SEQUENCE CONTROL

Isolate staged routing against continuously available H ground




HARD GATES	PASS
GFA	77,200 m²
OPEN	88.8%
WINTER SUN	100.0%
SUMMER SHADE	0.0%

PASSED COMPARISON GATES

C02

R2 CLIMATE-CARE CONTROL

Isolate climate-care nodes and test whether they can carry changeover




HARD GATES	PASS
GFA	77,760 m²
OPEN	91.5%
WINTER SUN	81.3%
SUMMER SHADE	46.6%

PASSED COMPARISON GATES

C03

R3 A/B/H CHANGEOVER FLOOR

Same-task A/B deltas, permanent H and component lives determine space



HARD GATES	PASS
GFA	82,468 m²
OPEN	86.2%
WINTER SUN	68.0%
SUMMER SHADE	36.6%

PASSED COMPARISON GATES

6/6

REBIND PASS

18/18

TARGETED FAULTS STOPPED

12/12

HANDOFF RECOVERY

ENCODED RECEIPTS ≠ FIELD CERTIFICATION

Proxy values do not pick a winner: receipts stop invalid states; spatial argument and design critique make the final selection.

THIS RUN: 3/3 HARD-CONDITION PASS • SHARED FLOOR 12/12 STATE TASKS PASS • HUMAN-EQUIVALENCE UNKNOWN

Three causally independent roots share one reference basis and satisfy root-specific hard conditions.

Shared Floor advances as the preferred design basis pending jury and professional review; other roots remain traceable process evidence.

REFERENCE ARCHITECTURE • OFFICIAL POLYGONS TRIGGER REVIEW, RECALCULATION + REISSUE

换模型，不换城市 / REPLACE THE MODEL, NOT THE CITY

EVIDENCE / ACTUAL SHADOW Δ + P0 CONTROL TEMPLATE

MAKE FAILURE VISIBLE; BIND NEXT STEPS TO EVIDENCE

ONE LOCAL BGE-M3 SHADOW RUN EXPOSES SEVEN DELTAS; P0 CONNECTS DESIGN TO GROUNDING GATES THROUGH A CONDITIONAL PROGRAMME, RACI, QUANTITIES, EVIDENCE AND ACCEPTANCE

05

LOCAL MODEL SHADOW
29 / 36
B AGREES WITH PARTICIPANT A/REFERENCE; A IS NOT INDEPENDENT TRUTH

VISIBLE DELTAS
7 Δ
4 NON-HARD-STOP DELTAS CONCENTRATE ON ORIGIN TASKS

DETERMINISTIC H
12 / 12
EVERY HARD-STOP OVERRIDES B; NO MODEL-TRIGGERED FIELD ACTION IN DOSSIER

MODEL PROMOTION
0
B STAYS SHADOW-ONLY; IT CANNOT SELF-PROMOTE

ONE ACTUAL LOCAL INFERENCE: A/REFERENCE × B/CANDIDATE

BGE-M3 • 1 BATCH / 39 INPUTS • 1024-D • EXACT TAG/MANIFEST/BLOB HASHES

A/REFERENCE	B=PROOF	B=ORIGIN	B=EXCHANGE
PROOF YARD	10	0	2
ORIGIN CLOISTER	3	7	2
EXCHANGE HALL	0	0	12

FOUR NON-HARD-STOP DELTAS: A101-AMBIGUOUS • A106-NORMAL/AMBIGUOUS • A108-AMBIGUOUS

SPATIAL CHANGE / KEEP B IN SHADOW

FOUR NON-HARD-STOP DELTAS ARE ORIGIN-LABELLED; KEEP THE H TABLE + DIFFERENCE DISPLAY NON-REMOVABLE; DO NOT PROMOTE B; CLAIM NO SIZE CHANGE.

P0 PARTICIPANT IMPLEMENTATION-CONTROL TEMPLATE

UNSIGNED / NOT APPROVED • T00 BEFORE W1 • T01-T11 REFERENCE W1-W15

T0
DUE DILIGENCE

D
DESIGN FREEZE

P
PROCUREMENT

S
ASSEMBLY

O/R
OPEN / RESTORE

12 TASKS / 12 ROLES
EXACTLY 1 ACCOUNTABLE EACH; ALL ROLES UNAPPOINTED

16 QTY / 14 + 2 TBC
DESIGN/REFERENCE-DERIVED / TBC AFTER SURVEY OR AUTHORISED REVIEW; 0 RATE ENTRIES

12 HANDOFFS / 0 RECEIPTS
PREPARER - FUTURE ISSUER/ACCOUNTABLE-PARTY CLASS - REVIEWER - ACCEPTOR

12 INDICATORS / 8 RULES + 4 TBC
0 INDICATORS WITH AUTHORISED FIELD VALUES • ACCESS, SAME-TASK H, ROLLBACK, BURDEN

DOSSIER STATE ONLY • 0 RECORDED PRE-RELEASE STARTS • 0 OMITTED FALSE TRANSITIONS

ROM SENSITIVITY ONLY: V1.9-3.8M / V1.2-2.2M PER YEAR / 5 FTE TEMPLATE

NAMED OPERATOR / PERMIT / SIGNOFF / QUOTE / FIELD BASELINE REMAIN 0

Reference architecture does not replace local professional review.

External pages contribute cited facts; four credited 1909 archive thumbnails retain item-level rights records.