




# CHANGE THE MODEL; KEEP H OPEN

ONE CHANGEOVER RULE; THREE SITE-SPECIFIC SPATIAL ACTIONS



## A / B / H

MINIMUM CHANGEOVER CONTRACT

A

B

H

### Δ RECEIPT / EVERY CHANGEOVER

- 01 same task + input version
- 02 A/B output delta
- 03 H-route state + human decision
- 04 rollback state + accountable person

### FIELD UNKNOWN

REAL FLOWS, NAMED OPERATOR, PERMITS, MEASURED ACCESS, RESPONSE TIME AND LOCAL ACCEPTANCE.

UNKNOWN STAYS UNKNOWN; A SCHEME IS NOT A SCORE.

THE CONTINUOUS H ROUTE IS A DESIGN-TIME SPATIAL INVARIANT; OFFICIAL EXTENTS, OPERATIONS AND FIELD MEASUREMENT ARE REQUIRED TO VERIFY IT.


# PAIRED BAYS • DIFFERENCE CLOISTER • ONE QUEUE

ONE MECHANISM WITHOUT CLONED FORM: EACH SITE MAKES DIFFERENCE VISIBLE FROM THE HUMAN ROUTE H

03

## 01 • PROOF YARD

PAIRED A/B BAYS + H STRIP




CANDIDATE PLACEMENT • REBIND ON OFFICIAL EXTENTS

- 1 ONE TASK ENTERS A/B BAYS
- 2 INDEPENDENT SAFETY ENVELOPES
- 3 H VIEWING STRIP BYPASSES TESTS

## 02 • ORIGIN CLOISTER

DIFFERENCE CLOISTER + PERMANENT H




CANDIDATE PLACEMENT • REBIND ON OFFICIAL EXTENTS

- 1 A/B RESULTS MEET IN THE CLOISTER
- 2 CONTROLLED COURTS MAY CLOSE SEPARATELY
- 3 H LOOP REMAINS ORDINARY ACCESS

## 03 • EXCHANGE HALL

ONE QUEUE / A • B • H EXITS



CANDIDATE PLACEMENT • REBIND ON OFFICIAL EXTENTS

- 1 ONE ENTRY; QUEUE ONCE
- 2 THREE LEGIBLE A/B/H EXITS
- 3 H IS COMPLETE HUMAN SERVICE, NOT A DEGRADED FALLBACK

COMMON DESIGN-TIME INVARIANT: H IS CONNECTED, LEGIBLE AND HUMAN-OPERABLE; FIELD USABILITY, PERMITS, DEMAND AND ACCEPTANCE REMAIN UNKNOWN.

# COMPARE DIFFERENCE; PEOPLE DECIDE

A PROXY CANNOT REPLACE PEOPLE; DRAWINGS PROVE DESIGN-TIME INVARIANTS WHILE FIELD PERFORMANCE STAYS UNKNOWN

DESIGN-TIME INVARIANT

H CONNECTED

H IS CONNECTED AND CLEAR OF A/B

COMPARABLE CONDITION

SAME TASK

A/B USE ONE INPUT VERSION + TASK

FIELD BOUNDARY

UNKNOWN

NO MEASUREMENT—NO RESULT

ONE Δ RECEIPT FOR EACH A→B CHANGEOVER

| FIELD    | WHAT MUST BE RECORDED                              |
|----------|----------------------------------------------------|
| TASK_ID  | same public task, input version, timestamp         |
| MODEL_A  | model / output version + raw evidence link         |
| MODEL_B  | model / output version + raw evidence link         |
| Δ        | changed, unchanged, failed + non-comparable items  |
| H_STATE  | H-route continuity, human service + interruption   |
| DECISION | named human decision, reason, dissent + date       |
| ROLLBACK | recoverable version, owner + recovery verification |

EMPTY FIELDS DISPLAY UNKNOWN; DO NOT SUBSTITUTE ZERO, AN ESTIMATE OR DRAWING INTENT FOR A FIELD RESULT.

THIS IS AN EVIDENCE INTERFACE, NOT A PERFORMANCE RESULT. A RECEIPT IS COMPLETE ONLY WHEN TASK, VERSIONS, Δ, H, HUMAN DECISION AND ROLLBACK ARE TRACEABLE.

FIELD-UNKNOWN REGISTER

SUN MATRIX 180 X 40 • DESIGN-TIME ONLY

01

real demand + queue time

02

named operator + human roster

03

permits, title + liability

04

measured slope, clear width + access

05

response time, error + recovery

06

local acceptance, dissent + exit condition


DECISION RULE

PEOPLE REVIEW THE A/B DELTA IN PUBLIC; H MUST REMAIN USABLE; INSUFFICIENT EVIDENCE PRODUCES NO WINNER.

DESIGN-TIME ≠ FIELD

THE SHARED FLOOR / THE REAL CITY IS THE GROUND

SEVEN LOCAL FIGURE-GROUNDS; DATA GAPS ARE NOT FILLED BY ASSUMPTION



© OpenStreetMap contributors · ODbL 1.0 · MORPHOLOGY + ATTACHMENT READING ONLY  
NOT A STATUTORY MAP, REDLINE, PARCEL, SURVEY, BUILDING INVENTORY, ACCESS AGREEMENT OR NAVIGATION PRODUCT

SCOPE + EVIDENCE STATUS

43.6 km<sup>2</sup>

research / official approximate

11.4 km<sup>2</sup>


overall design / official approximate

368.4 ha

three key areas / official approximate

DARK=OSM BUILDING UNION · FINE=STREET · RED=RAIL · BLUE=WATER/GATE · ●=STATION · □=CAMPUS CENTROID · NUMBER=CANDIDATE

C1 · South Gate




BEIJING NORTH + CURRENT/FORMER RAIL  
TERMINUS

HERITAGE THRESHOLD

FORECOURT, HERITAGE + FLOW SURVEY  
REQUIRED  
EXPERT | RESIDENT → GAP=REVISE

MAPPED: 44 BUILDING / 13 STREET RECORDS

C2 · Dazhongsi Exchange



STATION + RAIL + FOUR-QUADRANT FRACTURE

P0 STATION PORCH; NIGHT ROOM  
CONDITIONAL

TITLE, METRO, FIRE + OPERATOR

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 12 BUILDING / 48 STREET RECORDS

C3 · Zhichun Learning Cross



STATION + RAIL + LEARNING DISTRICT

ZHICHUN LEARNING CROSS

7-DAY FLOW, ACCESS + CORNER SURVEY

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 39 BUILDING / 94 STREET RECORDS

C4 · Origin Commons



FORMER-RAIL/PARK CONNECTOR + DAILY LIFE

ORIGIN COMMONS / CARE PORCH

HERITAGE, LOCAL NEED + OPERATOR  
AGREEMENT  
EXPERT | RESIDENT → GAP=REVISE

MAPPED: 68 BUILDING / 170 STREET RECORDS

C5 · Qinghua East Road Campus Eave



STATION + CAMPUS CENTROID; GATE NOT  
CAPTURED

NEGOTIATED CAMPUS GATE

EXACT GATE, SECURITY + CAMPUS AGREEMENT

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 51 BUILDING / 90 STREET RECORDS

C6 · Fifth Ring Approach



CURRENT/FORMER RAIL NEAR FIFTH RING; ROAD  
SEAM UNVERIFIED

RIDER DOCK / SERVICE FORECOURT

ROAD, LOADING, FIRE + LAND SURVEY

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 49 BUILDING / 128 STREET RECORDS

C7 · Qinghe Rail-Water Crossing



CURRENT RAIL × QINGHE


SPONGE CROSSING

HYDROLOGY, RAIL, DRAINAGE + FLOOD REVIEW

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 31 BUILDING / 48 STREET RECORDS

JING-ZHANG EVIDENCE LINE



● ARCHIVE / RECORD

● FIELD / SURVEY

● P0 / REVERSIBLE PILOT

● SAME INDICATORS / EXP+RES

● ADOPT · REVISE · RETIRE


INHERIT THE METHOD, NOT THE FORM · NO SCORING YET

CREDIT: TONGSHENG PHOTO STUDIO, JING-ZHANG LU GONG CUO YING, 1909 · ORIGINAL NLC · WDL/LOC · LCCN 2021668851

# FOUR PROGRAMME BANDS; FIVE RENEWAL SPEEDS

CONCEPT LAND USE IS NOT ZONING; GROUND AND SUPPORT ENDURE WHILE SERVICES, INFILL AND EQUIPMENT CHANGE

N ↗ • PLAN ROTATED 65° CLOCKWISE FOR SHEET READING



CONCEPT LAND-USE STRUCTURE • NOT STATUTORY ZONING • REVIEW + REBIND ON OFFICIAL CONTROLS

FILL=FOUR PROGRAMME BANDS • DARK=THREE LONG-LIFE FRAMES • GOLD=PUBLIC ROOMS • RED=SEVEN CROSS-INTERFACES

## PROGRAMME × DESIGN LIFE

|              |                   |
|--------------|-------------------|
| 0802<br>MAKE | 0804<br>TRANSLATE |
| 07<br>LIVE   | 05<br>MEET        |

### DAZHONGSI • ENCOURAGED SHARED LEVELS

|    |            |
|----|------------|
| 2F | ENCOURAGED |
| G  | ENCOURAGED |
| B1 | ENCOURAGED |
| B2 | ENCOURAGED |

ENCOURAGED ≠ BUILT, OPEN, EASEMENT OR 24H ACCESS

METRO / OWNER / FIRE / STRUCTURE / OPERATIONS ARE PREREQUISITES

### FIVE RENEWAL SPEEDS

|    |                       |       |
|----|-----------------------|-------|
| 00 | GROUND + CLIMATE EDGE | 100+  |
| 01 | LONG-LIFE SUPPORT     | 100   |
| 02 | SERVICE CHASSIS       | 25–40 |
| 03 | REPLACEABLE INFILL    | 5–20  |
| 04 | SCENARIO KIT          | ≤5    |

KEEP FRAME; CHANGE CORE; RECORD EACH REPLACEMENT. TARGETS ARE NOT WARRANTIES.

OFFICIAL EXTENTS + CONTROLS TRIGGER REVIEW, RECALCULATION + REISSUE.

05 / 07 • THE CITY STAYS; THE MODEL CHANGES

PUBLIC GROUND, LONG-LIFE SUPPORT AND THE H SERVICE CHASSIS REMAIN; A/B MODELS, INFILL AND EQUIPMENT CAN CHANGE

01 100+ / public ground

02 100 / support target


03 H / continuous service

04 A/B / replaceable slots

# TWELVE-METRE SHARED GROUND: WALK FIRST; ROBOTS YIELD FIRST


DAZHONGSI OFFICIAL RELATIONSHIPS + 12 m SECTION • PLANNED IS NOT BUILT

DAZHONGSI • OFFICIAL PLANNING RELATIONSHIPS (NOT GIS)



300 m = COORDINATION RANGE; NOT REDLINE / PARCEL / ACCESS RIGHT

ENCOURAGED SHARING + LINKS ≠ OPEN, BUILT OR AN APPROVED ROUTE



12.0 m REFERENCE SECTION TARGET • NOT A STATUTORY ROAD RESERVATION

## 12 AI CARDS / 4 SHOWN

SPACE • OPERATOR • HUMAN FALLBACK

AI01

STEP-FREE TRANSFER CHECK

7 ROOMS • ACCESS

FAIL→PAPER+ESCORT

AI02

LOW-SPEED DELIVERY TRIAL

YARD • SAFETY

FAIL→CART+STOP

AI05

CLIMATE-REFUGE OPERATING CUES

EAVES • STEWARD

FAIL→MANUAL CHECK

AI12

MULTILINGUAL HUMAN HELP DESK

HELP POINT • CIVIC STAFF

FAIL→INTERPRETER

### S01–S15 EVERYDAY-LIFE REHEARSALS


7 PERSONAS • 24H × 4 SEASONS

ALL SEVEN CIVIC ROOMS REQUIRE A 7-DAY FIELD BASELINE

COMPLETE CARDS ≠ PROVEN LOCAL DEMAND OR PERFORMANCE

ROBOTS: LOW SPEED, YIELD, SAFE STOP; HUMAN SERVICE CONTINUES


ZHONGZHIYUAN • PROOF YARD



|                  |                                                            |
|------------------|------------------------------------------------------------|
| SPATIAL TOPOLOGY | PAIRED BAYS: SAME FIXTURES; CENTRAL H STRIP                |
| CONTRACTS        | AI02 • AI05 • AI09 • AI11                                  |
| WITNESS SWAP     | W1 / AI11 SYNTHETIC BENCHMARK REPLAY                       |
| STOP RULE        | CRITICAL REGRESSION, SCOPE EXPANSION OR EITHER KEY REFUSES |

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP


AI ORIGIN • ORIGIN CLOISTER



|                  |                                                              |
|------------------|--------------------------------------------------------------|
| SPATIAL TOPOLOGY | DIFFERENCE CLOISTER: READ A/B; COMPLETE SAME TASK AT H       |
| CONTRACTS        | AI01 • AI04 • AI06 • AI08                                    |
| WITNESS SWAP     | W2 / AI04 PAIRED CLEARED-CORPUS ANSWERS                      |
| STOP RULE        | UNRESOLVED SOURCE, AUTHORITY OR EXPERT DISAGREEMENT ROUTES H |

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

DAZHONGSI • EXCHANGE HALL



|                  |                                                       |
|------------------|-------------------------------------------------------|
| SPATIAL TOPOLOGY | ONE QUEUE / THREE EXITS: A / B / H; NO CHERRY-PICKING |
| CONTRACTS        | AI03 • AI07 • AI10 • AI12                             |
| WITNESS SWAP     | W3 / AI12 SHADOW-ONLY MULTILINGUAL TRIAGE             |
| STOP RULE        | BURDEN SHIFT OR SEVERE EVENT RETURNS ALL FLOW TO A/H  |

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

SAME TASK / FAIR COMPARISON

A/B SHARE THE TASK, FIXTURES, DATA BOUNDARY + USER ENTRY

One queue and the same-task H path prevent B from selecting easy users; comparison is a delta, not a flattering isolated score.

HUMAN AUTHORITY / TWO KEYS

SERVICE STEWARD + RIGHTS/SAFETY STEWARD; EITHER KEY MAY HOLD

B cannot self-promote. Any user may choose H; high-risk disagreement produces a proposal for H only.

EVIDENCE BOUNDARY / DELTA RECEIPT

36 DESIGN-TIME RECEIPTS; 4 REGRESSIONS HELD; 0 FIELD PROMOTIONS

Changeover wiring is replayable; live models, real users, field rollback time and non-inferiority remain unknown.

|              |             |        |          |
|--------------|-------------|--------|----------|
| 12 CONTRACTS | 36 RECEIPTS | 4 HOLD | 0 DEPLOY |
|--------------|-------------|--------|----------|