

CHANGEOVER FLOOR / A • B • H OVERVIEW


CHANGE THE MODEL; KEEP H OPEN

ONE CHANGEOVER RULE; THREE SITE-SPECIFIC SPATIAL ACTIONS

01


PROOF YARD

PAIRED A/B BAYS • H STRIP




ORIGIN CLOISTER

DIFFERENCE CLOISTER + PERMANENT H



EXCHANGE HALL

ONE QUEUE / A • B • H EXITS



A / B / H

MINIMUM CHANGEOVER CONTRACT

A

B

H

Δ RECEIPT / EVERY CHANGEOVER

- 01 same task + input version
- 02 A/B output delta
- 03 H-route state + human decision
- 04 rollback state + accountable person

FIELD UNKNOWN

REAL FLOWS, NAMED OPERATOR, PERMITS, MEASURED ACCESS, RESPONSE TIME AND LOCAL ACCEPTANCE.

UNKNOWN STAYS UNKNOWN; A SCHEME IS NOT A SCORE.

THE CONTINUOUS H ROUTE IS A DESIGN-TIME SPATIAL INVARIANT; OFFICIAL EXTENTS, OPERATIONS AND FIELD MEASUREMENT ARE REQUIRED TO VERIFY IT.

THREE KEY AREAS / ONE H, THREE CHANGEOVER ROOMS


PAIRED BAYS • DIFFERENCE CLOISTER • ONE QUEUE

ONE MECHANISM WITHOUT CLONED FORM: EACH SITE MAKES DIFFERENCE VISIBLE FROM THE HUMAN ROUTE H

03

01 • PROOF YARD


PAIRED A/B BAYS + H STRIP



- 1 ONE TASK ENTERS A/B BAYS
- 2 INDEPENDENT SAFETY ENVELOPES
- 3 H VIEWING STRIP BYPASSES TESTS

02 • ORIGIN CLOISTER


DIFFERENCE CLOISTER + PERMANENT H



- 1 A/B RESULTS MEET IN THE CLOISTER
- 2 CONTROLLED COURTS MAY CLOSE SEPARATELY
- 3 H LOOP REMAINS ORDINARY ACCESS

03 • EXCHANGE HALL

ONE QUEUE / A • B • H EXITS



- 1 ONE ENTRY; QUEUE ONCE
- 2 THREE LEGIBLE A/B/H EXITS
- 3 H IS COMPLETE HUMAN SERVICE, NOT A DEGRADED FALLBACK

COMMON DESIGN-TIME INVARIANT: H IS CONNECTED, LEGIBLE AND HUMAN-OPERABLE; FIELD USABILITY, PERMITS, DEMAND AND ACCEPTANCE REMAIN UNKNOWN.

EVIDENCE / Δ RECEIPT + UNKNOWN BOUNDARY

COMPARE DIFFERENCE; PEOPLE DECIDE

A PROXY CANNOT REPLACE PEOPLE; DRAWINGS PROVE DESIGN-TIME INVARIANTS WHILE FIELD PERFORMANCE STAYS UNKNOWN

05

DESIGN-TIME INVARIANT

H CONNECTED

H IS CONNECTED AND CLEAR OF A/B

COMPARABLE CONDITION

SAME TASK

A/B USE ONE INPUT VERSION + TASK

FIELD BOUNDARY

UNKNOWN

NO MEASUREMENT—NO RESULT

ONE Δ RECEIPT FOR EACH A→B CHANGEOVER

FIELD	WHAT MUST BE RECORDED
TASK_ID	same public task, input version, timestamp
MODEL_A	model / output version + raw evidence link
MODEL_B	model / output version + raw evidence link
Δ	changed, unchanged, failed + non-comparable items
H_STATE	H-route continuity, human service + interruption
DECISION	named human decision, reason, dissent + date
ROLLBACK	recoverable version, owner + recovery verification

EMPTY FIELDS DISPLAY UNKNOWN; DO NOT SUBSTITUTE ZERO, AN ESTIMATE OR DRAWING INTENT FOR A FIELD RESULT.

FIELD-UNKNOWN REGISTER

SUN MATRIX 180 X 40 • DESIGN-TIME ONLY

01

real demand + queue time

02

named operator + human roster

03

permits, title + liability

04

measured slope, clear width + access

05

response time, error + recovery

06

local acceptance, dissent + exit condition

DECISION RULE

PEOPLE REVIEW THE A/B DELTA IN PUBLIC; H MUST REMAIN USABLE; INSUFFICIENT EVIDENCE PRODUCES NO WINNER.


DESIGN-TIME ≠ FIELD

Twelve contracts produce 36 design-time delta receipts; four injected scope regressions are held and unsafe promotion is zero.

No live model, real user, field trial, deployment or non-inferiority result is claimed.

THE SHARED FLOOR / THE REAL CITY IS THE GROUND

SEVEN LOCAL FIGURE-GROUNDS; DATA GAPS ARE NOT FILLED BY ASSUMPTION



© OpenStreetMap contributors • ODbL 1.0 • MORPHOLOGY + ATTACHMENT READING ONLY
NOT A STATUTORY MAP, REDLINE, PARCEL, SURVEY, BUILDING INVENTORY, ACCESS AGREEMENT OR NAVIGATION PRODUCT

SCOPE + EVIDENCE

43.6 km²

research / official approximate

DARK-OSM BUILDING UNION • FIN

C1 • South Gate

C3 • Zhichun Learning Cross

C5 • Qinghua East Road Camp

C7 • Qinghe Rail-Water Cross

Jing-Zhang Park is treated as civic ground already - not a blank site.

A 412.5 m boundary conflict is disclosed; official polygons trigger rebinding.

The project works at real corridor interfaces: campus, community, transit, heritage, rivers and service.

SCOPE + EVIDENCE STATUS

43.6 km²

research / official approximate

11.4 km²

overall design / official approximate

368.4 ha

three key areas / official approximate

DARK=OSM BUILDING UNION • FINE=STREET • RED=RAIL • BLUE=WATER/GATE • ●=STATION • □=CAMPUS CENTROID • NUMBER=CANDIDATE

C1 • South Gate



BEIJING NORTH + CURRENT/FORMER RAIL TERMINUS


HERITAGE THRESHOLD

FORECOURT, HERITAGE + FLOW SURVEY REQUIRED

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 44 BUILDING / 13 STREET RECORDS

C2 • Dazhongsi Exchange



STATION + RAIL + FOUR-QUADRANT FRACTURE


P0 STATION PORCH; NIGHT ROOM CONDITIONAL

TITLE, METRO, FIRE + OPERATOR

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 12 BUILDING / 48 STREET RECORDS

C3 • Zhichun Learning Cross



STATION + RAIL + LEARNING DISTRICT


ZHICHUN LEARNING CROSS

7-DAY FLOW, ACCESS + CORNER SURVEY

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 39 BUILDING / 94 STREET RECORDS

C4 • Origin Commons



FORMER-RAIL/PARK CONNECTOR + DAILY LIFE

ORIGIN COMMONS / CARE PORCH

HERITAGE, LOCAL NEED + OPERATOR AGREEMENT

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 68 BUILDING / 170 STREET RECORDS

C5 • Qinghua East Road Campus Eave



STATION + CAMPUS CENTROID; GATE NOT CAPTURED


NEGOTIATED CAMPUS GATE

EXACT GATE, SECURITY + CAMPUS AGREEMENT

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 51 BUILDING / 90 STREET RECORDS

C6 • Fifth Ring Approach



CURRENT/FORMER RAIL NEAR FIFTH RING; ROAD SEAM UNVERIFIED

RIDER DOCK / SERVICE FORECOURT

ROAD, LOADING, FIRE + LAND SURVEY

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 49 BUILDING / 128 STREET RECORDS

C7 • Qinghe Rail-Water Crossing



CURRENT RAIL × QINGHE


SPONGE CROSSING

HYDROLOGY, RAIL, DRAINAGE + FLOOD REVIEW

EXPERT | RESIDENT → GAP=REVISE

MAPPED: 31 BUILDING / 48 STREET RECORDS

JING-ZHANG EVIDENCE LINE



ARCHIVE / RECORD

FIELD / SURVEY

P0 / REVERSIBLE PILOT

SAME INDICATORS / EXP+RES

ADOPT • REVISE • RETIRE

1909 RECORDS—NOT C1-C7 SITE EVIDENCE


INHERIT THE METHOD, NOT THE FORM • NO SCORING YET

CREDIT: TONGSHENG PHOTO STUDIO, JING-ZHANG LU GONG CUO YING, 1909 • ORIGINAL NLC • WDL/LOC • LCCN 2021668851

43.6 km² research field.

11.4 km² shared-floor grammar.

Three provisional reference areas for architectural depth.



The completed park and rail memory form the public-ground reference.

Long-life frames attach at interfaces; they do not claim an official redline.

JING-ZHANG EVIDENCE LINE



LINE



STATION



WATER



BUILD

1909 RECORDS—NOT C1-C7 SITE EVIDENCE



ARCHIVE / RECORD



FIELD / SURVEY



P0 / REVERSIBLE PILOT



SAME INDICATORS / EXP+RES



ADOPT • REVISE • RETIRE

INHERIT THE METHOD, NOT THE FORM • NO SCORING YET

CREDIT: TONGSHENG PHOTO STUDIO, JING-ZHANG LU GONG CUO YING, 1909 • ORIGINAL NLC • WDL/LOC • LCCN 2021668851

Each room follows archive → field evidence → reversible pilot → same-indicator expert and resident review → adopt, revise or retire.


No scoring has yet occurred; every address remains provisional until survey, operator and access agreement exist.

THREE KEY AREAS • THREE SIMULTANEOUS CHANGEOVER TOPOLOGIES

07

ZHONGZHIYUAN • PROOF YARD

N ↑



SPATIAL TOPOLOGY

PAIRED BAYS: SAME FIXTURES; CENTRAL H STRIP

CONTRACTS

AI02 • AI05 • AI09 • AI11

WITNESS SWAP

W1 / AI11 SYNTHETIC BENCHMARK REPLAY


STOP RULE

CRITICAL REGRESSION, SCOPE EXPANSION OR EITHER KEY REFUSES

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

AI ORIGIN • ORIGIN CLOISTER

N ↑



SPATIAL TOPOLOGY

DIFFERENCE CLOISTER: READ A/B; COMPLETE SAME TASK AT H

CONTRACTS

AI01 • AI04 • AI06 • AI08

WITNESS SWAP

W2 / AI04 PAIRED CLEARED-CORPUS ANSWERS


STOP RULE

UNRESOLVED SOURCE, AUTHORITY OR EXPERT DISAGREEMENT ROUTES H

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

DAZHONGSI • EXCHANGE HALL

N ↑



SPATIAL TOPOLOGY

ONE QUEUE / THREE EXITS: A / B / H; NO CHERRY-PICKING

CONTRACTS

AI03 • AI07 • AI10 • AI12

WITNESS SWAP

W3 / AI12 SHADOW-ONLY MULTILINGUAL TRIAGE

STOP RULE

BURDEN SHIFT OR SEVERE EVENT RETURNS ALL FLOW TO A/H

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

SAME TASK / FAIR COMPARISON

A/B SHARE THE TASK, FIXTURES, DATA BOUNDARY + USER ENTRY

One queue and the same-task H path prevent B from selecting easy users; comparison is a delta, not a flattering isolated score.

HUMAN AUTHORITY / TWO KEYS

SERVICE STEWARD + RIGHTS/SAFETY STEWARD; EITHER KEY MAY HOLD

B cannot self-promote. Any user may choose H; high-risk disagreement produces a proposal for H only.

EVIDENCE BOUNDARY / DELTA RECEIPT

36 DESIGN-TIME RECEIPTS; 4 REGRESSIONS HELD; 0 FIELD PROMOTIONS

Changeover wiring is replayable; live models, real users, field rollback time and non-inferiority remain unknown.

12 CONTRACTS

36 RECEIPTS

4 HOLD

0 DEPLOY

A and B receive the same task, fixtures, data boundary and user entry while H remains continuously available.

B cannot self-promote; either independent steward or on-floor H can hold or roll back.


LAND-USE STRUCTURE / OPEN BUILDING

FOUR PROGRAMME BANDS; FIVE RENEWAL SPEEDS

CONCEPT LAND USE IS NOT ZONING; GROUND AND SUPPORT ENDURE WHILE SERVICES, INFILL AND EQUIPMENT CHANGE


02

N ↗ • PLAN ROTATED 65° CLOCKWISE FOR SHEET READING




CONCEPT LAND-USE STRUCTURE • NOT STATUTORY ZONING • REVIEW + REBIND ON OFFICIAL CONTROLS
FILL=FOUR PROGRAMME BANDS • DARK=THREE LONG-LIFE FRAMES • GOLD=PUBLIC ROOMS • RED=SEVEN CROSS-INTERFACES

PROGRAMME × DESIGN LIFE




DAZHONGSI • ENCOURAGED SHARED LEVELS



ENCOURAGED ≠ BUILT, OPEN, EASEMENT OR 24H ACCESS

METRO / OWNER / FIRE / STRUCTURE / OPERATIONS ARE PREREQUISITES

FIVE RENEWAL SPEEDS



KEEP FRAME; CHANGE CORE; RECORD EACH REPLACEMENT. TARGETS ARE NOT WARRANTIES.

OFFICIAL EXTENTS • CONTROLS TRIGGER REVIEW, RECALCULATION + REISSUE.

Four authored programme bands are shown spatially; they are not statutory zoning.

Public ground → support → service chassis → infill → equipment.

PROGRAMME × DESIGN LIFE

0802

MAKE

0804

TRANSLATE

07

LIVE

05

MEET

DAZHONGSI • ENCOURAGED SHARED LEVELS

2F

ENCOURAGED

G

ENCOURAGED

B1

ENCOURAGED

B2

ENCOURAGED

ENCOURAGED ≠ BUILT, OPEN, EASEMENT OR 24H ACCESS

METRO / OWNER / FIRE / STRUCTURE / OPERATIONS ARE PREREQUISITES

FIVE RENEWAL SPEEDS

00

GROUND + CLIMATE EDGE

100+

01

LONG-LIFE SUPPORT

100

02

SERVICE CHASSIS

25-40

03

REPLACEABLE INFILL

5-20

04

SCENARIO KIT

≤5

KEEP FRAME; CHANGE CORE; RECORD EACH REPLACEMENT. TARGETS ARE NOT WARRANTIES.


OFFICIAL EXTENTS + CONTROLS TRIGGER REVIEW, RECALCULATION + REISSUE.

Public ground and support endure; services, infill and equipment change at different intervals.

Design-life bands are targets, not warranties.


REFERENCE ARCHITECTURE • OFFICIAL POLYGONS TRIGGER REVIEW, RECALCULATION + REISSUE

换模型，不换城市 / REPLACE THE MODEL, NOT THE CITY



Roof capture → rail-bed bioswale → forebay → garden → reuse → safe overflow.

Beijing checks add winter drain-down, snow storage, freeze-thaw, dust and north-wind protection.



12 AI CARDS / 4 SHOWN

SPACE • OPERATOR • HUMAN FALLBACK

AI01 STEP-FREE TRANSFER CHECK 7 ROOMS • ACCESS FAIL→PAPER+ESCORT	AI02 LOW-SPEED DELIVERY TRIAL YARD • SAFETY FAIL→CART+STOP
AI05 CLIMATE-REFUGE OPERATING CUES EAVES • STEWARD FAIL→MANUAL CHECK	AI12 MULTILINGUAL HUMAN HELP DESK HELP POINT • CIVIC STAFF FAIL→INTERPRETER

S01-S15 EVERYDAY-LIFE REHEARSALS

7 PERSONAS • 24H × 4 SEASONS

ALL SEVEN CIVIC ROOMS REQUIRE A 7-DAY FIELD BASELINE

COMPLETE CARDS ≠ PROVEN LOCAL DEMAND OR PERFORMANCE

ROBOTS: LOW SPEED, YIELD, SAFE STOP; HUMAN SERVICE CONTINUES


Fifteen rehearsals cover elders, children, carers, students, riders, service shifts, disability, women at night and no-phone users.

Every local flow, price and access claim remains field-baseline required.



Plan, axon, section and operational passport come from one typed prototype.

All dimensions remain reference design geometry.




Read public, service and controlled routes together.

North arrow, grid and scale remain visible.

Proof Yard

COURT / controlled proof visible to the public



Long-life support and replaceable infill are visually separated.


Sun and climate moves are design hypotheses pending simulation.

SECTION + SHARED EAVE

PUBLIC GROUND — CLIMATE EDGE — LONG-LIFE SUPPORT — REPLACEABLE INFILL

DEMOUNTABLE EAVE • VISIBLE DRAINAGE • FREEZE/THAW ACCESS


CERTIFIED LONG-LIFE 6 M SUPPORT → BOLTED SECONDARY FRAME → DRY REPLACEABLE INFILL → INSPECTABLE SERVICE BAND



The public floor remains legible through daily change.

Human handoff and safe-stop are spatial provisions, not interface copy.

PUBLIC / SERVICE / CONTROLLED



TYPE PASSPORT


TYPE PASSPORT	
CONCEPT GFA	32,768 m ²
SUPPORT / INFILL	7,960 / 864 m ²
THRESHOLDS / MODES	2 / 5
COVERED EDGE / WET NODES	900 m ² / 2
FORECOURT—CLOISTER—THRESHOLD—TEST YARD / SAFE STOP	



Plan, axon, section and operational passport come from one typed prototype.

All dimensions remain reference design geometry.

N ↑




Read public, service and controlled routes together.

North arrow, grid and scale remain visible.

Origin Cloister

CLOISTER / a retrofit-first campus-community weave



Long-life support and replaceable infill are visually separated.


Sun and climate moves are design hypotheses pending simulation.

SECTION + SHARED EAVE

PUBLIC GROUND — CLIMATE EDGE — LONG-LIFE SUPPORT — REPLACEABLE INFILL

DEMOUNTABLE EAVE • VISIBLE DRAINAGE • FREEZE/THAW ACCESS


RETAIN AND CERTIFY EXISTING FRAME FIRST → INDEPENDENT BOLTED PLUG-IN → DRY 1.2 M INFILL COORDINATION → EXPOSED MAINTAINABLE SERVICE STRIP



The public floor remains legible through daily change.

Human handoff and safe-stop are spatial provisions, not interface copy.

PUBLIC / SERVICE / CONTROLLED




TYPE PASSPORT

TYPE PASSPORT	
CONCEPT GFA	24,480 m ²
SUPPORT / INFILL	3,744 / 2,700 m ²
THRESHOLDS / MODES	3 / 5
COVERED EDGE / WET NODES	520 m ² / 3
PUBLIC LANE / CARE / FORUM / MAKING COURTS / QUIET LOOP	

PLACEMENT SCREEN / 1:500 AT FULL-SIZE A0

OSM MORPHOLOGY—NOT PARCEL, REDLINE, VACANCY OR BUILDABILITY EVIDENCE




A measured 1:500 A0 view shows both the rejected station-centred 148-m frame and the offset orientation-screen envelope.

OSM is morphology evidence - not a parcel, survey or metro-protection record.


P0 PLAN / 1:100 AT FULL-SIZE A0

ONE 8 m SUPPORT BAY WITHIN 16 m REVERSIBLE GROUND



INHABITED SECTION / 1:200 AT FULL-SIZE A0

OPEN CANOPY: NO COOKING / TRACTION-BATTERY CHARGING; FIRE + OCCUPANT LOAD TBC




The proposed 8-by-8-m bay, 16-by-16-m reversible ground, 1:100 plan and 1:200 section share one model.

Every life-safety dimension remains subject to local review.

EAVE-WATER-SERVICE INTERFACE / 1:20 AT FULL-SIZE A0

CLEAR GEOMETRY TO SCALE; MEMBER + PRODUCT THICKNESSES TBC STRUCTURE/FIRE/MEP

DEMOUNTABLE ROOF CASSETTE / 2% FALL HYPOTHESIS



64 m² ROOF × 10 mm RAIN = 0.64 m³; OUTLET/STORAGE/INFILTRATION TBC TOPO, SOIL + MUNICIPAL DRAINAGE.

PERFORMANCE SCHEDULE / PARTICIPANT REFERENCE SPEC

01	BOLTED GALVANISED FRAME • SECTION/GRADE/FIRE TBC	¥1.9–3.8M
02	DEMOUNTABLE METAL CASSETTE • WIND/SNOW/CONDENSATION TBC	PARTICIPANT ROM / NOT A TENDER PRICE
03	DRY-LAID REPLACEABLE PAVING • SLIP/FROST/PERMEABILITY TBC	06:00–24:00 • 5-FTE ROSTER
04	VISIBLE DRAINAGE + WINTER DRAIN-DOWN; DISCHARGE OUTSIDE CLEAR ROUTE	OPEX ASSUMPTION ¥1.2–2.2M/Y
05	SURFACE ISOLATABLE SERVICE RAIL • LOAD/METERING/FIRE TBC	OPEX ASSUMPTION 1.2–2.2M/Y
		06:30 RIDER/CLEANER WATER + REST
		12:30 FOOD HANDOFF; NO COOKING
		19:00 REPAIR/LEARNING/STAFFED HELP

NO TITLE/REDLINE, NAMED OPERATOR, 12-MONTH OPEX RESERVE, ACCESS AGREEMENT, METRO/UTILITY, FIRE/STRUCTURE/MEP REVIEW + PERMIT: NO BUILD, NO OPEN.

The 1:20 A0 clear-geometry interface coordinates drainage, inspectable services and wet edge; member and product thicknesses remain TBC.


Cost and operations remain participant assumptions until a named operator and approvals exist.

THREE KEY AREAS / ONE H, THREE CHANGEOVER ROOMS

PAIRED BAYS • DIFFERENCE CLOISTER • ONE QUEUE

ONE MECHANISM WITHOUT CLONED FORM: EACH SITE MAKES DIFFERENCE VISIBLE FROM THE HUMAN ROUTE H

03



COMMON DESIGN-TIME INVARIANT: H IS CONNECTED, LEGIBLE AND HUMAN-OPERABLE; FIELD USABILITY, PERMITS, DEMAND AND ACCEPTANCE REMAIN UNKNOWN.

Bay, court, lane, cloister and threshold are operating rules - not applied historical imagery.


What remains after AI is removed: public ground, climate edge, rooms, services and care.

Material atmosphere only: oxide red marks the long-life support layer; it does not prescribe imitation historic brick.

THREE KEY AREAS • THREE SIMULTANEOUS CHANGEOVER TOPOLOGIES

07


ZHONGZHIYUAN • PROOF YARD



SPATIAL TOPOLOGY	PAIRED BAYS: SAME FIXTURES; CENTRAL H STRIP
CONTRACTS	AI02 • AI05 • AI09 • AI11
WITNESS SWAP	W1 / AI11 SYNTHETIC BENCHMARK REPLAY
STOP RULE	CRITICAL REGRESSION, SCOPE EXPANSION OR EITHER KEY REFUSES

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP


AI ORIGIN • ORIGIN CLOISTER



SPATIAL TOPOLOGY	DIFFERENCE CLOISTER: READ A/B; COMPLETE SAME TASK AT H
CONTRACTS	AI01 • AI04 • AI06 • AI08
WITNESS SWAP	W2 / AI04 PAIRED CLEARED-CORPUS ANSWERS
STOP RULE	UNRESOLVED SOURCE, AUTHORITY OR EXPERT DISAGREEMENT ROUTES H

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

DAZHONGSI • EXCHANGE HALL



SPATIAL TOPOLOGY	ONE QUEUE / THREE EXITS: A / B / H; NO CHERRY-PICKING
CONTRACTS	AI03 • AI07 • AI10 • AI12
WITNESS SWAP	W3 / AI12 SHADOW-ONLY MULTILINGUAL TRIAGE
STOP RULE	BURDEN SHIFT OR SEVERE EVENT RETURNS ALL FLOW TO A/H

CANDIDATE PLACEMENT • REBIND ON OFFICIAL POLYGONS/FABRIC/OWNERSHIP

SAME TASK / FAIR COMPARISON

A/B SHARE THE TASK, FIXTURES, DATA BOUNDARY + USER ENTRY

One queue and the same-task H path prevent B from selecting easy users; comparison is a delta, not a flattering isolated score.

HUMAN AUTHORITY / TWO KEYS

SERVICE STEWARD + RIGHTS/SAFETY STEWARD; EITHER KEY MAY HOLD

B cannot self-promote. Any user may choose H; high-risk disagreement produces a proposal for H only.

EVIDENCE BOUNDARY / DELTA RECEIPT

36 DESIGN-TIME RECEIPTS; 4 REGRESSIONS HELD; 0 FIELD PROMOTIONS

Changeover wiring is replayable; live models, real users, field rollback time and non-inferiority remain unknown.

12 CONTRACTS

36 RECEIPTS

4 HOLD

0 DEPLOY

THREE INDEPENDENT DESIGN ROOTS

HARD GATES PASS; ARCHITECTURE IS NOT A PROXY SCORE


07

NOT THREE STYLES: ROUTE SEQUENCE / CLIMATE CARE / A/B/H CHANGEOVER USE DIFFERENT CAUSAL GENERATORS

C01

R1 ROUTE-SEQUENCE CONTROL

Isolate staged routing against continuously available H ground




HARD GATES	PASS
GFA	77,200 m²
OPEN	88.8%
WINTER SUN	100.0%
SUMMER SHADE	0.0%

PASSED COMPARISON GATES

C02

R2 CLIMATE-CARE CONTROL

Isolate climate-care nodes and test whether they can carry changeover




HARD GATES	PASS
GFA	77,760 m²
OPEN	91.5%
WINTER SUN	81.3%
SUMMER SHADE	46.6%

PASSED COMPARISON GATES

C03

R3 A/B/H CHANGEOVER FLOOR

Same-task A/B deltas, permanent H and component lives determine space



HARD GATES	PASS
GFA	82,468 m²
OPEN	86.2%
WINTER SUN	68.0%
SUMMER SHADE	36.6%

PASSED COMPARISON GATES

6/6

REBIND PASS

18/18

TARGETED FAULTS STOPPED

12/12

HANDOFF RECOVERY

ENCODED RECEIPTS ≠ FIELD CERTIFICATION

Proxy values do not pick a winner: receipts stop invalid states; spatial argument and design critique make the final selection.

THIS RUN: 3/3 HARD-CONDITION PASS • SHARED FLOOR 12/12 STATE TASKS PASS • HUMAN-EQUIVALENCE UNKNOWN

Three causally independent roots share one reference basis and satisfy root-specific hard conditions.

Shared Floor advances as the preferred design basis pending jury and professional review; other roots remain traceable process evidence.

REFERENCE ARCHITECTURE • OFFICIAL POLYGONS TRIGGER REVIEW, RECALCULATION + REISSUE

换模型，不换城市 / REPLACE THE MODEL, NOT THE CITY

EVIDENCE / Δ RECEIPT + UNKNOWN BOUNDARY

COMPARE DIFFERENCE; PEOPLE DECIDE

A PROXY CANNOT REPLACE PEOPLE; DRAWINGS PROVE DESIGN-TIME INVARIANTS WHILE FIELD PERFORMANCE STAYS UNKNOWN

05

DESIGN-TIME INVARIANT

H CONNECTED

H IS CONNECTED AND CLEAR OF A/B

COMPARABLE CONDITION

SAME TASK

A/B USE ONE INPUT VERSION + TASK

FIELD BOUNDARY

UNKNOWN

NO MEASUREMENT—NO RESULT

ONE Δ RECEIPT FOR EACH A→B CHANGEOVER

FIELD	WHAT MUST BE RECORDED
TASK_ID	same public task, input version, timestamp
MODEL_A	model / output version + raw evidence link
MODEL_B	model / output version + raw evidence link
Δ	changed, unchanged, failed + non-comparable items
H_STATE	H-route continuity, human service + interruption
DECISION	named human decision, reason, dissent + date
ROLLBACK	recoverable version, owner + recovery verification

EMPTY FIELDS DISPLAY UNKNOWN; DO NOT SUBSTITUTE ZERO, AN ESTIMATE OR DRAWING INTENT FOR A FIELD RESULT.

THIS IS AN EVIDENCE INTERFACE, NOT A PERFORMANCE RESULT. A RECEIPT IS COMPLETE ONLY WHEN TASK, VERSIONS, Δ, H, HUMAN DECISION AND ROLLBACK ARE TRACEABLE.

FIELD-UNKNOWN REGISTER

SUN MATRIX 180 X 40 • DESIGN-TIME ONLY

01

real demand + queue time

02

named operator + human roster

03

permits, title + liability

04

measured slope, clear width + access

05

response time, error + recovery

06

local acceptance, dissent + exit condition

DECISION RULE

PEOPLE REVIEW THE A/B DELTA IN PUBLIC; H MUST REMAIN USABLE; INSUFFICIENT EVIDENCE PRODUCES NO WINNER.

DESIGN-TIME ≠ FIELD

Reference architecture does not replace local professional review.

External pages contribute cited facts; four credited 1909 archive thumbnails retain item-level rights records.