



Fig.01 Overall Structure: One Spine, Three Terraces, Two Wings

JINGZHANG RISING 京张向上 · A Century of Self-Reliance, Rising in the Shape of 人 — The heritage park spine links three key areas and two wings · conceptual proposal




Fig.03 Three Key Areas: Spatial Prototypes and Evidence Gates

JINGZHANG RISING 京张向上 — From conceptual siting to human fallback, public report card, deliberate shutdown and restoration




Fig.04 Mobility and Blue-Green Public Space System

JINGZHANG RISING 京张向上 — Continuous greenway spine + seven east-west stitch links + smart-station interchange




Fig.05 Recomputed Metrics and Evidence Chain

JINGZHANG RISING 京张向上 — Core metrics, task coverage and self-check state all recomputed from structured files







Fig.01 Overall Structure: One Spine, Three Terraces, Two Wings

JINGZHANG RISING 京张向上 · A Century of Self-Reliance, Rising in the Shape of 人 — The heritage park spine links three key areas and two wings · conceptual proposal



Structural logic

- One spine: 9.7 km continuous public axis along the heritage park
- Three terraces: the key areas as climbable innovation platforms
- Two wings: technology service (west) and scenario empowerment (east)
- Stitching: 7 east-west pedestrian links across the rail heritage corridor

Origin Terrace 智源台

Full-stack self-reliant AI system · global AI governance voice


Origin Works 原点坊

World-class AI innovation ecosystem · open-source release and translation

Bell Hub 智汇钟

Intelligence-native industries · station-city consumption and data factors

Two wings



Legend

- Jing-Zhang Heritage Park Innovation Spine
- East-west stitch link
- Key detailed-design area (provisional rough) · Zhongghiyuan AI Self-Reliant Innovation Acceleration Area
- Beijing AI Origin Community
- Dazhongsi AI Industry Cluster
- AI pilgrimage landmark / honour node
- Smart-station public hall
- Overall design area (provisional rough, not a redline)


Core metrics (recomputed from geometry)

site_area_sqm	11.41 km²
heritage_spine_length_m	9.57 km
east_west_stitch_count	7
pilgrimage_landmark_count	4
land_use_parcel_count	31
green_ratio	29.5 %

Sources: submitted geometry/ layers and metrics.json (recomputed in EPSG:4548). The base extent is the organiser's provisional rough surrogate boundary (dashed) and must not be used as an official redline, approval basis, or precise-area basis. All spatial proposals are conceptual suggestions for professional teams to develop further; they are not statutory planning or government-approved conclusions.

Fig.02 Land-Use Structure and Anchor Catchment Partition

JINGZHANG RISING 京张向上 — Smart-station and innovation-anchor catchments fully partition the design area · no gaps, no overlaps



Land-use classes (MNR land and sea use classification codes)

- 1401 Park and green space
- 05 Commercial and business services
- 0701 Urban residential
- 0802 Research and development
- 0803 Cultural
- 0804 Education
- 1402 Buffer green
- 1403 Civic plaza
- 08 Public administration and services
- 16 Reserved land
- 0702 Community service facilities
- 0806 Health care
- 0805 Sports

Recomputed area by principal land use

Code	Land-use class	Area (ha)	Share
1401	Park and green	257.1	22.5%
05	Commercial and	169.7	14.9%
0701	Urban residenti	147.0	12.9%
0802	Research and de	138.7	12.2%
0803	Cultural	81.8	7.2%
0804	Education	73.1	6.4%
1402	Buffer green	55.1	4.8%
1403	Civic plaza	49.4	4.3%
08	Public administ	45.7	4.0%
16	Reserved land	36.5	3.2%

Partition method and topology check

- Lock the organiser's provisional rough extent as the boundary
- Generate a 180 m wide public spine along the heritage corridor
- Build catchments (Voronoi) from 30 station / innovation anchors
- Intersect catchments with the remainder for a full partition
- Recompute every parcel area in EPSG:4548 into metrics.json


Topology self-check

Coverage gap	0.31 m² ≤ 1141 m²
Max parcel overlap	0.02 m² ≤ 1.00 m²
Land-use parcels	31
Total land-use area	1141.3 ha
Site area	1141.3 ha
Reserved land	36.5 ha

Sources: submitted geometry/ layers and metrics.json (recomputed in EPSG:4548). The base extent is the organiser's provisional rough surrogate boundary (dashed) and must not be used as an official redline, approval basis, or precise-area basis. All spatial proposals are conceptual suggestions for professional teams to develop further; they are not statutory planning or government-approved conclusions.

Fig.03 Three Key Areas: Spatial Prototypes and Evidence Gates

JINGZHANG RISING 京张向上 — From conceptual siting to human fallback, public report card, deliberate shutdown and restoration



Prototype A · reversible full-stack test court

- Daily R&D and public passage remain available
- Release: cleared data · physical stop · independent retest
- Human route: baseline test and on-site safety officer
- Exit: boundary or stop failure → restore the site

Shared evidence gates (any failure stops advancement)

BASE	NEG	SHADOW	OFF	TRIAL	REVIEW
------	-----	--------	-----	-------	--------

Prototype B · human-fallback model counter

- Same place · hours · rights · prominence · switchability
- Report card: commitment/data/takeover/failure/return/exit
- Human route: counter · telephone · paper directory
- Exit: AI-only entry → suspend AI too

Shared evidence gates (any failure stops advancement)

BASE	NEG	SHADOW	OFF	TRIAL	REVIEW
------	-----	--------	-----	-------	--------

Prototype C · operations report card and Compute Bell

- Load/energy/green power/service state visible in public
- Release: metering basis · owner · human review
- Human route: inspection · monthly report · appeal
- Exit: inconsistent basis or no review → recalibrate offline

Shared evidence gates (any failure stops advancement)

BASE	NEG	SHADOW	OFF	TRIAL	REVIEW
------	-----	--------	-----	-------	--------

Sources: submitted geometry/ layers and metrics.json (recomputed in EPSG:4548). The base extent is the organiser's provisional rough surrogate boundary (dashed) and must not be used as an official redline, approval basis, or precise-area basis. All spatial proposals are conceptual suggestions for professional teams to develop further; they are not statutory planning or government-approved conclusions.




Fig.04 Mobility and Blue-Green Public Space System

JINGZHANG RISING 京张向上 — Continuous greenway spine + seven east-west stitch links + smart-station interchange



Provisional rough surrogate boundary - not a statutory redline



Legend	
	Principal greenway (slow-mobility spine)
	Commuter cycleway
	Secondary street / micro-circulation
	East-west stitch link
	Smart-station connector
	Green and open space
	Public space node


Mobility and blue-green metrics	
slow_mobility_network_length_m	25.93 km
road_centreline_length_m	48.16 km
green_space_area_sqm	336.6 ha
green_ratio	29.49 %
public_space_area_sqm	84.7 ha
public_space_ratio	7.42 %
east_west_stitch_count	7
ai_public_space_node_count	10

Mobility and infrastructure strategy	
North-south continuity	A 9.7 km continuous greenway removes breaks and unifies levels and wayfinding
East-west stitching	Seven pedestrian links cross the rail corridor to join campuses, parks and communities
Station-city integration	Four station connectors organise cycle interchange, quadrant walking and forecourts
Green mobility	Commuter cycleway separated from the leisure greenway to reduce conflicts
Utilities and new infrastructure	Edge-compute waypoints, distributed energy and charging co-located with public nodes
Accessibility	Continuous barrier-free and age-friendly design along the whole belt

Sources: submitted geometry/ layers and metrics.json (recomputed in EPSG:4548). The base extent is the organiser's provisional rough surrogate boundary (dashed) and must not be used as an official redline, approval basis, or precise-area basis. All spatial proposals are conceptual suggestions for professional teams to develop further; they are not statutory planning or government-approved conclusions.

Fig.05 Recomputed Metrics and Evidence Chain

JINGZHANG RISING 京张向上 — Core metrics, task coverage and self-check state all recomputed from structured files



Recomputation chain (geometry → metric → text)	
geometry/site_boundary.geojson → site_area_sqm	1141.3 ha
geometry/land_use.geojson → land_use_total_area_sqm	1141.3 ha
geometry/green_space.geojson → green_space_area_sqm	336.6 ha
geometry/public_space.geojson → public_space_area_sqm	84.7 ha
geometry/buildings.geojson → building_footprint_area_sqm	83.2 ha
geometry/roads.geojson → road_centreline_length_m	48.16 km
geometry/phasing.geojson → phase_one_area_sqm	514.9 ha
geometry/key_areas.geojson → key_area_total_area_sqm	369.3 ha
geometry/constraints.geojson → constraint_feature_count	4

Task coverage	
Announcement tasks 1.3 / 1.4 / 1.5	17 of 17 covered
Agent taskbook agent.1-agent.6	6 of 6 covered
Mandatory professional standards	6 of 6 answered
Formal design-depth items	15 of 15 complete
AI scenario cards	12 (required ≥10)
Industry test scenarios	4 (required ≥3)
User personas	6 (required ≥5)
Pilgrimage landmarks and honour nodes	4 (required ≥3)
Global AI ecosystem cases	8 (required 5-8)

Self-check state	
Deterministic validation	PASS
Spatial review	PASS
Visual packaging check	PASS
Professional evidence review	PASS
Pending official data	
floor_area_ratio	Pending official data
building_height_control_m	Pending official data
total_floor_area_sqm	Pending official data
Once official boundaries and regulatory conditions are published, geometry, metrics, figures and all four self-check gates must be regenerated before revision.	

Sources: submitted geometry/ layers and metrics.json (recomputed in EPSG:4548). The base extent is the organiser's provisional rough surrogate boundary (dashed) and must not be used as an official redline, approval basis, or precise-area basis. All spatial proposals are conceptual suggestions for professional teams to develop further; they are not statutory planning or government-approved conclusions.