

01 • Overall Structure

Question — Answer — Reading: a 9-km answer scroll

9 km Total length of the heritage-park spine (approx.)	1,141.3 ha Submitted boundary 11,412,825 sqm (metrics.json)	3 Key design areas: 192.1 / 104.3 / 72.0 ha (official figures)	46 Planned Phase-II gates (subject to actual completion)	~70 / 450k Communities along the line / residents served (public data)	122 Registered LLMs in Haidian (district govt figure, Feb 2026)
--	---	--	--	--	---

In 1909 Zhan Tianyou answered the century question with the Jingzhang Railway: can Chinese engineers build their own railway? Today, beside the 9-km park the railway left behind, 2,000+ AI firms answer a new one: can China build its own AI? The scheme unrolls the park as an open answer sheet: every registered Haidian LLM drives one bronze spike into the trail (122 at opening per the district figure); firms strike the newly cast Answer Bell at Dazhongsi on registration or IPO; every March 25 Tsinghuayuan Station holds a non-commercial memorial open day. Citizens crouch and count: how many spikes has self-reliant innovation driven?




Fig. 1 / 5

Site Overview: the 9-km 'Answer Scroll' Spine (Concept)

One spine (South-Question / Mid-Answer / North-Leap) x 3 key areas x concept landmarks | structure diagram, not engineering alignment

The Century Answer | Concept proposal (for reference) v0.1



Legend

- Overall design area (provisional, dashed)
- Key areas, rough extent (announced, dashed)
- Jingzhang Railway Park green axis (concept)
- Qinghe blue-green interface (concept)
- 9-km greenway spine (concept line)
- E-W stitching links at Answer Gates (concept)
- Concept landmark node (station-style)
- K0-K9 chainage marks (from south end)

Key indicators (see notes)

Overall design area

approx. 11.41 sq km (provisional check)

Corridor length

approx. 9 km (announced)

Key detailed-design areas

3 areas: approx. 192.1 / 104.3 / 72.0 ha

Concept landmarks

Answer Bell / Km-0 post / footbridge (all concept)

Three belts (Question-Answer-Reading)

- Question | Jingzhang heritage belt: the 1909 question
- Answer | AI innovation belt: firms & models answering
- Reading | Urban AI-life belt: citizens count the spikes

Note: the three segments are concept sequencing suggestions, not an implementation plan; landmark sitings are concept-only, pending consultation; missing heritage GIS is honestly registered.

Source: geometry/"-geojson & metrics.json of this proposal (derived from the public site package; DATA-SRC-OFFICIAL-ANNOUNCEMENT-20260509 / DATA-SRC-PROVISIONAL-BOUNDARIES-20260605).

Dashed lines = provisional rough boundaries, not official redlines.

Concept suggestion / reference scheme for discussion only; not road redlines, parcel titles or approval basis; no FAR, height or demolition conclusions; to be refined by professional teams.

Three belts

- Question · Jingzhang heritage belt: the 1909 question
- Answer · AI innovation belt: firms and models answer
- Reading · urban AI-life belt: citizens count spikes, hear the bell, watch roadshows

Three reaches

- South asks · Dazhongsi (72.0 ha) Bell Gate: Answer Bell + Bell Plaza stitching the metro quadrants
- Middle answers · AI Origin Community (104.3 ha): Kilometre-Zero concept siting + Spike Belt origin + low-disturbance campus stitching
- North leaps · Zhongzhi Park (192.1 ha): herringbone-bridge concept node over the 5th Ring + Qinghe blue-green space
- East-west permeation: 46 Answer Gates (planning figure, subject to completion) x ~70 adopting communities


Four landmarks (conceptual)

- Dazhongsi Answer Bell & Bell Plaza (the heritage bell is never struck)
- Tsinghuayuan Station Century Answer Hall (concept siting subject to heritage consultation)
- Herringbone footbridge over the 5th Ring (concept node, no engineering conclusions; three figures updated per statistical cycle, never real-time)
- Kilometre-Zero spike (the origin rite device)

Site overview · three belts, one spine (conceptual)

02 • Land Use & Renewal

Light-touch · reversible · reuse-first (no demolition conclusions)



Strategy

- All new functions reuse existing buildings and under-used space first; no new stand-alone buildings are assumed
- Element service stations sit in under-used spaces on both flanks: policy advice / registration coaching / matchmaking (never on-the-spot approval); the closer to the park, the more shared — manufacturing east-west crossings, answering severance with function
- Flagship stations near the Dazhongsi and Zhongzhi reaches; the Zhongzhi test desk reuses existing floorspace
- Sequencing: Phase I's open 16.8 ha hosts all tests first; each Phase-II segment activates as completed; no critical path depends on unapproved items
- Land ledger (metrics.json): submitted boundary 11,412,825 sqm (approx. 1,141.3 ha); footprint 3,125 sqm; green ratio 25.0%; public-space ratio 3.9%; FAR unknown (official controls not public; no guess)

Fig. 2 / 5

The Century Answer | Concept proposal (for reference) v0.1




Land-Use Structure (Concept Layout Suggestion)

Full topological partition; areas summed from declared geometry values | not a land-approval basis, edges are not redlines



Land-use balance (concept)



Legend & checks

- Overall design area (provisional, dashed)
- Hatched = flexible reserved land (code 16)
- K0-K9 chainage marks

Check: 10 parcels sum to 1,141.3 ha = site area 11.41 sq km; full partition, no gaps. Codes follow declared geometry values; category names are concept wording, subject to refinement.

Source: geometry/*.geojson & metrics.json of this proposal (derived from the public site package; DATA-SRC-OFFICIAL-ANNOUNCEMENT-20260509 / DATA-SRC-PROVISIONAL-BOUNDARIES-20260605).


Dashed lines = provisional rough boundaries, not official redlines.

Concept suggestion / reference scheme for discussion only; not road redlines, parcel titles or approval basis; no FAR, height or demolition conclusions; to be refined by professional teams.

Land-use structure guidance (conceptual)

03 • Mobility & Infrastructure

Connect first, then stay




Gaps & slow mobility

- Gap Lounges: gap-by-gap conceptual connection strategies answering the official mobility-optimization text; connected spaces get seating, canopy, info screen and water point, doubling as feedback stations whose outcomes are published and archived
- Four-quadrant stitching: pedestrian flows at Dazhongsi metro station stitched through Bell Plaza (conceptual; to be professionally refined)

- Robot ramp = accessibility ramp: one retrofit, two users at all 46 gates; 'wheelchair first / mandatory robot yield' is a hard pass condition with accessibility veto — compliance cost becomes the selling point
- Testing: a low-speed loop within Phase I's open 16.8 ha (bollards, marshal, peak avoidance); a proposal, not approved operation — permits prerequisite

- Data boundary: no added surveillance, no facial recognition or individual tracking; robot perception de-identified at the edge, anonymous event logs only

Typical section (conceptual)



Conceptual section: functional bands only — no width, red-line or level figures; to be refined by professional teams

Mobility & blue-green systems (conceptual)

Turning answers into daily life

Total length of the
heritage-park spine (approx.)

Submitted boundary 11,412,825
sqm (metrics.json)


Key design areas: 192.1 / 104.3 / 72.0 ha (official figures)

Planned Phase-II gates
(subject to actual completion)

Communities along the line / residents served (public data)

Registered LLMs in Haidian
(district govt figure, Feb
2026)

- Ledger (metrics.json): green ratio 25.0% / public-space ratio 3.9% (submitted boundary, medium confidence)
- Qinghe blue-green space meets the herringbone-bridge concept node as the northern climax (no engineering conclusions)
- The Xiaoyue River wing is the community outlet: first health-navigation corners, co-creation training, community-extension assessment for robots (all conceptual)



Source: geometry/geojson & metrics/json of this proposal (derived from the public site package: DATA-SRC-OFFICIAL-ANNOUNCEMENT-20260509 / DATA-SRC-PROVISIONAL-BOUNDARIES-20260605)

Dashed lines = provisional rough boundaries, not official redlines.

Concept suggestion / reference scheme for discussion only; not road redlines, parcel titles or approval basis; no FAR, height or demolition conclusions; to be refined by professional teams.

Blue-green & public space (conceptual)

05 • Three Key Areas in Detail

Official areas: 192.1 / 104.3 / 72.0 ha (±3% spatial check)

9 km

Total length of the heritage-park spine (approx.)

1,141.3 ha

Submitted boundary 11,412,825 sqm (metrics.json)

3

Key design areas: 192.1 / 104.3 / 72.0 ha (official figures)

46

Planned Phase-II gates (subject to actual completion)

~70 / 450k

Communities along the line / residents served (public data)


122

Registered LLMs in Haidian (district govt figure, Feb 2026)



Fig. 3 / 5
Three Key Areas: Rough Extents & Area Checks
Announced vs provisional-boundary re-check areas (±3% self-check) | rectangles are rough locators, not parcels or redlines

The Century Answer | Concept proposal (for reference) v0.1



Source: geometry/"geojson & metrics.json of this proposal (derived from the public site package; DATA-SRC-OFFICIAL-ANNOUNCEMENT-20260509 / DATA-SRC-PROVISIONAL-BOUNDARIES-20260605).
Dashed lines = provisional rough boundaries, not official redlines. The announcement gives no metes-and-bounds; rectangle edges must not be read as parcels or redlines.
Concept suggestion / reference scheme for discussion only; not road redlines, parcel titles or approval basis; no FAR, height or demolition conclusions; to be refined by professional teams.

Key-area base map (conceptual)

Dazhongsi 72.0 ha • Bell Gate

- The newly cast Answer Bell: one strike per registration or IPO (the 1733 heritage bell is never struck)
- Bell Plaza stitches the metro's four quadrants (conceptual)
- Roadshow-season home + flagship coaching station; commerce never coupled with red narrative

AI Origin 104.3 ha • The Origin

- Century Answer Hall: not one brick of the protected station is touched; Kilometre Zero is a concept siting pending heritage consultation
- Spike Belt origin: Spike No. 0 tells the 1909 opening; 122 spikes at opening (district figure; differences footnoted)
- Mar-25 memorial open day; no corporate naming / no commercial roadshow / no spike ceremony

Zhongzhi 192.1 ha • Herringbone Leap

- Herringbone footbridge concept node over the 5th Ring; answers the official 'iconic node over the ring road' — no engineering conclusions
- Three deck figures (firms / registered LLMs / scholars) updated per statistical cycle — never real-time
- Demo access-test desk (existing floorspace) + Qinghe blue-green space + key youth-curation plot

06 • AI Scenarios & Operations

12 scenario cards · 5 standard scenario IDs · test before rollout

9 km Total length of the heritage-park spine (approx.)	1,141.3 ha Submitted boundary 11,412,825 sqm (metrics.json)	3 Key design areas: 192.1 / 104.3 / 72.0 ha (official figures)	46 Planned Phase-II gates (subject to actual completion)	~70 / 450k Communities along the line / residents served (public data)	122 Registered LLMs in Haidian (district govt figure, Feb 2026)
--	---	--	--	--	---

Card	Official scenario ID	Spatial carrier	Boundary & review
S1 Tap-a-Spike	ai-cultural-guide	Full Spike Belt	L1 public; anonymous counts only
S2 Answer Gate guide	ai-cultural-guide	46 gates x ~70 communities	Oral history needs consent (L3)
S3 Mar-25 open-day service	ai-cultural-guide	Tsinghuayuan Station (concept siting)	Locked scripts; zero commerce
S4 Quadrant walk assistant	ai-traffic-walkability	Dazhongsi Bell Plaza	Not an approved traffic plan; quarterly review
S5 Gap Lounge feedback	ai-traffic-walkability	All gaps	Anonymous by default; outcomes published
S6 Health navigation	ai-health-service-navigation	Xiaoyue wing + stations	Navigation only, no diagnosis; zero health data
S7 Registration Copilot	enterprise-service-copilot	Flank stations	Not legal advice; files deleted after use
S8 Youth curation assistant	ai-cultural-guide	Curation plots	Fully human judging
S9 Robot test ground	robot-delivery-low-speed	Phase-I 16.8-ha loop	Test proposal; marshal + e-stop
S10 Dual-ramp test	robot-delivery-low-speed	2-3 sample gates	Accessibility veto
S11 Demo access test	enterprise-service-copilot	Zhongzhi test desk	Passing ≠ govt endorsement
S12 Event-day stress test	ai-traffic-walkability	Dazhongsi—Zhongzhi corridor	Safety judgment stays human

Operating mechanisms

- Three auditable lists: annual registration, open-source and open-scenario lists, compiled into the multilingual Century Answer Report with a Global AI District Narrative Alliance initiative
- Open-scenario loop: apply — test — verify — showcase; all access and exit records public
- Privacy envelope: zero added surveillance / L1-L3 data tiers / human final review / stoppable & reversible / tests are not operations
- Six international benchmarks: King's Cross (flagship anchor) / Kendall Square (shared labs) / one-north (tiered testing) / Shenzhen-HK Hetao (small area, high authorization) / Seoul DMC (liability flip) / Sidewalk Toronto (data-governance failure, cautionary) — each tagged comparable / not comparable

07 • Metrics & Compliance


Identical to metrics.json · unknown stated honestly

9 km Total length of the heritage-park spine (approx.)	1,141.3 ha Submitted boundary 11,412,825 sqm (metrics.json)	3 Key design areas: 192.1 / 104.3 / 72.0 ha (official figures)	46 Planned Phase-II gates (subject to actual completion)	~70 / 450k Communities along the line / residents served (public data)	122 Registered LLMs in Haidian (district govt figure, Feb 2026)
---	--	---	---	---	--

Metric	Value	Status / confidence	Source
Site area	11,412,825 sqm (approx. 1,141.3 ha)	known / high	geometry/site_boundary.geojson
Building footprint	3,125 sqm	known / medium	geometry/buildings.geojson
Green ratio	25.0%	known / medium	geometry/green_space.geojson
Public-space ratio	3.9%	known / medium	geometry/public_space.geojson
Floor area ratio	unknown (official controls not public; no guess)	unknown	planning_limits.json missing
Key-area count	3	known / high	geometry/key_areas.geojson

Compliance & risks

- Scenario IDs drawn solely from the client's six standard scenarios (5 in front matter); 3 tracks and 5 scenarios match the main text front matter
- Wording discipline: conceptual / reference / for professional refinement throughout; no FAR, height, red-line or demolition conclusions
- Fact discipline: zero fabricated firm lists, investments, output values or policy promises; every figure carries a public source (sources.json)
- Figure discipline: 122 registered LLMs (district govt, Feb 2026) is the unified figure; 128 / 130 are footnoted timing differences; the citywide 209 is in the Statistical Communique
- Red-heritage boundary: the Mar-25 open day is the only red touchpoint — no corporate naming, no commercial roadshow, no spike ceremony
- Key risks: heritage-zone GIS missing (concept sitings pending consultation) / Phase II subject to completion / FAR unknown / the herringbone bridge is a concept node / tests require permits



Metrics evidence (same source)