

MEASURABLE TWO ANSWERS · TWELVE CONTRACTS, ZERO FIELD RESULTS


three landmarks · one spatial rejection · six public-value measures

JING-ZHANG TWO ANSWERS · A MEASURABLE CIVIC ADOPTION PROTOCOL

Baseline service stands first; AI must prove its increment with same-task denominators, public stops and a human receipt.

OVERALL URBAN DESIGN · AN UNBROKEN PUBLIC BASELINE LINKS THREE RECEIPT LANDMARKS

Open urban fabric is low-contrast context; the spine, stations, wings and six stitches carry the design judgement



Map data © OpenStreetMap contributors · ODbL · 2026-08-13 · provisional boundary and design assumptions pending official base, survey and professional review

THREE SPATIAL TYPES



- ✓ **ONE SPINE**
mobility, blue-green, staffed service
- ✓ **SIX STITCHES**
east-west public interfaces, not redlines
- ✓ **TWO WINGS**
tech service + civic problem exchange

3 OPTIONS · 1 REJECTION

- ALT-A · REJECT
 - ALT-B · REVISE
 - ALT-C · ADVANCE
- geometry audit · not field performance

THREE SPATIAL PROTOTYPES




T2

RING



S2

GATE



S7

PORCH

12 / 12 MEASUREMENT CONTRACTS

0 FIELD RESULTS

ALT-A REJECT · ALT-B REVISE · ALT-C ADVANCE

ADOPT / REVISE / STOP · HUMAN COMMITTEE ONLY

KNOWN

public sources, design geometry, object counts

PROTOCOL

denominator, sample, stop, missingness, public output

FIELD UNKNOWN

performance, permits, quote and adoption await fieldwork

90-SECOND JURY ROUTE

overall → landmarks → spatial decision → ALT-C → exit

05 SEC

Baseline first; AI must prove itself.



one spine, three stations, two wings

30 SEC

ALT-A severs the public cross and fails geometry gates.



60 SEC

ALT-B preserves routes but fragments supervision and retirement.



90 SEC

ALT-C is one-sided and reversible; it advances but is not adopted.



10 MIN

Trace space → responsibility → metric → stop → recovery.



BOUNDARY

All boundaries and dimensions remain provisional.



DATA, GAPS + EVIDENCE LEVELS

known design, geometry audit and field unknown stay separate

KNOWN DESIGN

Open context, design geometry, quantities and coverage are recomputable.



GEOMETRY AUDIT

Three options face the same 21 gate evaluations; this is not field simulation.



FIELD UNKNOWN

Footfall, safety performance, acceptance, cost, permits and recovery time are unknown.



PROVISIONAL

Official redlines, entrances, ownership, utilities and survey remain pending.



RECALCULATE

Any formal-data change triggers a rerun.



RIGHTS

OSM is display context only; generated views do not prove conditions.




OVERALL URBAN DESIGN

continuous public baseline links three receipt landmarks

OVERALL URBAN DESIGN · AN UNBROKEN PUBLIC BASELINE LINKS THREE RECEIPT LANDMARKS

Open urban fabric is low-contrast context; the spine, stations, wings and six stitches carry the design judgement



THREE SPATIAL TYPES



- ✓ **ONE SPINE**
mobility, blue-green, staffed service
- ✓ **SIX STITCHES**
east-west public interfaces, not redlines
- ✓ **TWO WINGS**
tech service + civic problem exchange

3 OPTIONS · 1 REJECTION

ALT-A · REJECT

ALT-B · REVISE

ALT-C · ADVANCE


geometry audit · not field performance

Map data © OpenStreetMap contributors · ODbL · 2026-08-13 · provisional boundary and design assumptions pending official base, survey and professional review

PUBLIC BASELINE, LAND USE, MOBILITY + BLUE-GREEN

ground floor and public edge precede temporary trial occupation

GROUND INTERFACE + PERMANENT / TEMPORARY OCCUPATION · LAND USE BECOMES ENTERABLE



PERMANENT PUBLIC BASELINE	continuous route · staffed service · shade/rain · all day	
PUBLIC EVIDENCE INTERFACE	state · appeal · receipt · human decision	
REVERSIBLE TRIAL OCCUPATION	timed after permits · civic use restored after removal	


Concept ground-floor, interface and occupation relationships; not statutory land use, existing buildings, investment or approval.

THREE LANDMARKS + EVIDENCE MILE


ring, gate and porch form recognisable public evidence interfaces

THREE LANDMARKS AT COMPARABLE SCALE · RING, GATE AND PORCH HAVE DISTINCT PLAN, SECTION AND E


T2 · VERIFICATION RING
complete bypass encloses controlled ring



S2 · TRANSLATION GATE
three account-free routes cross staffed service



S7 · RECEIPT PORCH
public cross beside one reversible bay



ONE PROTOCOL, DIFFERENT SPACE · BASELINE STANDS → AI ENTERS TEMPORARILY → HUMAN DECIDES → EQUIPMENT LEAVES

T2 · bypass never closes

S2 · staffed window remains

S7 · public cross same length in trial

All landmarks are concept prototypes within provisional bounds; existing edges, survey, ownership and permits remain pending.

REGIONAL CAPABILITY EXCHANGE + CASE MECHANISMS

problem → reproduce → verify → decide → archive knowledge

INPUT

Civic problems, research, manufacturing, compute and service needs.



REPRODUCE

Open conditions, sources, failures and licences are reproduced first.



CONTROL

Validate in controlled space; public space is not the default laboratory.



DECIDE

Human committee allows only adopt, revise or stop.



ARCHIVE

Receipts, failure reasons and asset destinations become public knowledge.



TRANSFER

International cases transfer mechanisms, not Beijing redlines or permits.




ZHONGZHIYUAN · VERIFICATION RING


complete public bypass encloses a controlled verification ring

THREE LANDMARKS AT COMPARABLE SCALE · RING, GATE AND PORCH HAVE DISTINCT PLAN, SECTION AND E


T2 · VERIFICATION RING
complete bypass encloses controlled ring



S2 · TRANSLATION GATE
three account-free routes cross staffed service



S7 · RECEIPT PORCH
public cross beside one reversible bay



ONE PROTOCOL, DIFFERENT SPACE · BASELINE STANDS → AI ENTERS TEMPORARILY → HUMAN DECIDES → EQUIPMENT LEAVES

T2 · bypass never closes

S2 · staffed window remains

S7 · public cross same length in trial


All landmarks are concept prototypes within provisional bounds; existing edges, survey, ownership and permits remain pending.

AI ORIGIN · TRANSLATION GATE


three account-free routes cross staffed bilingual service

THREE LANDMARKS AT COMPARABLE SCALE · RING, GATE AND PORCH HAVE DISTINCT PLAN, SECTION AND E


T2 · VERIFICATION RING
complete bypass encloses controlled ring



S2 · TRANSLATION GATE
three account-free routes cross staffed service



S7 · RECEIPT PORCH
public cross beside one reversible bay



ONE PROTOCOL, DIFFERENT SPACE · BASELINE STANDS → AI ENTERS TEMPORARILY → HUMAN DECIDES → EQUIPMENT LEAVES

T2 · bypass never closes

S2 · staffed window remains

S7 · public cross same length in trial

All landmarks are concept prototypes within provisional bounds; existing edges, survey, ownership and permits remain pending.

S7 URBAN CONNECTION + THREE ALTERNATIVES


same task, users, site and audit rules

ONE REAL SPATIAL DECISION · SAME TASK, USERS AND SITE; OUTCOME IS NOT PREWRITTEN

21 hard-gate evaluations test public route, access, fire, retirement and staffed E-stops before occupation and reversibility

ALT-A · Central mixed bay

Places the trial in the public-cross centre, shortening equipment runs at the cost of public conflict.




REJECT

Reject: 6 hard gates fail, so the baseline cannot operate independently.

ALT-B · Split trial bays

Two bays clear the public cross, but split supervision, fire observation and retirement into two systems.




REVISE

Revise: hard gates pass, but 3 supervision and retirement fragmentation issues remain.

ALT-C · One-sided reversible bay

Keeps the public cross intact and concentrates trial, staff, E-stops and retirement on the south-east side.



ADVANCE

Advance: every hard gate passes and the public cross, fire access and retirement remain independent.

DECISION IS NOT AN AESTHETIC VOTE · DRAWINGS FOLLOW THE CALCULATION

ALT-A

6 hard gates fail

13.9% route detour

ALT-B

0 hard fails, 3 revisions

94.9m supervision span

ALT-C

0 hard fails, sole advance

24.3m furthest E-stop—staff

GEOMETRY AUDIT, HARD GATES + SELECTION

ALT-A rejected, ALT-B revised, ALT-C solely advances


SPATIAL DECISION + CIVIC ADOPTION RECEIPT · DESIGN STATUS AND FIELD DECISION STAY SEPARATE

ONE REAL SPATIAL DECISION · SAME TASK, USERS AND SITE; OUTCOME IS NOT PREWRITTEN

21 hard-gate evaluations test public route, access, fire, retirement and staffed E-stops before occupation and reversibility

ALT-A · Central mixed bay

Places the trial in the public-cross centre, shortening equipment runs at the cost of public conflict.




REJECT

Reject: 6 hard gates fail, so the baseline cannot operate independently.

ALT-B · Split trial bays

Two bays clear the public cross, but split supervision, fire observation and retirement into two systems.




REVISE

Revise: hard gates pass, but 3 supervision and retirement fragmentation issues remain.

ALT-C · One-sided reversible bay

Keeps the public cross intact and concentrates trial, staff, E-stops and retirement on the south-east side.



ADVANCE

Advance: every hard gate passes and the public cross, fire access and retirement remain independent.

21 GEOMETRY GATE CHECKS

ALT-A	FAIL · 1	FAIL · 2	FAIL · 3	FAIL · 4
	FAIL · 5	FAIL · 6	PASS · 7	
ALT-B	PASS · 1	PASS · 2	PASS · 3	PASS · 4
	PASS · 5	PASS · 6	PASS · 7	
ALT-C	PASS · 1	PASS · 2	PASS · 3	PASS · 4
	PASS · 5	PASS · 6	PASS · 7	

ALT-C · ADVANCE DESIGN

not ADOPT; field performance remains unknown

DECISION IS NOT AN AESTHETIC VOTE · DRAWINGS FOLLOW THE CALCULATION

ALT-A 6 hard gates fail 13.9% route detour	ALT-B 0 hard fails, 3 revisions 94.9m supervision span	ALT-C 0 hard fails, sole advance 24.3m furthest E-stop—staff
--	--	--

geometry_based_design_audit · LOCAL ENU · input 3c4c466b8f8dc2b03... · not proof of field safety, transport or public acceptance

REAL BLANK RECEIPT · MAY BE FILLED ONLY AFTER FIELD OPERATION

TASK	BASELINE	EVENT	DECISION
same task / user	baseline not degraded	conflicts / interventions per 100	ADOPT / REVISE / STOP

84 / 84 state-contract cases remain appendix evidence: reproducible rules, not spatial ranking or field proof.


measurement contracts documented / field results unknown · provisional concept

11

ALT-C DETAIL, SECTION + 1:50 NODE

public route, buffer, trial, staff, fire and retirement are locatable

ALT-C · 1:500 ASSEMBLABLE PROTOTYPE · PUBLIC CROSS STAYS; AI ENTERS SOUTH-EAST ONLY



LOCATABLE WITHOUT LEGEND

- B01**
PUBLIC CROSS
- A01**
ONE-SIDE BAY
- E02**
STAFF + DUAL E-STOP
- FIRE**
FIRE ACCESS
- RETIRE**
INDEPENDENT RETIREMENT

AUDIT OUTPUT ADVANCE

- 372m · same route length
- 2,496m² · trial
- 3,840m² · reversible buffer
- 24.3m · furthest E-stop—staff

prototype assumptions pending survey

DENOMINATORS, SAMPLES + FALLBACK FOR TWELVE SCENES

missing is never success; severe events are zero-tolerance

TWELVE EXECUTABLE MEASUREMENT CONTRACTS · DEFINE THE DENOMINATOR BEFORE AI BENEFIT

same task · same users · same space · stratified comparison · missing ≠ success · human decision

SCENE	DENOMINATOR / BASELINE	PRIMARY MEASURE	
T1 · MODEL REPRODUCTION	3 models × 3 reruns	completion Δ + human min	FIELD 0
T2 · ROBOT PASSAGE	100 passages / mode	events/100 + parity	FIELD 0
T3 · EDGE DEGRADATION	30 tasks × 3 states + 7d	completion + resource/task	FIELD 0
S1 · ENTERPRISE TRIAGE	100 requests / mode	complete / misroute / staff	FIELD 0
S2 · INTERNATIONAL ARRIVAL	100 arrivals / mode	complete / parity / intervention	FIELD 0
S3 · CIVIC WORKSHOP	20 workshops	verified links / unresolved	FIELD 0
S4 · HERITAGE GUIDE	100 items + all disputes	source / access / correction	FIELD 0
S5 · ACCESSIBLE ROUTING	10 routes × 3 needs × day/night	complete / parity / intervention	FIELD 0
S6 · CLIMATE SERVICE	3 weather classes × ≥30 node-h	correct arrival / resource	FIELD 0
S7 · TRANSIT FEEDER	100 passages / mode + 7d	complete / conflict / recovery	FIELD 0
S8 · PUBLIC SERVICE DESK	100 requests / mode	complete / parity / handoff	FIELD 0
S9 · EVENT FLOW	all trials / ≥3 scales	egress / intervention / grievance	FIELD 0

SIX PUBLIC-VALUE MEASURES

TASK COMPLETION

completed same-task / all eligible

ACCESSIBILITY PARITY

maximum completion gap across assistance strata

SAFETY

events per 100 tasks; severe events zero-tolerance

HUMAN INTERVENTION

tasks needing human takeover / all tasks

RESOURCE / TASK

metered resource / completed task

GRIEVANCE → RECOVERY

clock from accepted grievance/stop to restored baseline

12 / 12 CONTRACTS · 0 RESULTS

non-safety thresholds pending baseline committee

All field rates, resources, cost, satisfaction and recovery time are unknown / not_field_run; 84 synthetic tests only verify reproducible rules.

ONE CIVIC YEAR · TURN CONTRACTS INTO PUBLIC KNOWLEDGE

audit → trial → adoption → exit published by season

SPRING

Baseline and access audit; register denominators and strata.



SUMMER

Controlled capability tests; publish missingness and failures.



AUTUMN

Same-task trials; committee registers non-safety thresholds.



WINTER

Receipts, asset inventory, grievance and exit review.



KNOWLEDGE

Archive forms, failure reasons, decisions and review dates.



NO CLAIM

Programmes and roles are proposals, not institutional commitments.



PERMITS, RACI, 90 DAYS + MEASUREMENT DUTY

any failed permit, independent role or baseline blocks trial

FROM DESIGN DECISION TO CIVIC ADOPTION · PERMIT, DUTY, STOP, RECOVERY

ALT-A
REJECT · 6 HARD GATES FAIL

ALT-B
REVISE · 3 FRAGMENTATION FLAGS

ALT-C
ADVANCE · ALL HARD GATES PASS

90-DAY ENTRY GATES · ANY FAILED PERMIT, ROLE OR BASELINE BLOCKS TRIAL

DAY 0–15
survey, ownership, entrances,
fire, utilities, access,
traffic

DAY 16–30
build routes, waiting, shade,
staffed service and evidence
porch

DAY 31–45
record seven consecutive
ordinary-service days

DAY 46–75
timed trial only after eight
permits and four duty roles
close

DAY 76–90
stop drill, retire equipment,
restore space, public review

RACI, PERMITS + ASSET EXIT · DESIGN STATUS IS NOT FIELD ADOPTION

ASSET	VENUE	BASELINE	SAFETY	DATA	PUBLIC
8 PERMITS venue / title / fire / access / power / network / traffic / device		ZERO-TOLERANCE STOP severe event, baseline regression, missing role or permit		RECOVERY + ASSETS equipment returns; civic assets stay; data archived or deleted by rule	

ADOPT / REVISE / STOP · only field evidence and a human committee may fill this; field performance remains unknown

84 / 84 state contracts remain appendix evidence; geometry decision is not a field result.

SIX PUBLIC-VALUE MEASURES, RISKS + NEXT GATES

protocol documented; field results, permits and quotes remain unknown

TWELVE EXECUTABLE MEASUREMENT CONTRACTS · DEFINE THE DENOMINATOR BEFORE AI BENEFIT

same task · same users · same space · stratified comparison · missing ≠ success · human decision

SCENE	DENOMINATOR / BASELINE	PRIMARY MEASURE	
T1 · MODEL REPRODUCTION	3 models × 3 reruns	completion Δ + human min	FIELD 0
T2 · ROBOT PASSAGE	100 passages / mode	events/100 + parity	FIELD 0
T3 · EDGE DEGRADATION	30 tasks × 3 states + 7d	completion + resource/task	FIELD 0
S1 · ENTERPRISE TRIAGE	100 requests / mode	complete / misroute / staff	FIELD 0
S2 · INTERNATIONAL ARRIVAL	100 arrivals / mode	complete / parity / intervention	FIELD 0
S3 · CIVIC WORKSHOP	20 workshops	verified links / unresolved	FIELD 0
S4 · HERITAGE GUIDE	100 items + all disputes	source / access / correction	FIELD 0
S5 · ACCESSIBLE ROUTING	10 routes × 3 needs × day/night	complete / parity / intervention	FIELD 0
S6 · CLIMATE SERVICE	3 weather classes × ≥30 node-h	correct arrival / resource	FIELD 0
S7 · TRANSIT FEEDER	100 passages / mode + 7d	complete / conflict / recovery	FIELD 0
S8 · PUBLIC SERVICE DESK	100 requests / mode	complete / parity / handoff	FIELD 0
S9 · EVENT FLOW	all trials / ≥3 scales	egress / intervention / grievance	FIELD 0

SIX PUBLIC-VALUE MEASURES

TASK COMPLETION

completed same-task / all eligible

ACCESSIBILITY PARITY

maximum completion gap across assistance strata

SAFETY

events per 100 tasks; severe events zero-tolerance

HUMAN INTERVENTION

tasks needing human takeover / all tasks

RESOURCE / TASK

metered resource / completed task

GRIEVANCE → RECOVERY

clock from accepted grievance/stop to restored baseline

12 / 12 CONTRACTS · 0 RESULTS

non-safety thresholds pending baseline committee

All field rates, resources, cost, satisfaction and recovery time are unknown / not_field_run; 84 synthetic tests only verify reproducible rules.