

Spatial Vision for the Jingzhang Innovation Corridor

Historic rail, blue-green commons and three catalyst districts form one continuous civic armature



A CIVIC INNOVATION SPINE FOR DAILY LIFE, LEARNING AND TESTING

Rail heritage becomes a civic stage; rain gardens, active mobility and reversible nodes connect three focal districts.



FIRST SPATIAL MOVES

8-80 EQUAL SERVICE

CONSULT—OPERATE—CARE

SPATIAL COMMITMENTS

11.41 km²

working extent

3

catalyst districts

12

public-service nodes

1 km

first continuous pilot

DESIGN PRINCIPLES

- 01 rail memory remains legible
- 02 continuous blue-green network
- 03 all-age services stay reachable
- 04 reversible build, accountable exit

Three Key Districts and First Moves

Spatial ledgers, first moves, program budgets and opening gates



CO-LEARNING COMMONS — DESIGN INTENT

Reversible structures, rain gardens, human service and all-age mobility form the civic interface.

DISTRICT COMPARISON MATRIX

P-03 Zhongzhiyuan Validation District

192.1 ha / 192.9 ha

1.5 ha controlled validation field

tenure · fire/traffic · ethics/data

P-04 AI Origin Collaborative District

104.3 ha / 104.3 ha

3,000 m² shared ground floor

tenure · structure/fire · operations

P-02 Dazhongsi Station-City District

72.0 ha / 72.0 ha


station-city public-hall interface

flow/evacuation · rail · fire

Published and recalculated areas differ by less than 0.5%; official extents remain subject to statutory confirmation.

8-80 Equal-service Protocol and Negative-case Evidence

Twelve public AI services, eight admission rules, eight negative cases and five decision gates are mapped item by item



Six Urban Rooms and Mixed-use Program

One civic spine connects research, living, learning, culture, services and blue-green resilience



SIX DISTINCT ROOMS, ONE CIVIC SPINE

From prototype gardens to a railway civic hall, walkable interfaces create a daily-use mix.

PROGRAM LEDGER

LU-01 R&D + responsible trials

208.6 ha · 18.3%

LU-02 talent living + care

214.4 ha · 18.8%

LU-03 co-learning + transfer

204.9 ha · 17.9%

LU-04 rail culture + civic service

180.8 ha · 15.8%

LU-05 AI daily services + commerce

166.2 ha · 14.6%

LU-06 blue-green resilience


166.4 ha · 14.6%

1141.3 ha

concept-zone total

A Breathing Railway Garden: Mobility and Climate Resilience

Walking, cycling, rain gardens and public service become tangible everyday infrastructure



AFTER THE RAIN: WALK, RIDE, REST AND SPONGE LANDSCAPE

A continuous accessible edge and visible water cycle turn climate adaptation into usable public realm.

CLIMATE + SPATIAL RESPONSE

35.58°C daily Tmax P95

22.3 d/y days ≥35°C

649.1 mm annual rain

4.05 daily solar

12 m FLEXIBLE EDGE




walk rain cycle service

3.0 m 2.5 m 4.0 m 2.5 m

clear width · drainage · shade + rest


Metric Evidence, Proposed Targets and Acceptance Owners

Nine delivery metrics organized by evidence class, method and owner



All-age Inclusion, Burdens and Procedural Standing

Nine groups record benefits, burdens, blind spots, required inputs and standing
REGISTERED TOPIC INCIDENCE 0–3 (RECALCULATED FROM LEDGER)



PROCEDURAL STANDING

09

population groups

09

standing records


00

coverage claims

No coverage ratio without authorized population and flow denominators. Publish group benefits, burdens and blind spots.

Six Action Packages: Scale, Duration and Exit Conditions

A project portfolio replaces one-shot masterplan commitments
PORTFOLIO: MIDPOINT × COST CLASS × SCHEDULE FLEXIBILITY



DELIVERY RESPONSIBILITY LEDGER

ID	CLASS	WINDOW	START	ACCEPT	EXIT
P-01	M	6–18m	3	3	•
P-02	L	12–24m	3	3	•
P-03	L	12–24m	4	3	•
P-04	M	9–18m	3	3	•
P-05	M	6–12m	4	3	•
P-06	S	3–9m	4	3	•

S <5m · M 5–20m · L 20–50m CNY

Typical Corridor Section and Facility Interfaces

Design-intent rendering paired with dimensional controls



SECTION INTENT | accessible walk + rain garden + two-way cycling + human service

12.0 m FLEXIBLE ASSEMBLY

3.0 m

continuous walk

2.5 m

rain garden

4.0 m

two-way cycling

2.5 m

service lay-by

INTERFACE CONTROLS

- 01 rail safety + maintenance
- 02 continuous tactile route
- 03 inflow-overflow-drainage
- 04 physical wayfinding during outage

Public-service Node: Demountable Kit and Operating Standard

320 m² prototype | human service, rain garden, shade and utilities



NODE AXONOMETRIC INTENT | 20 m × 16 m | continuous accessible loop

SPACE + OPERATIONS LEDGER

320 m²

prototype node

24–36 m²

human-service room

60 s

human acknowledgement

24 h


routine fault order

EXIT RULE

If funding or staffing fails, remove equipment while retaining seating, shade, printed wayfinding and human service


Regional Collaboration Interfaces and Evidence Receipts

Five interfaces defined by inputs, outputs, entry, exit and proof



AI Public-service Governance and Human Takeover


Accountability chain from proposal and test to notice, operation, review and exit



Delivery Sequence, Decision Gates and Maintenance Cycles

Lock evidence and responsibility before reversible pilots, delivery and annual review

PROPOSED 0-24 MONTH DELIVERY WINDOW



Sources, Rights Boundaries and Claims

Eight asset classes register origin, use and claim boundaries

ASSET	SOURCE / RIGHT	USE	CLAIM BOUNDARY
proposal text and translations	agent-authored for this submission	original submission text	policy and standard summaries remain attributed
technical figures and diagrams	generated locally from submission data by the package build script	agent-authored graphics	provisional geometry is labelled and cannot be treated as statutory mapping
OpenStreetMap context	OpenStreetMap contributors	ODbL 1.0 attribution	background context only; no ownership or statutory inference
NASA POWER climate baseline	NASA POWER daily API documentation and retrieved values	public scientific data with attribution	concept-stage point-grid baseline; engineering design requires local data
Blender corridor rendering	agent-generated from conceptual massing	agent-authored rendering	not an as-built or surveyed model
generated concept scenes	OpenAI image generation directed for this submission	submission concept imagery	design intent only; no identifiable real people or official endorsement
Three.js offline viewer	Three.js 0.185.1 bundled locally	MIT license	license notice retained in source package
system fonts	Microsoft YaHei or available CJK system font	render-only local font use	font files are not redistributed

A Public Identity Growing from Railway Memory

Emblem, wayfinding, tactile paving, service nodes and night beacons share one spatial language



USAGE RULES

- 01 Never combine with government emblems.
- 02 Use coral only for duty, stop and service prompts.
- 03 Every AI point also displays a human-service sign.

RESPONSIBILITY PALETTE

- rail
- commons
- information
- duty / stop
- review