


# JING-ZHANG HANDOVER LINE

Intelligence moves. Responsibility stays visible.

## SITE OVERVIEW



## HANDOVER PROTOCOL

### 01 / BUILD TO VERIFY

Models, robots, compute and data enter tests with versions, risks and shutdown rules.

### 02 / VERIFY TO SHARE

Results, licences, failures and limits travel together; open source never means exposing personal data.

### 03 / SHARE TO SERVE

Civic services retain a human desk, a no- AI equivalent, appeal and exit records.


### 04 / RETURN THE PROBLEM

Complaints, repairs and shutdown causes travel back to research as public learning.

**Human takeover is not a fallback feature. It is civic infrastructure.**

# Full coverage, no statutory fiction

Topological land-use partition + three scopes + three areas, two wings



## LAND USE

- 0802 R&D / validation
- 0804 Learning / open source
- 05 Tech services / business
- 0701 Talent living
- 0702 Community service
- 0803 Culture / civic service
- 1401 Continuous parkland
- Handover Line main axis
- Handover yard node

43.6 km<sup>2</sup>

RESEARCH  
Industry + future city



11.4 km<sup>2</sup>

OVERALL DESIGN  
Spatial + delivery system



3 YARDS

KEY AREAS  
Detailed validation

Design recommendation: all zones recalculate when official boundaries arrive; no ownership or statutory land-use claim.

Data: land\_use.geojson and site\_boundary.geojson; codes from the public MNR subset

# Official positions land in space, synergy lands in interfaces

Three positions, five functions, three areas and two wings x within belt-within city-municipal-regional

POSITION 01

Centennial Jing-Zhang Culture Belt

Century Logbook, oral-history booth and the Tsinghuayuan Station anchor form one continuous public record.

POSITION 02

Urban AI Life Experience Belt

Twelve reversible scenarios sit on continuous public handover ground: enterable, refusable, exitable.

POSITION 03

AI Integrated Innovation Belt

Eight shared stacks interface across the three areas in a build-verify-share-serve-feedback loop.

WITHIN BELT

Three areas and two wings organise the research-validation-service loop; objections and shutdown reasons travel back north.

WITHIN CITY

Connects to the official "two zones and one belt" framework, matching Zhongguancun technology supply to this belt's validation and scenario demand.

MUNICIPAL

Future Science City, Huairou Science City and BDA form an original-research / engineering-validation / scale-delivery division; this belt is the public-validation output end.

REGIONAL

Compute, energy and scenario interfaces reserved toward Zhangjiakou and other Beijing-Tianjin-Hebei nodes; feasibility to be confirmed by authorities.

FIVE FUNCTIONS x SPATIAL CARRIER

Source: proposal.en.md taskbook-response table, overall research scope section

F01

Full-stack self-reliant AI system

→ Zhongzhiyuan Build-Verify Yard: red-team desk, robot right-of-way sandbox, edge-compute energy station

F02

World-class AI innovation ecosystem

→ AI Origin Community Verify-Share Yard plus the Zhongguancun technology-services wing

F03

AI+ scenario empowerment paradigm

→ Four controlled validation sandboxes and eight civic scenarios under one launch-review-exit rule

F04

Intelligent, vibrant AI city

→ Xiaoyuehe scenario-enablement wing carrying civic, environmental and everyday-life tests

F05

Global voice in AI governance

→ Public duty logbook, four ledgers and Global Handover Week as a reviewable governance record

# Mark, colour and brand application


Two rails, a baton and a signal bracket; five fields must always appear together

F / 08

## Mark, colour and brand application system

Two rails + a baton + a signal bracket; five fields must always appear together

### PRIMARY MARK



JING-ZHANG HANDOVER LINE

### SIGNAGE RULE: FIVE FIELDS MUST APPEAR TOGETHER

STATION

SHIFT

VERSION

DUTY

UPDATED

### EVENT IPS / ONE SHARED MARK SYSTEM

SPR

Open Shift

SUM

Maintainers' Night

AUT

Global Handover Week

WIN

Annual Review Shift

### COLOUR SEMANTICS

Coal black

#161918

Auditable duty

Signal red

#E24A3B

Stop threshold, decided by a person

Electric cyan

#00A7A0

Open interface

Bone white

#F1ECDF

Readable public record

Licence: non-commercial public, academic and community use; commercial use by separate grant; no implied endorsement

Source: identity direction original to this submission; no third-party font, mark or protected layout

JING-ZHANG HANDOVER LINE / PACKAGE v1.15

# A reversible city: versioned renewal and agent separation

Reversibility precedes adaptivity; perceivable is not surveillance

F / 09

## A reversible city: versioned renewal and agent separation

Reversibility precedes adaptivity; three phases are merge gates, not a timetable




# Eight shared stacks, handed to the next shift

Land, space, industry, finance, talent, compute, data, scenarios: interface and duty owner visible

F / 06

## Eight shared stacks, handed to the next shift

Land / space / industry / finance / talent / compute / data / scenarios x three areas, two wings



Source: agent\_taskbook.json three-areas-two-wings and eight-element mechanisms; concept advice only

JING-ZHANG HANDOVER LINE / PACKAGE v1.15



# Three yards, three shifts of duty

Each key area answers programme, space, scenario, human takeover and delivery gate

F / 03


## Three handover yards, three transfers

True outlines at one shared scale; areas recomputed in EPSG:4548

- Handover Line main axis
- East-west stitch links
- Public scenario / landmark

### 01 BUILD HANDOVER YARD

Zhongzhiyuan AI acceleration area



Recomputed area

**1.93 km<sup>2</sup>**

BUILD→VERIFY

- Open verification street
- Model red team / robot sandbox
- Physical stop by safety stewards

PROVISIONAL KEY AREA

### 02 SHARE HANDOVER YARD

Beijing AI origin community



Recomputed area

**1.04 km<sup>2</sup>**


VERIFY→SHARE

- Public handover tables
- Result relay / public translation
- Permission, recall and human windows

PROVISIONAL KEY AREA

### 03 SERVE HANDOVER YARD

Dazhongsi AI industry cluster



Recomputed area

**0.72 km<sup>2</sup>**

SHARE→SERVE

- Century duty logbook
- Oral history / AI-native services
- Non-consumption access, no-AI services

PROVISIONAL KEY AREA

LAND USE 0802 R&D / validation 0804 Learning / open source 05 Tech services / business 0701 Talent living 0702 Community service 0803 Culture / civic service 1401 Continuous parkland

Extents from key\_areas.geojson; areas in km<sup>2</sup> (exact values in metrics.json); provisional boundary, for professional teams

JING-ZHANG HANDOVER LINE / PACKAGE v1.15



# Twelve reversible AI scenarios

Four controlled validation sandboxes; every scenario keeps human takeover and a no-AI equivalent

|                                                                                                |                                                                                                 |                                                                                                    |                                                                                                |
|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| <div>SCN-01</div> <div>Model red-team desk</div> <div>Human review + paper risk log</div>      | <div>SCN-02</div> <div>Robot right-of-way sandbox</div> <div>Safety staff + physical stop</div> | <div>SCN-03</div> <div>Edge energy test station</div> <div>Manual shutdown + offline meter</div>   | <div>SCN-04</div> <div>Data-consent rehearsal</div> <div>Paper consent + deletion desk</div>   |
| <div>SCN-05</div> <div>Accessible-route copilot</div> <div>Tactile map + human direction</div> | <div>SCN-06</div> <div>Public translation desk</div> <div>Human desk + multilingual paper</div> | <div>SCN-07</div> <div>Campus research relay</div> <div>Human curation + open catalogue</div>      | <div>SCN-08</div> <div>Visible maintenance stop</div> <div>Phone report + human dispatch</div> |
| <div>SCN-09</div> <div>Community care roster</div> <div>Staff telephone roster</div>           | <div>SCN-10</div> <div>Night-shift safety light</div> <div>Fixed light + human patrol</div>     | <div>SCN-11</div> <div>Jing-Zhang oral-history book</div> <div>Human guide + paper catalogue</div> | <div>SCN-12</div> <div>Global Handover Week route</div> <div>Fixed signs + volunteers</div>    |




# Movement and blue-green public ground

The smart layer is removable; ordinary movement and human service stay online

F / 04

## One spine, eight stitch links, twelve takeover points

The smart layer is removable; basic access and human service stay available



MOVEMENT / SERVICE

- Continuous walk-cycle spine
- East-west stitch links (8)
- Blue-green comfort ground
- Human-takeover scenario node (SCN)
- Civic landmark point

A OFFLINE BY DEFAULT

Static signs, light, tactile maps and human help do not rely on a model.

B GRADED TAKEOVER

Low confidence, boundary breach, objection or outage calls the duty person.

C EXIT IS RECORDED

Shutdown cause, deletion and service continuity enter the public logbook.

SECTION The handover section: order and adjacency only, no dimensions

| Handover counter                                                                                                                                  | Accessible walk                                                                     | Takeover Kiosk Zero                                                                        | Retained track                                           | Machine-only lane                                                                       | Planting and rest lane                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------------------------------------------|----------------------------------------------------------------------|
| Walking surface (continuous, no level change)<br>The staffed counter precedes the smart interface and still works once the smart layer is removed | Never interrupted by equipment, advertising, temporary occupation or charging posts | The physical stop control is reachable from the footway without downloading or registering | Set flush in the paving, a trace rather than an obstacle | Separated from walking; crossing the edge stops the machine, safety staff take priority | Non-commercial dwelling; seats and shade carry no spending condition |

Adjacency rule: counter, walk and stop control stay continuously reachable; the machine lane never comes between them

Conceptual connectivity, not road redlines or engineering feasibility; lengths calculated in EPSG:4548

JING-ZHANG HANDOVER LINE / PACKAGE v1.15

# Renewal structure and priority areas


One spine, eight stitches, three yards; priority areas in three tiers

F / 07

## Renewal structure and priority areas

One spine, eight stitches, three yards; priority areas in three tiers

### RENEWAL SPATIAL STRUCTURE



Handover Line / organising spine  
East-west stitch links x8  
Handover yards x3

### PRIORITY RENEWAL AREAS

#### TIER 1

Three yards and their walkable surroundings  
One lead body, owners join by agreement

#### TIER 2

Stitch-spine junctions and low-efficiency park edges  
Packaged renewal units, unified public edge

#### TIER 3

Remaining frontage along the line  
Wayfinding, shade and edge tidying only

### TWENTY TYPOLOGY TEST CELLS (10 EACH SIDE)

| Validation workshop | Shared service stack | Open R&D court | Community room |
|---------------------|----------------------|----------------|----------------|
| 5<br>26.6%          | 5<br>26.6%           | 5<br>23.4%     | 5<br>23.4%     |

Retain-first adaptive reuse 14 - awaiting survey 6

Source: submitted buildings/roads/key\_areas/phasing geometry; conceptual, no demolition conclusion

JING-ZHANG HANDOVER LINE / PACKAGE v1.15

# Building renewal and condition-triggered phasing


Inventory first, temporary use second, fixed work last

|                                                                                                        |                                                                                                                              |                                                                                                         |                                                                                                                                |
|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| <div>R / RETAIN</div> <div>Keep in use</div> <div>Keep in use and complete the condition record.</div> | <div>A / ADAPT</div> <div>Low-impact repair</div> <div>Fire safety, energy, accessibility and open ground floor first.</div> | <div>I / INSERT</div> <div>Removable trial</div> <div>Removable elements and short-term use only.</div> | <div>D / INVESTIGATE</div> <div>Not demolition</div> <div>Awaits survey, structure, ownership, fire and heritage review.</div> |
|--------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|

|          |                                                                                                                            |
|----------|----------------------------------------------------------------------------------------------------------------------------|
| PHASE 01 | Return to baseline: official data, inventory, wayfinding and three low-risk human-led pilots.                              |
| PHASE 02 | Open-source yard: ground floors, research relay and community service after ownership and community review.                |
| PHASE 03 | Belt-wide operation: complex validation networks only after transport, utilities, heritage, privacy and safety conditions. |

# Core metrics and the evidence chain

Known values recompute; FAR, height, AI innovation index, talent density and output scale stay unknown



# Risk, copyright and the next shift

Open co-design advice; it does not replace statutory planning or professional approval

|           |                                                                                                                          |
|-----------|--------------------------------------------------------------------------------------------------------------------------|
| DATA      | Full recalculation once official boundaries, controls, ownership, roads, utilities, fire and heritage data exist.        |
| PUBLIC    | People without a phone, without Chinese, with disabilities, older people and those declining AI keep equivalent service. |
| COPYRIGHT | Original graphics, text and layout; external cases paraphrased only, no reused image, mark or protected chart.           |

Intelligence moves. Responsibility stays visible.