


Jing-Zhang AI: A New Chapter for People, City, and Shared Endeavor

Concept urban-design review booklet

PEOPLE / CITY / SHARED ENDEAVOR

A verifiable urban network linking railway memory, open innovation, and everyday public life

Overall framework




Reading focus

One metric projection aligns the provisional study frame, four design land-use classes, three focus areas, and the conceptual walking spine.


Evidence boundary

OSM roads, rail, and buildings are low-contrast background proxies only. Provisional boundaries, design layers, and analysis bands are neither statutory controls nor existing-condition findings.

Three-level land structure




Three focus areas



Walking and blue-green screen

Walking and blue-green screen: connect people before AI

The context network is an OSM research snapshot; bands are analytical parameters, not statutory catchments



One auditable network

Walking spine

Roads, paths, crossings, and station entrances must form a continuous, legible network with human assistance.

Blue-green interface

Green and public spaces are cooling, staying, and service nodes; ratios do not prove comfort.

Evidence gate

POI is unavailable and green/water is not downloaded; no existing-condition claim is generated.

Legend and status

-  OSM roads / rail / buildings
-  Blue-green / public-space interface
-  Conceptual walking spine
-  800 m analysis band
-  AI / observation candidate
-  Provisional boundary

Reading focus

Verify continuous roads, paths, crossings, and station access before adding AI services. The 800 m band is analytical, not a statutory catchment.

Evidence boundary

OSM roads, rail, and buildings are low-contrast background proxies only. Provisional boundaries, design layers, and analysis bands are neither statutory controls nor existing-condition findings.

Metrics and evidence

JING-ZHANG AI / PEOPLE-CITY

05 / METRICS + EVIDENCE

Metrics and evidence: make people-first design reversible and traceable

Known values come from submitted geometry; unknowns remain evidence requests, not estimates

Map EPSG:4548 • WGS84 readout 116.340-116.355E / 39.939-40.026N • background proxy

1

2

3

39.997N

39.968N

GeoJSON

metrics

human review

500m

116.340E

116.355E

Recomputable baseline

11.41

km² • study frame

K

0.31

km² • design footprint

K

12.3

% • green ratio

K

7.3

% • public-space ratio

K

3

areas • key areas

K

Evidence requests • U = unknown

Use mix • walking intersections • block length • active edges • public-life observation • accessible continuity • station coverage • route directness • frequent transit • shade coverage

K = known from submitted geometry U = unknown / evidence required

Background: OpenStreetMap contributors / ODbL; provisional boundaries and design layers are not official redlines. Figures are explanatory; GeoJSON, metrics, and source records remain authoritative.

Reading focus

Known values come only from submitted geometry. Ten people-first indicators remain unknown until traceable open data or independent field observation is available.

Evidence boundary

OSM roads, rail, and buildings are low-contrast background proxies only. Provisional boundaries, design layers, and analysis bands are neither statutory controls nor existing-condition findings.

Authoritative evidence remains geometry/*geojson, metrics.json, sources.json, and the matrices. Background: OpenStreetMap contributors / ODbL.

06