


JING-ZHANG TWO ANSWERS · VERIFIABLE CIVIC PROTOTYPE

Baseline first; AI enters paired proof and earns civic adoption only through a public receipt.



S7 CONCEPT IMAGE / NOT SITE EVIDENCE

ONE PUBLIC BASELINE · THREE VERIFIABLE CIVIC PROTOTYPES

Urban fabric, continuous space, six stitches and three landmark archetypes

SPINE · STATIONS · WINGS
THREE DISTINCT SPATIAL TYPES

PUBLIC CROSS STAYS OPEN
AI ENTERS ONE REVERSIBLE BAY
DECISION REMAINS AT THE PORCH
E2 DOCUMENTED · NOT BUILT · NOT FIELD-RUN

Map data © OpenStreetMap contributors · CC-BY · 2024-08-13 · concept layout pending official base

FIVE-SECOND CLAIM

BASELINE STANDS FIRST
AI THEN ENTERS PAIRED PROOF

REGIONAL ADOPTION LOOP

01 PUBLIC PROBLEM
02 REPRODUCE
03 PAIRED TEST
04 HUMAN DECIDE
05 ARCHIVE

E2 DOCUMENTED · NOT BUILT · NOT FIELD-RUN

RING

GATE

PORCH

E2 DOCUMENTED

NOT PERMITTED · NOT BUILT · NOT FIELD-RUN
ADOPT · REVISE · STOP

90-SECOND VALUE ROUTE

Space, stop and decision are the three entry questions.

90 SECONDS · THREE QUESTIONS ONLY

01

5 SEC

WHAT IS THE URBAN SPACE?

public cross + spine, stations, wings



02

45 SEC

WHERE IS AI, AND HOW DOES IT STOP?

one reversible bay; PAUSE closes boundary




03

90 SEC

WHO DECIDES ADOPTION?

receipt at porch; humans adopt / revise / stop




Then enter the ten-minute audit: space → kit → operation → measure → exit.

SOURCES, DATA GAPS + EVIDENCE LEVELS

E2 means preparation documents exist, not field completion.

PERMANENT PUBLIC GROUND + REVERSIBLE TRIAL + EVIDENCE EDGE



01 · PERMANENT PUBLIC GROUND
cross, waiting, shade, rain and staffed service
complete with AI off

02 · TIMED REVERSIBLE OCCUPATION
southeast bay, buffer, control and isolated power
TRIAL only; closes in PAUSE

03 · PUBLIC EVIDENCE INTERFACE
porch, state, appeal, decision and exit
complete with AI off

04 · OPEN-DATA GAP
no invented building or area claim
complete with AI off

RENEWAL ORDER
PATH → EDGE → PLUG-IN
Repair path and edge before equipment.

E0
official + open sources

E1
concept spatial design

E2
kit, permits, forms + packages


E3/E4
trial + adoption pending

OVERALL URBAN DESIGN

The structure is carried by continuous public space, not scenario dots.

ONE PUBLIC BASELINE · THREE VERIFIABLE CIVIC PROTOTYPES

Urban fabric, continuous space, six stitches and three landmark archetypes




Map data © OpenStreetMap contributors · ODbL · 2026-08-13

Map data © OpenStreetMap contributors · ODbL · 2026-08-13 · concept layout pending official base

SPINE · STATIONS · WINGS

THREE DISTINCT SPATIAL TYPES



PUBLIC CROSS STAYS OPEN

AI ENTERS ONE REVERSIBLE BAY

DECISION REMAINS AT THE PORCH


E2 DOCUMENTED · NOT BUILT · NOT FIELD-RUN

Dazhongsi OSM has one building feature; no existing fabric is invented.

FIVE-SECOND CLAIM

BASELINE STANDS FIRST

AI THEN ENTERS PAIRED PROOF



REGIONAL ADOPTION LOOP


- 01 PUBLIC PROBLEM
- 02 REPRODUCE
- 03 PAIRED TEST
- 04 HUMAN DECIDE
- 05 ARCHIVE

E2 DOCUMENTED · NOT BUILT · NOT FIELD-RUN

BASELINE, USE, MOBILITY + BLUE-GREEN

Permanent ground, evidence interface and trial occupation remain independent.

PERMANENT PUBLIC GROUND + REVERSIBLE TRIAL + EVIDENCE EDGE



01 · PERMANENT PUBLIC GROUND

cross, waiting, shade, rain and staffed service
complete with AI off

02 · TIMED REVERSIBLE OCCUPATION

southeast bay, buffer, control and isolated power
TRIAL only; closes in PAUSE

03 · PUBLIC EVIDENCE INTERFACE

porch, state, appeal, decision and exit
complete with AI off

04 · OPEN-DATA GAP

no invented building or area claim
complete with AI off


RENEWAL ORDER

PATH → EDGE → PLUG-IN

Repair path and edge before equipment.

NO-REGRESSION JOURNEY · ROUTES, ACCESS, BLUE-GREEN, FIRE + FALLBACK

PUBLIC ROUTE, ACCESS, INTERCHANGE + BLUE-GREEN



01 4.0m PUBLIC CROSS
retained in all states

02 TACTILE + RAMPS
retained in all states

03 RAIN + SHADE + WATER
retained in all states

04 INTERCHANGE + WAITING
retained in all states


05 FIRE, EGRESS, TAKEOVER
retained in all states

06 SEPARATE SOUTHEAST BAY
never occupies the cross

PRIORITY

WALK → WAIT → CONNECT → OPT IN

1:200 SECTION · THE TRIAL NEVER CAPTURES THE PUBLIC ROUTE



SECTION CHECK

4.0m continuous route + tactile guidance

Risk-reviewed buffer separates route and trial bay

FIVE-STEP FAILURE FALLBACK

01 STOP EQUIPMENT

02 CLOSE TRIAL EDGE

03 STAFF COMPLETE SAME TASK

04 BOTH PUBLIC ROUTES OPEN

05 LOG, APPEAL, REVIEW

Recovery duration remains unknown / not field run

01 PERMANENT PUBLIC GROUND

Public cross, waiting, shade, rainwater and staffed service remain complete with AI off.

02 REVERSIBLE TRIAL OCCUPATION

Bay, buffer, control and E-stops enter the southeast only during permitted windows.

03 EVIDENCE + FALLBACK

Staff posts, appeal, fire, evacuation and removal routes remain locatable.

THREE LANDMARKS + CITY EVIDENCE MILE

One identity, three unmistakable spatial archetypes.




VERIFICATION RING

Complete public bypass around the controlled ring.



TRANSLATION GATE

Three no-account routes pass staffed service.



RECEIPT PORCH

Public cross stays open; trial stays on one side.

REGIONAL CAPABILITY EXCHANGE + GLOBAL MECHANISM

Capability enters the city only after reproduction, controlled proof and human decision.



PUBLIC PROBLEM TO KNOWLEDGE ASSET · INPUT, OWNER + FAILURE EXIT AT EVERY STEP



Annual receipts return to the public problem ledger; no promotional ranking


ZHONGZHIYUAN · VERIFICATION RING

Enclosure, bypass, observation, stop and removal operate together.




T2 · Controlled robot–pedestrian–accessibility test · 1:200

Prototype dimensions, not field measurements; the baseline route never crosses the AI trial boundary




AI ORIGIN · TRANSLATION GATE

Three passages, staffed desk, closable plug-in wall and review room.







S2 · International arrival and civic-service navigation · 1:200

Prototype dimensions, not field measurements; the baseline route never crosses the AI trial boundary



DAZHONGSI LINK + 1:2000 PLAN

Directional interfaces and open-data gaps are separate; exact exits are not invented.




CITY LINKS ARE DIRECTIONAL
Rail, heritage park and quadrant links await survey and official exit data.


1:2000 PROTOTYPE DECISION
The public cross stands all day; bay, porch and removal gate stay on one side.

S7 1:500 DETAIL + 1:200 SECTION

Routes, curbs, posts, E-stops, fire access and removal are directly legible.



1:200 SECTION · THE TRIAL NEVER CAPTURES THE PUBLIC ROUTE



TWO PUBLIC ROUTES

North–south and east–west accessible routes stay open in all states.

ONE-SIDED SAFETY EDGE

Two E-stops, 1.5m buffer and barrier never enter the public cross.


REMOVAL + RECOVERY

Equipment follows a separate route to storage or supplier recovery; public use returns.

S7 LAYERED CUTAWAY + FOUR STATES

Baseline, reversible AI and public evidence can be assembled and retired independently.

ASSEMBLY AXON · ROUTE, BAY, PORCH, BLUE-GREEN EDGE




01 PERMANENT BASELINE
cross, tactile, ramps, shade, rain

02 REVERSIBLE AI TRIAL
separate bay, barriers, control, two E-stops

03 PUBLIC EVIDENCE + EXIT
staffed porch, status, appeal, storage and restoration

Reviewable prototype proposal; quantities calculated, formal unit and total prices pending quotation.



CONCEPT IMAGE / NOT SITE EVIDENCE

OPEN

Baseline interchange, public cross and staffed service operate independently.

TRIAL

Southeast trial bay opens only after permits and roles are complete.

PAUSE

Stop equipment, close trial edge and complete the same task with staff.

RETIRE

Remove equipment and restore waiting, short stay or civic activity.

TWELVE SCENES, SIX PROFILES + FALLBACK

AI failure never cancels baseline service, human review or appeal.

THREE RECEIPTS · ONE PROTOCOL, THREE SPACES

T2 · LOOP COURT

BASELINE

complete public bypass

AI INCREMENT

controlled robot loop

ZERO-TOLERANCE

collision / buffer intrusion

ADOPT · REVISE · STOP

E1 ESTABLISHED · E2-E4 PENDING

S2 · POROUS CIVIC HALL

BASELINE

no-account staffed service

AI INCREMENT

closable navigation plug-in

ZERO-TOLERANCE

misdirection / no staff review

ADOPT · REVISE · STOP

E1 ESTABLISHED · E2-E4 PENDING

S7 · CIVIC ADOPTION STATION

BASELINE

public cross stays open

AI INCREMENT

one-side low-speed bay

ZERO-TOLERANCE

route loss / E-stop failure

ADOPT · REVISE · STOP

E1 ESTABLISHED · E2-E4 PENDING

NINE-SCENE CATALOGUE · REPLICATE ADDRESS, OWNER + STOP; NEVER PERFORMANCE

T1

T3

S1

S3

S4

S5

S6

S8

S9

SIX PROFILES · AI FAILURE NEVER CANCELS BASIC RIGHTS

01 · Wheelchair user

BASELINE

4m route + curb ramps

FALLBACK + APPEAL

staff escort to evidence porch

02 · Blind pedestrian

BASELINE

tactile + static signs

FALLBACK + APPEAL

human guide; dynamic navigation off

03 · Older adult, no phone

BASELINE

staffed counter + paper receipt

FALLBACK + APPEAL

no-account appeal + staff review

04 · Resident + caregiver

BASELINE

shade, seats + water

FALLBACK + APPEAL

staff desk completes same task

05 · International team

BASELINE

bilingual arrival desk

FALLBACK + APPEAL

human interpretation + sign-off

06 · Night operator

BASELINE

lit route + manual ledger

FALLBACK + APPEAL

two E-stops, storage + close review

SAME-TASK FALLBACK: plug-in off → staff complete → log → porch appeal → committee review

12 / 12 TRACEABLE

Every scene links node, component, owner, denominator, stop and recovery.

BASELINE NEVER REGRESSES

Public tasks remain possible without smartphone, account or AI.

APPEAL + REVIEW

Failure records enter the public receipt with a human review date.

Public sources + prototype assumptions · E2 documented · not built / not field-run

13

CIVIC ADOPTION YEAR + PUBLIC KNOWLEDGE


Programme outputs are receipts, reusable packs and review dates, not promotional rankings.

CIVIC ADOPTION YEAR · 90-DAY PILOT, FOUR SEASONS + RECEIPT

FOUR PUBLIC CYCLES



S7 · 90-DAY MINIMUM PILOT



CIVIC ADOPTION RECEIPT · NOT FIELD-RUN

TASK / USER · S7 / SAME PEOPLE

BASELINE · public cross + conventional interchange + staff

AI INCREMENT · one-side timed low-speed bay

STOP + RECOVERY · staff takeover; clock ends when both routes reopen

ADOPT

REVISE

STOP

RACI + ENTRY GATE

01 · asset / site lead

02 · ordinary-service staff

03 · safety lead (not dual-rolled)

04 · data recorder / public representative

permit, post or baseline missing — NO TRIAL

E0 / E1 COMPLETE · E2–E4 PENDING

PUBLIC PROBLEM TO KNOWLEDGE ASSET · INPUT, OWNER + FAILURE EXIT AT EVERY STEP



Annual receipts return to the public problem ledger; no promotional ranking

SPRING · BASELINE AUDIT

Verify access, static guidance, staffed roles and maintenance first.

SUMMER · OPEN PROOF

Developers reproduce capability and record failure inside controlled bounds.

AUTUMN · CIVIC ADOPTION

Residents compare paired routes; committee signs adopt / revise / stop.

WINTER · ASSET + EXIT REVIEW

Audit maintenance, retirement, knowledge archive and next review date.

E2 KIT, PERMITS, RACI + 90-DAY DELIVERY

Preparation documents are complete; field entry gates remain open.

E2 PROTOTYPE READINESS · PERMITS, QUANTITIES, FORMS, ROLES + RECEIPT

01 · EIGHT PERMIT GATES

Written site-use and asset-owner consent

PENDING

Ownership, boundary and existing-condition survey

PENDING

Fire access, egress apron and temporary-structure review

PENDING

Audit of accessible routes, ramps, tactile guidance and staffed service

PENDING

Temporary power, protection and isolation responsibility

PENDING

Isolated network, data minimisation and log-retention rule

PENDING

Conventional-interchange priority, operating window and traffic approval

PENDING

Equipment safety, insurance, emergency stop and supplier removal duty

PENDING

02 · REPRODUCIBLE KIT / QUOTE PENDING

KIT-PAV-01	Permeable paving	920 sqm
KIT-ACC-01	Continuous tactile guidance	168 linear_m
KIT-ACC-02	Accessible ramps	4 unit
KIT-BGR-01	Rain gardens	240 sqm
KIT-SHA-01	Shade bays	6 bay
KIT-FUR-01	Public benches	12 unit
KIT-WAT-01	Drinking-water points	2 unit
KIT-LGT-01	Low-level lighting	16 unit
KIT-SAF-01	Removable barriers	48 module
KIT-SAF-02	Dual emergency-stop posts	2 unit

TOTAL = DESIGN QUANTITY × PENDING MARKET QUOTE

03 · FIVE BLANK FORMS

FORM-BASELINE

Baseline service log

date_time · weather · user_profile_optional · task_attempt

FORM-TRIAL

Controlled trial log

permit_gate_complete · four_posts_present · trial_start · trial_end

FORM-INCIDENT

Incident and stop-event form

event_time · trigger · stop_authority · equipment_isolated

FORM-RECOVERY

Recovery drill and space-restoration form

clock_start · ordinary_task_completed · north_south_route_open · east_west_route_open

FORM-RECEIPT

Civic adoption receipt

task · same_users · ordinary_baseline · ai_increment

E2 = DOCUMENTED READINESS

NOT PERMITTED · NOT BUILT

NOT FIELD-RUN

04 · CIVIC ADOPTION RECEIPT

S7 / SCN-010 · TEMPLATE ONLY

TASK

S7 SAME-TASK INTERCHANGE

BASELINE

public cross + interchange + staff

AI INCREMENT

southeast timed reversible bay

DENOMINATOR

100 eligible passages / mode

ZERO TOLERANCE

collision / intrusion / E-stop / route loss

RACI

01 · asset / site

02 · baseline service

03 · safety (independent)

04 · data recorder

05 · public representative

ADOPT

REVISE

STOP

ONE OPERATING DAY · SIX STEPS CONNECT SPACE, OWNER + EXIT

DAY-01
OPEN

DAY-02
OPEN

DAY-03
TRIAL

DAY-04
PAUSE

DAY-05
OPEN

DAY-06
RETIRE

Opening check of public cross

Conventional interchange

After permits and checks

On a stop trigger, equipment

Before close, compare baseline

Equipment follows the removal

Opening check of public cross, tactile guidance, ramps, lighting and staffed posts.

Conventional interchange runs independently and establishes a non-identifying baseline log.

After permits and checks are complete, open one controlled trial in the southeast bay.

On a stop trigger, equipment halts, staff complete the task and the public cross stays open.

Before close, compare baseline and trial logs; the receipt remains adopt, revise or stop only.

Equipment follows the removal route to storage or supplier return; the bay returns to ordinary use.

RECOVERY CLOCK: stop command → staff complete baseline → both public routes open

No target before E2 drill; formal quote, field performance and adoption remain pending.

DAYS 0–30 · BASELINE ONLY

Verify first; assemble routes, waiting, shade, staff and receipt porch.

DAYS 31–45 · BASELINE WINDOW

Record seven operating days; if incomplete, do not advance.

DAYS 46–75 · CONTROLLED TRIAL

Open AI only after eight permits and independent safety role are complete.

DAYS 76–90 · EXIT + RECEIPT

Drill stop, restore space, review publicly and sign the decision.

Public sources + prototype assumptions · E2 documented · not built / not field-run

15

METRICS, RECEIPT, RISK, SOURCES + NEXT GATES

Boundary, survey, ownership, utilities, permits, quotes and field performance remain pending.

E2 PROTOTYPE READINESS · PERMITS, QUANTITIES, FORMS, ROLES + RECEIPT

01 · EIGHT PERMIT GATES

Written site-use and asset-owner consent

PENDING

Ownership, boundary and existing-condition survey

PENDING

Fire access, egress apron and temporary-structure review

PENDING

Audit of accessible routes, ramps, tactile guidance and staffed service

PENDING

Temporary power, protection and isolation responsibility

PENDING

Isolated network, data minimisation and log-retention rule

PENDING

Conventional-interchange priority, operating window and traffic approval

PENDING

Equipment safety, insurance, emergency stop and supplier removal duty

PENDING

02 · REPRODUCIBLE KIT / QUOTE PENDING

KIT-PAV-01	Permeable paving	920 sqm
KIT-ACC-01	Continuous tactile guidance	168 linear_m
KIT-ACC-02	Accessible ramps	4 unit
KIT-BGR-01	Rain gardens	240 sqm
KIT-SHA-01	Shade bays	6 bay
KIT-FUR-01	Public benches	12 unit
KIT-WAT-01	Drinking-water points	2 unit
KIT-LGT-01	Low-level lighting	16 unit
KIT-SAF-01	Removable barriers	48 module
KIT-SAF-02	Dual emergency-stop posts	2 unit

TOTAL = DESIGN QUANTITY × PENDING MARKET QUOTE

03 · FIVE BLANK FORMS

FORM-BASELINE

Baseline service log

date_time · weather · user_profile_optional · task_attempt

FORM-TRIAL

Controlled trial log

permit_gate_complete · four_posts_present · trial_start · trial_end

FORM-INCIDENT

Incident and stop-event form

event_time · trigger · stop_authority · equipment_isolated

FORM-RECOVERY

Recovery drill and space-restoration form

clock_start · ordinary_task_completed · north_south_route_open · east_west_route_open

FORM-RECEIPT

Civic adoption receipt

task · same_users · ordinary_baseline · ai_increment

E2 = DOCUMENTED READINESS

NOT PERMITTED · NOT BUILT

NOT FIELD-RUN

04 · CIVIC ADOPTION RECEIPT

S7 / SCN-010 · TEMPLATE ONLY

TASK

S7 SAME-TASK INTERCHANGE

public cross + interchange + staff

BASELINE

southeast timed reversible bay

AI INCREMENT

100 eligible passages / mode

DENOMINATOR

collision / intrusion / E-stop / route loss

ZERO TOLERANCE

01 · asset / site

02 · baseline service

03 · safety (independent)

04 · data recorder

05 · public representative

ADOPT

REVISE

STOP

READY

16 components, 8 permits, 5 forms and 4 packages are structured.

PENDING

Survey, permits, quotes, assembly, baseline, trial and adoption.

DECISION

ADOPT · REVISE · STOP

KNOWN · DOCUMENT COVERAGE

Components, permits, forms, scenes and roles are reproducible.

UNKNOWN · FIELD PERFORMANCE

No invented flow, efficiency, cost, energy, satisfaction or recovery duration.

NEXT GATE · PROFESSIONAL VERIFICATION

Official base, survey, ownership, utilities, permits and formal quotes come first.