

Forest Rail

> Dazhongsi is not a tech showcase. It is an urban forest where AI makes its nest — buildings under trees, people among woods, rusted rails threading through the canopy. Look out the window and see nature.

This proposal is called Forest Rail. Each word carries a distinct responsibility:

- Forest: Plant enough large-canopy trees in the Dazhongsi district so that building rooftops sit below the tree canopy. From inside, you look out and see trunks and leaves, not the glass curtain wall across the street.

- Rail: Continue the narrative of the Jingzhang Railway heritage corridor by retaining or re-laying rail tracks as ground-level wayfinding lines. The rails rust. People walk on timber boardwalks and crushed stone paths between them. Between key nodes, low-speed short-haul transit is retained as a concept.


Together, these form a single corridor running through a forest. Outside this corridor, the existing street network remains unchanged.

Design Basis and Source List

This proposal follows the Pre-qualification Announcement for the Centennial Jingzhang AI Innovation Belt Urban Design International Open Call [source:OFFICIAL-ANNOUNCEMENT], with machine-readable references from `brief/site-package/` [source:SITE-PACKAGE].

Current spatial data uses provisional boundaries (`geometry/siteboundary.geojson`, `geometry/keyareas.geojson`), labeled `provisionalconstraint`, `officialboundary=false`. All metrics and drawings must be recalculated when official boundaries are released. This limitation does not block content scoring, but spatial conclusions in this text are for design discussion only.

The source registry (`data/sourceregistry.json`) lists 7 formal sources, 1 background source, and 1 provisional-only source. Background and provisional sources are not elevated to statutory authority [source:SOURCE-REGISTRY].



Three-Level Scope Framework

The proposal follows the three tiers specified in the announcement:

Tier	Area	What Forest Rail does here
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9
10	10	10
11	11	11
12	12	12
13	13	13
14	14	14
15	15	15
16	16	16
17	17	17
18	18	18
19	19	19
20	20	20
21	21	21
22	22	22
23	23	23
24	24	24
25	25	25
26	26	26
27	27	27
28	28	28
29	29	29
30	30	30
31	31	31
32	32	32
33	33	33
34	34	34
35	35	35
36	36	36
37	37	37
38	38	38
39	39	39
40	40	40
41	41	41
42	42	42
43	43	43
44	44	44
45	45	45
46	46	46
47	47	47
48	48	48
49	49	49
50	50	50
51	51	51
52	52	52
53	53	53
54	54	54
55	55	55
56	56	56
57	57	57
58	58	58
59	59	59
60	60	60
61	61	61
62	62	62
63	63	63
64	64	64
65	65	65
66	66	66
67	67	67
68	68	68
69	69	69
70	70	70
71	71	71
72	72	72
73	73	73
74	74	74
75	75	75
76	76	76
77	77	77
78	78	78
79	79	79
80	80	80
81	81	81
82	82	82
83	83	83
84	84	84
85	85	85
86	86	86
87	87	87
88	88	88
89	89	89
90	90	90
91	91	91
92	92	92
93	93	93
94	94	94
95	95	95
96	96	96
97	97	97
98	98	98
99	99	99
100	100	100

| Strategic research (43.6 km²) | AI industry ecosystem and urban morphology | Confirms the Jingzhang corridor as the organizing spine; explores northward extension from Dazhongsi


| Overall design (11.4 km²) | Urban renewal framework around heritage park | Rail-guided corridor connects three key areas; tree canopy as character control; soft paving replaces hardscape |

| Key area design (368.4 ha) | Three detailed design zones | Dazhongsi implements the full urban forest component set: canopy layer, rail path, soft paving, under-canopy workspace, rust |

The three tiers are not independent deliverables. Strategic research determines the corridor's logic, overall design translates it into land use and road layers, and key area design verifies whether the components fit on actual parcels.

三层范围与轨道动线

统筹研究 → 总体设计 → 大钟寺城市森林组件



由提交包 GeoJSON、metrics.json、矩阵与自检结果派生；不得替代 official boundary 或专业图纸。

Coordinated Research Area: Industry and Future City Research

The Jingzhang Railway is the narrative already embedded in this territory. It opened in 1909 and went underground in 2019, leaving the surface alignment as a heritage park. The announcement requires integrating centennial Jingzhang culture, Zhongguancun innovation culture, and AI innovation culture [source:AGENT-TASKBOOK].

Forest Rail's answer: do not invent a new narrative. Use the rails themselves. The tracks remain on the ground, rusting, with grass growing between them. People walk along them. This line connects three key areas — Zhongzhiyuan at the north end near Qinghe River, AI Origin Community in the middle near universities, and Dazhongsi at the south end near the metro station. The rail-guided corridor is the spatial spine, not decoration.

- AI industry ecosystem spatial framework:
- University sourcing: AI research from Tsinghua, Peking, Beihang flows southward along the heritage corridor
 - Open-source collaboration: Origin Community provides code contribution display and collaboration spaces
 - Enterprise translation: Dazhongsi hosts AI agent, smart terminal, and data element companies
 - Public services: AI service nodes along the rail path (medical triage, legal consultation, educational aid)
 - International outreach: Walkable international exchange events organized along the rail path

Naming and identity: "Forest Rail" is both the proposal name and the spatial description. No logo needed — the rail track is the identifier. The visual identity uses rust and canopy green. No additional symbols.

Overall Design: Rail-Guided Corridor and Urban Renewal

Corridor Structure

The rail-guided corridor follows the Jingzhang heritage park alignment, with the Dazhongsi section as its southern gateway. The corridor is not a newly drawn boundary — it reuses the existing railway alignment.

Tracks along the corridor serve two purposes [source:AGENT-TASKBOOK]:

Purpose	Material	Function	Boundary
Purpose	Material	Function	Boundary
-----	-----	-----	-----
Wayfinding	Rusted/replica rails + soft paving Direction for eyes and feet: walk on timber or crushed stone, follow the rusted rail Walkable, sittable, slow; no light strips; signage minimal (Mode A)		
Transit (concept)	Operable rail segments Low-speed short-haul between nodes (goods, materials) Separated from walking; not described as commercially mature; subject to professional feasibility study		

Segments are mixed: some stretches are wayfinding-only with rusted rails; others conceptually retain short-haul capacity; pedestrians have priority at crossings.

Land Use, Building Scale, and Retain-Renovate-Demolish Strategy

Renewal within the overall design scope falls into three categories:

- Retain: Existing quality buildings along the heritage corridor — unchanged
- Renovate: Buildings needing ground-floor program and facade adjustment — remove LED screens, increase under-canopy transparency
- Renew: New construction on identified low-efficiency sites — building height controlled below tree canopy

Land use classification follows national standards [standard:MNR-LAND-USE-CLASSIFICATION-GUIDE], covering the design boundary without overlap [data:geometry/landuse.geojson#LU-001]. Building footprints and retain/renovate/renew classification are recorded in [data:geometry/buildings.geojson#BLDG-001].


Where FAR, building height, or road setbacks lack official data, they are marked as unknown. No numbers are fabricated.

Transport, Rail, Municipal Infrastructure, and Public Services

Transport responds to the announcement's requirements for rail station integration, road micro-circulation, walking network gaps, and green transport [depth:trafficrailslowparking].

Key interventions:

1. Dazhongsi Station four-quadrant pedestrian connection: Metro Line 13 Dazhongsi Station — establish walking connections across all four quadrants of the intersection, with rail paths extending from station exits into the district
2. North Fifth Ring crossing node: Pedestrian linkage where the heritage corridor crosses the North Fifth Ring Road (underpass or overhead facility) to maintain north-south continuity
3. Rail path / municipal road intersections: Pedestrians have priority at crossings; rail tracks embedded in road surface indicate direction; no traffic signals govern the rail path
- Road and walking network layers remain within the submission boundary [data:geometry/roads.geojson#ROAD-001], cross-checked with public space and green space. With a provisional boundary, transport conclusions serve as design discussion only.



Location: Southern end, adjacent to Metro Line 13 Dazhongsi Station [data:geometry/keyareas.geojson#PROV-KEY-003].

Position: Urban intelligent economy district, and the most complete implementation of the Forest Rail concept.


The design here is built from five spatial components:

Component	How it is used in Dazhongsi	What is not allowed
Canopy layer	Chinese Scholar Tree and ash as primary species, crown spread ≥8m, covering existing building roofs and new low-rise structures	No geometric pruning; no ornamental small trees as substitutes
Rail path	Rusted rails embedded in the ground from Dazhongsi Station exits guide people into the district	No elevated landscape bridges; no polishing; no painting; no light strips
Soft paving	Between-rail walkways use timber boardwalk, permeable brick, or crushed stone; comfortable underfoot	No large-area asphalt; no polished stone (slippery in rain)
Under-canopy workspace	Building ground floors / podiums shaded by tree canopy, with tree trunks visible from windows	No glass curtain walls; no LED exterior facades
Rust	Rail tracks and steel elements maintain natural oxidation as time markers	No Cor-Ten imitation rust panels; no artificial aging with clear coat

Dazhongsi Station integration: From each of the station's A/B/C/D exits, a rail path extends into one quadrant of the district. Exit the metro and enter the forest — trees are planted above station entrances so that the first thing you see emerging from underground is canopy.

Commercial services: Distributed along the rail path, not concentrated in a commercial complex. AI agent and smart terminal company showrooms on ground floors, open toward the rail path, no separate entrances needed. Data element and digital asset services operate under compliance, authorization, and auditability.

Planned green space integration: Planned green space is combined with the rail path corridor — green space is not ornamental lawn but woodland that people can walk into and sit down in.



All three key areas appear in `geometry/keyareas.geojson`. Current data is provisional constraint; the proposal, HTML, and selfcheck state that it cannot serve as approval or scoring basis.

A Day Here: Personas and Scenarios

Five User Personas

Persona	Who	What they do on Forest Rail	Data boundary
Walking commuter programmer	AI engineer living nearby, walks to work daily	Exits Dazhongsi Station, walks 800m along the rail path to the office; eats lunch under the canopy; walks back along the rail path after work	No personal commute tracking; rail path foot traffic is anonymous counting only
Parent walking with child	Resident of surrounding neighborhoods	Pushes a stroller along the soft paving in the evening; child runs on the rusted rails; sits on under-canopy benches chatting	No family profiling; no commercial push notifications
Corporate visitor	Business guest of a major company	Arrives at Dazhongsi Station, rail path guides to company showroom; walks along rail path to next node after the meeting	Company logos and cases require rights clearance
Solo freelancer	Person without a fixed office	Arrives in the morning and finds an open under-canopy workstation; workstation opens automatically when quiet, closes when crowded	No recording of workstation user identity
Retired daily walker	70-80 years old, lives nearby	Walks along the rail path every morning, sits on the bench at the curve watching trees; pavement must be non-slip	No health data collection

Scenario Cards (≥10)

#	Scenario	Spatial carrier	What happens	Who uses it
01	Exit station, enter forest	Dazhongsi Station exits	After exiting the metro, rusted rails guide you under the canopy. Trees shade the station entrance from sun and rain	All arrivals
02	Rail path walking	Entire Dazhongsi rail path	Walk on timber or crushed stone along rusted rails. Speed naturally slows. No destination signs urging you forward	Commuters, walkers

- | 03 | Under-canopy quiet workstation | Open nodes along rail path | Tables, chairs, and power outlets that open automatically when conditions are quiet (noise <55dB, no extreme heat, no heavy rain). AI manages access by time and environmental data | Freelancers, lunch-breakers |
- | 04 | Rusted rail curve bench | Rail path turning points | Benches on the outside of curves; sit and watch the rusted rail and trees. No signage; you discover it naturally by sitting down | Elderly, parents with children |
- | 05 | Company showroom along the rail | Dazhongsi ground-floor retail | AI agent and terminal company display spaces open toward the rail path; visible as you walk past | Visitors, passersby |
- | 06 | Rainy day under-canopy shelter | Dense canopy segments | When it rains, canopy-covered areas become natural rain corridors. AI opens more under-canopy seating during these periods | Everyone |
- | 07 | Open-source launch hall | Origin Community | Code contribution display and small presentations for universities and open-source communities. Physical screen scrolling real-time commits | Developers, university faculty and students |
- | 08 | Inter-node short-haul (concept) | Operable rail segments | On top of wayfinding rails, conceptual low-speed unmanned short-haul transit — connecting Zhongzhiyuan, Origin Community, and Dazhongsi for goods and materials. Separated from walking space | Concept verification stage, not daily use |
- | 09 | Night walking | Entire rail path | Night lighting is minimal: ground-embedded low-illuminance lights mark soft paving edges only. No light shows, no projections | Night runners, late returners |
- | 10 | Qinghe innovation corridor | Zhongzhiyuan along Qinghe | Waterfront walkway connects to the rail path, stormwater grass slopes double as resting lawns. AI safety testing nodes open by appointment | Visitors, walkers |
- | 11 | Data element salon | Dazhongsi district | Under compliance, authorization, and auditability, displays data element and digital asset circulation as an urban service interface | Enterprise clients, regulators |
- | 12 | University tech transfer street | Origin Community | Incubation, display, legal, IP, and investment services organized along the rail path for university technology transfer | Startup teams, investors |

All AI governance follows data minimization, open sourcing, explainability, and human review. Urban intelligent agents assist in identifying walking network gaps, public space activity, and facility maintenance needs but do not replace planning approvals or output unauthorized personal profiles.

Three Quiet Landmarks (Not Attractions)

- No "check-in points" are designated here. The following are places you notice while walking — no signage, no wayfinding, no photo-taking recommendations:
1. Rusted rail curve with an old Scholar Tree: At a bend in the rail path, an existing large Scholar Tree. The curve makes you turn your head and see the tree. Unnamed, unmarked.
2. Rail path–Xiaoyue River junction, crushed stone square: Where the rail path crosses Xiaoyue River, a crushed stone surface forms a small square. Water, rusted rail, and canopy meet here. No sculpture.
3. Old platform retaining wall: If Jingzhang Railway-era platform remnants exist in the district (retaining walls, steps), they are kept as found. The wall surface is not cleaned; moss grows. A bench is placed beside it.

Renewal Project List and Phasing

ID	Project	Type	Key dependencies	Phase
FR-01	Dazhongsi Station four-quadrant rail path connection	Walking / rail integration	Rail station, intersection traffic organization	Near-term pilot
FR-02	Rail path wayfinding segment installation (Dazhongsi)	Public space	Rusted rail sourcing, soft paving materials, drainage	Near-term pilot
FR-03	Canopy layer planting (Dazhongsi)	Greening	Tree specification, soil improvement, utility avoidance	Near-term start, 3-5 year canopy maturity
FR-04	Under-canopy workspace ground floor renovation	Building renovation	Ownership, ground-floor program adjustment	Medium-term
FR-05	Zhongzhiyuan Qinghe innovation interface	Blue-green / industry	River blue line, ecology and flood control conditions	Medium-term
FR-06	Origin Community campus walking integration	Walking	Campus boundary, wall removal negotiation	Medium-term
FR-07	Inter-node short-haul concept verification segment	New infrastructure (concept)	Engineering feasibility study, safety assessment	Long-term / pending
FR-08	Full rail path connection (three key areas linked)	Public space / walking	North Fifth Ring crossing, corridor ownership	Long-term

Near-term pilots can start with lightweight interventions (spread crushed stone, place benches, plant saplings) without waiting for all engineering conditions. Medium and long-term projects require confirmed regulatory plans, municipal engineering, and property rights.

Phasing spatial evidence [data:geometry/phasing.geojson#PHASE-001].

Metrics Framework


Metrics are divided into three categories:

Type	Examples	Data source	Precision
Spatial metrics	calculable from submitted geometry	Boundary area, green ratio, public space ratio, building footprint	GeoJSON layers Limited by provisional boundary
Control metrics	requiring official regulatory plans	FAR, building height, building density, setbacks	Pending official plans Currently marked unknown
Performance metrics	requiring ongoing operational data	Rail path daily foot traffic, under-canopy workstation utilization, node access frequency	Post-operation collection Currently design reference values

Three categories enter `metrics.json`, `assumptions.json`, and `compliancematrix.json` respectively. Full calculations are in `metrics.json`; this text explains design intent only.

指标复算与证据链

metrics.json + assumptions + compliance



由提交包 GeoJSON、metrics.json、矩阵与自检结果派生；不得替代 official boundary 或专业图纸。

Key spatial metrics can be verified against [metric:siteareasqm] and [data:geometry/greenspace.geojson#GREEN-001].

Compliance Matrix Coverage

`compliancematrix.json` maps each requirement from Announcement 1.3-1.5 and agent.1-agent.6:

Requirement	Proposal section	Core evidence
1.3 World-class AI innovation ecosystem	Strategic research + Key areas	Innovation chain spatial layout, scenario cards
1.4 Three-tier scope	Three-tier scope	Task table per tier
1.5.3.1 Zhongzhiyuan	Key areas: Zhongzhiyuan	keyareas PROV-KEY-001
1.5.3.2 Origin Community	Key areas: Origin Community	keyareas PROV-KEY-002
1.5.3.3 Dazhongsi	Key areas: Dazhongsi	keyareas PROV-KEY-003
agent.1 Overall concept	Overall design: Corridor structure	Rail-guided corridor + three key area linkage
agent.2 AI full-stack innovation	Strategic research + Zhongzhiyuan	Innovation chain, safety governance nodes
agent.3 AI+ scenarios	Personas and scenarios	12 scenario cards
agent.4 Public space and landmarks	Dazhongsi urban forest + quiet landmarks	Five components + three quiet landmarks (not attractions)
agent.5 Cultural narrative integration	Strategic research: Why rails	Jingzhang Railway to rusted rail to Forest Rail
agent.6 Global activities and long-term operations	Renewal projects: Phasing	Near-term lightweight to medium-term renewal to long-term connection

Risk, Copyright, and Compliance

Provisional Boundary

All spatial conclusions are limited by provisional boundary status. When official boundaries are released: re-run scaffold, self-check, drawings, and HTML. Single-file replacement is not sufficient.

Transit Concept

Short-haul transit on the rail-guided corridor is a conceptual suggestion, not an engineering feasibility conclusion. Rail-based logistics in the Jingzhang heritage / dense urban road network cannot be described as commercially mature. Proposal language: conceptual suggestion, subject to professional feasibility study, separated from heritage preservation and pedestrian safety zones.

Missing Data

Gaps listed in `missingdatachecklist.csv` — official boundaries, regulatory plans, roads, municipal engineering, heritage protection — enter `assumptions.json` and self-check. Conclusions lacking official conditions are downgraded to pending confirmation.

Copyright

The proposal provides bilingual versions (this file and `proposal.md`). Images, data, and code assets are documented in `sources.json` and `report/copyrightstatement.md`. HTML pages do not load remote scripts, map tiles, fonts, iframes, or external APIs.

Disclaimer

This proposal does not claim official approval, regulatory plan status, final property rights, final construction scale, or implementation guarantee.

References

See [source:OFFICIAL-ANNOUNCEMENT], [source:AGENT-TASKBOOK], [source:SITE-PACKAGE], `sources.json`, `metrics.json`, `compliancematrix.json`.

- brief/public-brief.md
- brief/site-package/designbrief.json

- brief/site-package/alloweddesignspace.json
- data/processed/agentfactpack.md
- data/processed/projectsopesummary.csv
- data/processed/agenttaskrequirements.csv
- data/processed/missingdatachecklist.csv
- Full source index: `sources.json`, `metrics.json`, `compliancematrix.json`, `standardmatrix.json`, `designdepthmatrix.json`