


Public base before intelligence

01 / MASTERPLAN EN

P8.19

TWO LONGITUDINAL • FIVE TRANSVERSE • THREE ROOMS

30-second masterplan: verify candidate segments first; AI docks only at removable side interfaces.



2 × LONG 5 × STITCH

AI may dock only at side interfaces and may not occupy the permanent civic base. Five east-west stitches are verified segment by segment before entering the public network; AI services plug in later, withdraw and reset without interrupting verified public passage, staffed service or...

- S1 Transfer-end detour
Land-side line + side bay
PENDING 4 • BREAKS 3
- S2 Closed campus edge
Open ground floor + crossings
PENDING 2 • BREAKS 1
- S3 Peak/quiet conflict
Knowledge porch + side service
PENDING 2 • BREAKS 1
- S4 Neighbourhood detours
Civic room + accessible segments
PENDING 2 • BREAKS 1
- S5 Broken arrival chain
Arrival line + one-side terraces
PENDING 2 • BREAKS 1

11.413 km² geometry • public space 3.26% • green 0.26%

RUNOFF: intercept → planted pretreatment → detain/filter → verified overflow • passive when

PROVISIONAL ROUGH BOUNDARY / CONCEPT DESIGN / NOT A STATUTORY REDLINE / ROUTES, RIGHTS, LEVELS AND APPROVALS TBC


Five site-specific breaks, not one fictional axis

P8.19 / 01 DIAGNOSIS

COMPLETE

FIVE PENDING STITCHES, 7 UNRESOLVED BREAKS

All 12 solid segments await rights, width, gradient, level and legal-crossing checks; red x marks background obstacle envelopes.



Two interfaces • five stitches • structure before service

P8.19 / 04 LAND USE + RRD

COMPLETE

RETAIN THE FIELD, ADAPT THE EDGES

The 11.413 km² working model sets intervention hierarchy only: retain existing hosts, protect public clear lines, then use three distinct edge carriers.

SITE INDEX + FIVE FACT-BASED STITCHES



S1

Transfer-end detour

Land-side line + side bay

verified public route

S2

Closed campus edge

Open ground floor + crossings

audited east-west entries

S3

Peak/quiet conflict

Knowledge porch + side service

staffed fallback points

S4

Neighbourhood detours

Civic room + accessible segments

verified accessible segments

S5

Broken arrival chain

Arrival line + one-side terraces

arrival-line uptime

11.413 km² PROVISIONAL MODEL • CONCEPT PUBLIC SPACE 3.26% • CONCEPT GREEN 0.26%

North Test + Logistics Room




RETAIN Host + public passage

ADAPT Lockable land-side test bay

STOP Rights/maintenance unclear, or robot touches clear line

RETURN Withdraw → public base

AI Origin Community + Staffed Service Room




RETAIN Host + public passage

ADAPT Closable quiet edge house + staffed window

STOP Queue, noise or digital barrier reaches quiet ground floor

RETURN Withdraw → public base

Dazhongsi Arrival + Recovery Flagship



RETAIN Host + public passage

ADAPT One-sided terraces + withdrawal band + staff point

STOP Peak/night carrier touches the arrival clear line

RETURN Withdraw → public base

01 RETAIN

No parcel-level RRD without survey, rights and professional admission.

02 REPAIR

Repair only clear-route, lighting, wayfinding and access gaps.

03 REVERSIBLE ADAPT

Side carriers lock and withdraw without changing host use.

04 NO FALSE CERTAINTY

No FAR, height, demolition, new build, redline or approval claim.

PROV-SITE-001 PROVISIONAL ROUGH EXTENT | COMPETITION CONCEPT | NOT EXISTING, RIGHTS OR APPROVAL | RECOMPUTE WITH FORMAL DATA

PROV-SITE-001 PROVISIONAL ROUGH EXTENT | COMPETITION CONCEPT | NOT EXISTING, RIGHTS OR APPROVAL | RECOMPUTE WITH FORMAL DATA

Problem • object • action • owner • fallback • phase

02 / FIVE STITCHES EN

P8.19

FIVE DISTINCT PROBLEMS, NOT FIVE LABELS

Each stitch runs from a site fact to a spatial mechanism, node, human-scale condition, implementation and metric.

	PROBLEM	SPATIAL MECHANISM	NODE / HUMAN SCALE	DELIVERY / METRIC
S1 North transfer stitch	Transfer-end detour	Land-side line + side bay	North transfer stitch node clear route + staffed fallback	audit → base → side-interface test verified public route
S2 Xueqing innovation stitch	Closed campus edge	Open ground floor + crossings	Xueqing innovation stitch node clear route + staffed fallback	audit → base → side-interface test audited east-west entries
S3 Wudaokou knowledge stitch	Peak/quiet conflict	Knowledge porch + side service	Wudaokou knowledge stitch node clear route + staffed fallback	audit → base → side-interface test staffed fallback points
S4 Xueyuan South community...	Neighbourhood detours	Civic room + accessible segments	Xueyuan South community stitch node clear route + staffed fallback	audit → base → side-interface test verified accessible segments
S5 Dazhongsi gateway stitch	Broken arrival chain	Arrival line + one-side terraces	Dazhongsi gateway stitch node clear route + staffed fallback	audit → base → side-interface test arrival-line uptime

If rights, accessibility, safety or maintenance evidence is missing, the stitch stays segmented and is not drawn as a completed route.

PROVISIONAL ROUGH BOUNDARY / CONCEPT DESIGN / NOT A STATUTORY REDLINE / ROUTES, RIGHTS, LEVELS AND APPROVALS TBC


Land-side first • waterside no-go until review

P8.19 / 03 MOBILITY + BLUE-GREEN

COMPLETE

LAND-SIDE FIRST, NO WATER-SIDE INTERVENTION

Active travel, passive stormwater and maintenance responsibility share one admission section; without professional evidence, retain existing conditions.




- 01 Intercept paved runoff
- 02 Planted pretreatment
- 03 Rain-garden detention + filtration
- 04 Verified overflow to existing drainage

STOP / TBC

If soil, drainage, water control, rights or professional landscape review fails: do not build the water system; retain the passive public base.

THREE PHASES, EACH ABLE TO STOP

Phase 1 builds the sole flagship, Phase 2 adds staffed service, and Phase 3 enters test logistics; failure creates no new civic break.



PHASE 1

Dazhongsi 90-day flagship

S5

GATE FAIL → ORDINARY STREETS/TRANSIT + STAFFED SERVICE

PHASE 2

AI Origin staffed service

S3 / S4

GATE FAIL → ORDINARY STREETS/TRANSIT + STAFFED SERVICE

PHASE 3

North testing + logistics

S1 / S2

GATE FAIL → ORDINARY STREETS/TRANSIT + STAFFED SERVICE

Phasing does not imply approval, an operator, a budget or a start date.

THREE ROOMS THAT CANNOT SWAP LABELS

Morphology, public realm, mobility, programme, AI carrier, existing fabric and pilot logic are all differentiated.

North transfer-production room

MORPHOLOGY DIAGRAM

MORPHOLOGY	linear land side band
PUBLIC REALM	land side mobility commons
MOBILITY	regional transfer and last mile
PROGRAMME	transfer support and production exchange
AI CARRIER	linear side bay
EXISTING FABRIC	rail fifth ring qinghe interface
PILOT	transfer peak interface audit

SWAP-LABEL TEST: FAILS

AI Origin knowledge-neighbourhood room

MORPHOLOGY DIAGRAM

MORPHOLOGY	porous courtyard thresholds
PUBLIC REALM	quiet knowledge threshold
MOBILITY	walkable neighbourhood exchange
PROGRAMME	staffed knowledge and daily service
AI CARRIER	edge house
EXISTING FABRIC	campus neighbourhood thresholds
PILOT	staffed knowledge exchange comparator

SWAP-LABEL TEST: FAILS

Dazhongsi heritage-industry gateway room

FLAGSHIP

MORPHOLOGY DIAGRAM

MORPHOLOGY	terraced station forecourt
PUBLIC REALM	terraced arrival forecourt
MOBILITY	station arrival and heritage gateway
PROGRAMME	heritage orientation and industry welcome
AI CARRIER	one sided micro terrace
EXISTING FABRIC	station heritage industry interface
PILOT	ninety day flagship

SWAP-LABEL TEST: FAILS

HIDE THE LABELS; THE THREE PLACES REMAIN LEGIBLE

Three plans, sections, failures, human roles and recovery paths replace one repeated state template.

North Test + Logistics Room

PLAN

SECTION

FAIL

Unclear waterside rights or maintenance edge; robot route conflicts with the public clear line

HUMAN

Test-safety and maintenance marshal

COMPONENT

Mechanically lockable linear test bay

RECOVERY

Equipment arrival—land-side check—local test—human stop—withdrawal review

AI Origin Community + Staffed Service Room

PLAN

SECTION

FAIL

Queues, noise or digital barriers invade the quiet community ground floor

HUMAN

Public knowledge and appeal steward

COMPONENT

Closable quiet edge house with staffed window

RECOVERY

Enter without phone—staffed enquiry—paper service—decline AI—appeal and leave

Dazhongsi Arrival + Recovery Flagship

PLAN

SECTION

FAIL

Peak or night congestion lets the side carrier encroach on the arrival line

HUMAN

Arrival marshal and return-acceptance lead

COMPONENT

One-sided micro-terrace, withdrawal band and staffed state point

RECOVERY

Station arrival—accessible clear line—staffed help—freeze takeover—return acceptance

PROV-SITE-001 PROVISIONAL ROUGH EXTENT | COMPETITION CONCEPT | NOT EXISTING, RIGHTS OR APPROVAL | RECOMPUTE WITH FORMAL DATA


PROV-SITE-001 PROVISIONAL ROUGH EXTENT | COMPETITION CONCEPT | NOT EXISTING, RIGHTS OR APPROVAL | RECOMPUTE WITH FORMAL DATA

P8.19 / 06 FLAGSHIP INTERFACE CONTROL

CONCEPT TARGET

DAZHONGSI: MULTI-SCALE INTERFACE CONTROL

Six concept-evidence views address clear line, buffer, components, maintenance and withdrawal; all are unmeasured control targets, not construction drawings.



RACI • cost bands • return acceptance

P8.19 / 07 FLAGSHIP OPERATIONS

COMPLETE

90 DAYS IS A STOPPABLE PROOF PROTOCOL, NOT A COMMITMENT

Measure the baseline, then shadow advice and limited activation; freeze drills and return acceptance decide continuation or withdrawal.

0-30

BASELINE + STAFFED SERVICE

31-45

SHADOW ADVICE

46-60

ONE-POINT LIMITED ACTIVE

61-75

FREEZE DRILL

76-90

RETURN ACCEPTANCE

RACI • ROLE ONLY / NO PARTNER CLAIM

TASK	PUBLIC	OPS	SAFETY	ACCESS	REVIEW
baseline / 基线	A	R	C	C	I
approve ACTIVE / 批准	A	R	C	C	I
FREEZE / 冻结	I	R	A	C	I
takeover / 接管	A	R	C	C	I
return acceptance / 验收	A	R	C	C	R

COST BAND • NOT A BUDGET

L1

Signs, staffed process, baseline measurement

L2

Reversible components, lockout, maintenance interface

L3

Drainage, power and fire items requiring specialist review

RETURN ACCEPTANCE

☐ / CLEAR ROUTE

☐ / SURFACE

☐ / DRAINAGE


☐ / SIGNS

☐ / COMPLAINTS

ANY FAIL → BASE + REPAIR

DAZHONGSI: THE SOLE FLAGSHIP

The continuous arrival line exists first; one-sided micro-terraces plug in later. Freeze, return or AI-off never cuts the civic base.



DAY 0–30 BASE + STAFFED SERVICE → DAY 31–60 ONE SIDE-INTERFACE TEST → DAY 61–90 FREEZE/RETURN DRILLS → INDEPENDENT REVIEW: CONTINUE OR WITHDRAW

PROVISIONAL ROUGH BOUNDARY / CONCEPT DESIGN / NOT A STATUTORY REDLINE / ROUTES, RIGHTS, LEVELS AND APPROVALS TBC


No phone • wheelchair • older • night

P8.19 / 08 EVERYDAY JOURNEYS

COMPLETE

FOUR PEOPLE COMPLETE THE SAME TASK WITHOUT AI

Every chain includes entry, help, use, decline or failure, human takeover, and leave or appeal.




Non-AI baseline • window • threshold • recovery • role

P8.19 / 10 SIX DECISION METRICS

COMPLETE

MEASUREMENT DECIDES CONTINUE, STOP AND RECOVER

No existing performance and no empty unknowns: each future metric binds a baseline, window, threshold, recovery and role.



CONCEPTUAL / NOT EXISTING / NOT APPROVED

P8.19 / 09 GROUNDED HERO VISUALS

COMPLETE

ATMOSPHERE RETURNS TO THE VISIBLE CHAIN WITHOUT IMPERSONATING EVIDENCE

Eight original views support human scale, shade, waiting and spatial memory; plans, sections and GeoJSON remain primary evidence.



AI ORIGIN • BASE
AUXILIARY ATMOSPHERE • NOT SPATIAL PROOF



AI ORIGIN • ACTIVE
AUXILIARY ATMOSPHERE • NOT SPATIAL PROOF



DAZHONGSI • BASE
AUXILIARY ATMOSPHERE • NOT SPATIAL PROOF




DAZHONGSI • ACTIVE
AUXILIARY ATMOSPHERE • NOT SPATIAL PROOF



NORTH • BASE
AUXILIARY ATMOSPHERE • NOT SPATIAL PROOF



NORTH • ACTIVE
AUXILIARY ATMOSPHERE • NOT SPATIAL PROOF



TRANSITION • CONTROLLED MOVE
AUXILIARY ATMOSPHERE • NOT SPATIAL PROOF




AI_OFF • HUMAN VETO
AUXILIARY ATMOSPHERE • NOT SPATIAL PROOF

CONCEPTUAL / NOT EXISTING / NOT APPROVED

PROV-SITE-001 PROVISIONAL ROUGH EXTENT | COMPETITION CONCEPT | NOT EXISTING, RIGHTS OR APPROVAL | RECOMPUTE WITH FORMAL DATA


ONE GEOMETRY CHAIN, THREE LIVE METRICS

Boundary, clipping, metrics, drawings, web data-value and formal checks may not diverge.



02 A segmented public narrative—not a false continuous trail

Verified railway facts become public knowledge, contestable AI records and visible gaps.



PUBLIC ACTIONS BY PLACE



DATED VISUAL RECORD • 2023-10-03 | 李汉宗 (Lhzss8) | Wikimedia Commons | CC BY-SA 4.0

NOT EVIDENCE OF 2026 CONDITIONS, HERITAGE CONTROLS, RIGHTS OR APPROVAL;
FIELD STATUS REMAINS TO BE VERIFIED.

F1-SRC-019-QINGHUAYUAN-2023-CC