


Jing-Zhang Resonance

A polyphonic public-space proposal for the Centennial Jing-Zhang AI Innovation Belt

A3 ENGLISH SUBMISSION BOOKLET



Jing-Zhang Resonance

VISUAL IDENTITY DIRECTION / NOT A REGISTERED MARK

NAMING SYSTEM

- **Resonance Station**
Dazhongsi / release / public testing
- **Origin Station**
Near-campus / daily life / translation
- **Zhongzhiyuan**
Full-stack testing / governance / north gateway

TWO WINGS

- Zhongguancun Technology Services Wing
- Xiaoyue River Scenario Enablement Wing

Task Response and Evidence Boundary

Three positions / five functions

Cultural memory, everyday AI, and innovation collaboration form three independent voices. Innovation, ecology, scenarios, urban vitality, and governance form an operating loop.

Six agent tasks

The proposal and matrices cover the overall concept, global references, scenarios, personas, landmarks, cultural narrative, and long-term operation.

Three key areas

V13 pages 13-15 are research location diagrams. Building, road, waterfront, station, campus, and park boundaries require recalibration.

Weakest-link rule

No voice may fall below its baseline. AI receives only time-limited, site-specific, revocable permission and must pause when a veto is triggered.

Generated-visual boundary

Tokai, Oskyi, and GPT-image layers communicate spatial actions. They do not prove location, scale, existing conditions, feasibility, or approval.

Outstanding external data

Official redlines, exact key-area polygons, survey, ownership, control-plan, road, waterfront, engineering, and complete image provenance remain outstanding.



English reading note

Locates the Centennial Jing-Zhang corridor within the wider city and separates official taskbook scope from provisional research geometry.

Review focus

Read scope figures as taskbook references, not as measurements of the provisional polygons.

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.

English reading note

Diagnoses the heritage-ecology, everyday-community, and university-innovation systems before design intervention.

Review focus

Each voice keeps an independent baseline; strength in one voice cannot compensate for failure in another.

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.



English reading note

Maps six user groups and the different times at which walking, learning, work, care, and operations overlap.

Review focus

Public space must remain legible during ordinary daily peaks before any AI scenario is introduced.

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.



English reading note

Identifies discontinuities at roads, campus edges, park openings, station exits, and river interfaces.

Review focus

These are research diagnoses to be checked against survey, ownership, access, and management conditions.

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.

04 卷一 | 城市断裂与机会
跨越 / 打开 / 串联
1.4 城市关系的三个断裂



01 跨越 轨道 / 快速路




V13 生成图 / 规划意向 / 研究表达
非现状, 非规划, 非建设性图

02 打开 校园围墙 / 封闭首层



V13 生成图 / 规划意向 / 研究表达
非现状, 非规划, 非建设性图

03 串联 小月河 / 绿廊



V13 生成图 / 规划意向 / 研究表达
非现状, 非规划, 非建设性图

待修补：跨越、打开、串联

以可跨越的基础设施、可进入的校企界面和连续的绿道组织城市关系。

真实意图与研究意向仅用于内部沟通参考

05

PART

卷二 | 保留、接入、共享、校准

SPATIAL ACTIONS

2.1 四个动作先落对象，再形成空间结果

概念不是关系箭头，而是一组能在地面上找到对象、节点与验收结果的动作。

本页只讲四个动作的职责与链接位置；执行检查在 00 展开。

动作视图 · 节点对应

01

保留

S05 · 清华留馆产租



视觉意向 / 研究表达 / 非现状、非测绘

水岸 / 遗产 / 街道

先画不可侵占的底线

02

接入

S03 · 知春路接口



视觉意向 / 研究表达 / 非现状、非测绘

站点 / 过街 / 街角

补连续慢行与许可开口

03

共享

S06 · 众智园水岸休闲场



视觉意向 / 研究表达 / 非现状、非测绘

街道 / 街坊 / 聚场

让三声部共享公共界面

04

校准

S01—S06 · 全案复核



视觉意向 / 研究表达 / 非现状、非测绘

街角 / 街坊 / 节点

按最弱声部收敛强度

从底线到校准 · 一次检查只回答一个问题

01 保留什么不能被挤走？

遗产、水岸、树线、通行路径

02 哪一处城市关系尚未接上？

站点出口、连续过街、街角开口

03 哪些界面可以共同使用？

入口、檐下、街角、水岸前场

04 最弱声部要求收敛什么？

建设量、运行时段、试点范围

空间结果

遗产与水岸不被挤走；日常先被接通；创新只在许可界面共享；新增建设随弱项收敛。

城市设计研究图 · 四个空间动作与节点对应 · 2026-08

JINGZHANG RESONANCE · V13 PILOT

English reading note

Organizes low-disturbance actions from protection and repair to opening, connection, and reversible operation.

Review focus

The sequence prioritizes public continuity and everyday use before technology or new construction.

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.

06A

卷二 | 和鸣，概念与策略

和 / 鸣 · 调适与文化母题

2.1 为什么叫“和鸣”

“和”不是抹平差异；“鸣”不是独自发声。

它们共同指向：不同声部各自成立，并在同一空间彼此听见。

和

调和 / 协调

保留差异，形成共同秩序

鸣

发声 / 被听见

各有节奏，进入共同关系



共同可听

琴瑟和鸣

不同声部同时进行，在共同拍点处形成和声关系。

琴 · 七弦抽象声部

琴 · 多弦抽象声部



复调 · 三种独立节奏在共同拍点形成和鸣

视觉意向 / 研究表达 / 非现状、非测绘

和而不同：各自成声，相遇成和

下一页：Resonance 的科学关系与空间营造

城市设计研究院 · 概念来源与关系营造 · 非现状规划成果 · 2026-08

JINGZHANG RESONANCE · V13 PILOT

English reading note

Derives the spatial concept from railway continuity, bell resonance, and the coexistence of three independent public values.

Review focus

The metaphor structures decisions; it does not replace site evidence.

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.

06B

卷二 | 和鸣，概念与策略

RESONANCE · SPATIAL TRANSLATION

2.2 保留差异，以公共接口建立有效耦合

共振不是“大家变成同一个频率”，而是保留固有差异，通过有效接口放大关系。

科学类比：外部周期接近系统固有频率，响应被放大；空间翻译必须回到节点和界面。

视觉意向 / 研究表达 / 非现状，非测绘



差异保留 · 遗产生态

S02 大神寺：保留静区与转场边界，同时打开许可首层。

视觉意向 / 研究表达 / 非现状，非测绘



界面耦合 · 校企创新

S04 五道口—清华东路：以公共前场连接校企资源与社区日常。

三种声部各自成声，在可审查的公共接口形成回应

遗产生态

S02 / S05

保留安静、水岸与遗产底线

社区日常

S03

连续漫步、过街与知识停留

校企创新

S04 / S06

只在许可首层与前场共享

公共接口

节点 / 界面 / 街道

三者同时满足才形成空间回应

空间意义

保留差异，建立耦合，放大关系；具体设计仍须落到节点、界面与分段。

城市设计研究团队 · 概念规划与节点翻译 · 京张铁路沿线成果 · 2026-08

JINGZHANG RESONANCE · V13 PILOT

English reading note

Translates the three voices into a weakest-link test, independent thresholds, and a reversible permission framework.

Review focus

AI is not a fourth voice and receives only time-limited, site-specific, revocable permission.

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.

2.3 / 2.4 从沿线总谱到空间动作

总谱只做一件事：看出哪里关系已经发生，哪里需要按最弱声部补足。



The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.

08

PART

卷二 | 保留—接入—共享—校准


ACTION MATRIX

2.3 / 2.4 从动作意向到对象、节点与验收

08 不再重复动作口号，而把每个 Tokai 视图压缩为“对象—动作—验收”的执行单元。

节点对应沿用 1.2 的八段体系；色彩只表达动作意向，不能替代场地核对。

视觉意向 / 研究表达 / 非现状、非测绘



01

保留

S05 • 沿河河流产卵

对象 水岸、树荫、遗址、滩涂路径

动作 划定不侵占底线

验收 新增绿带不侵占底线

视觉意向 / 研究表达 / 非现状、非测绘



02

接入

S03 • 沿路路—古渡口

对象 铁路、快速路、围墙、桥头路

动作 补连接慢行与站点接口

验收 站点到慢行连接可达

视觉意向 / 研究表达 / 非现状、非测绘



03

共享

S06 • 众物同水岸临场

对象 入口、桥下、街角、水岸临场

动作 开放许可首层和公共临场

验收 不同声部共享都不雷同

视觉意向 / 研究表达 / 非现状、非测绘



04

校准

S01—S06 • 分段复核

对象 展板、时点、试点与边界边界

动作 按强弱声部增减强度

验收 可暂停、可减速、可回退状

执行顺序

01

先守底线

02

再补缺口

03

后建关系

04

最终收敛

保留是底线，接入是补缺，共享是关系，校准是控制。

每一步均需在对应节点完成对象核对与结果验收。

城市设计研究图 · 四个动作执行逻辑 · 研究表达 · 2026-08

JINGZHANG RESONANCE · V13 PILOT

English reading note

Links protection, interface opening, walking repair, shaded pauses, and managed test spaces to recurring site conditions.

Review focus

Every action remains conditional on verified boundaries, access, safety, and maintenance responsibility.

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.

3.1 绿廊贯南北，三区定位置，两翼接资源

范围与分区均为研究表达, 正式边界、权属和工程条件仍需在后续阶段复核。




09 先讲总体位置, 10 再讲哪些慢行, 雨水与公共空间连接需要被补上。

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.

3.2 以已核对道路、水岸与节点补足城市联系

JINGZHANG RESONANCE - VIB PICO



English reading note

Differentiates the nine-kilometre corridor into locally specific segments rather than applying one uniform design language.

Review focus

Segment actions respond to distinct heritage, mobility, campus, community, and waterfront conditions.


The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.

12

PART

卷三 | 九公里分段、节点与断面
SEGMENTS / NODES / SECTIONS
3.3 同一条走廊有六种不同空间性格

先定六段，再决定节点等级和典型断面；不把整条绿廊画成同一种空间。



01 北站门户	重组站城关系	门户断面
02 大钟寺	保护与打开并置	文保断面
03 知春路	补过街与换乘	路口断面
04 五道口	打开校企界面	高校断面
05 清华园	修复遗产与日常	遗产断面
06 众智园	接入水岸与清河	水岸断面

节点等级：门户 / 重点区 / 接口 / 线性停留点；断面随问题切换。

六段不是六张孤立图，而是一条连续走廊里的六种回应

12 将节点等级与断面位置定下来，13—15 再分别进入三个重点区。

城市设计导则：九公里分段与节点体系 - 研究线位 - 2026-08

JINGZHANG RESONANCE - V13 PILOT

English reading note

Defines six spatial characters - 01 North Station Gateway, 02 Dazhongsi, 03 Zhichun Road, 04 Wudaokou, 05 Tsinghuayuan, and 06 Zhongzhi Park - plus a node hierarchy and section types.

Review focus

Section types are design prompts and must be recalibrated with verified dimensions and engineering conditions.

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.



English reading note

Coordinates a heritage quiet zone, open ground floors, a public forecourt, and a station-to-forecourt walking link.

Review focus

The three action points are research locations, not measured node positions.

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.



English reading note

Prioritizes school-route safety and accessibility, adds an everyday forecourt, and proposes a permission-based campus interface.

Review focus

Crossings, forecourts, and openings require verified road, campus, and property boundaries.

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.

English reading note

Links a Qinghe ecological buffer, Xuezhiyuan Station access, and a managed innovation-service forecourt.

Review focus

The park extent remains provisional and the waterfront relationship requires field and ownership verification.

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.



16

PART

卷五 | 场景进入的空间条件

CONDITIONAL SCENARIOS

5.1 每个场景必须逐项通过位置、时间、边界、退出四道门

AI 场景不是第四声部，也不是永久占地；只有逐项通过四道门，才可短时进入。

规划文字是判定依据，Tokai 策略只展示动作意向，不构成许可、现状或测试结论。

空间条件四道门

01 位置

必须落在 12 的节点或接口范围

无状态节点：不进入

02 时间

错峰运行，不占课学与日常高峰

时间冲突：延迟或暂停

03 边界

守住水岸、遗产、消防、无障碍

需求受限：立即退出

04 退出

可拆、可暂停、可恢复公共空间状态

不能恢复：不进入

受控场景 · 逐项判定

位置 → 时间 → 边界 → 退出

场景	位置 / 节点	时间	边界	退出
遗产导览	S02 大神寺重点区	09:30—16:00 避开课学时段	遗产核心区 / 消防通道 人工引导	撤离节点 恢复原状
生态监测	S05 清华园小月洞接口	维护窗口 只读采集	水岸缓冲 / 不扰动 不设永久基础	移除设备 停止采集
夜间配送	S01 北站门户 附近服务段	23:00—05:30 限时配送	消防 / 无障碍优先 人工可接管	定点清场 异常暂停
自身测试	S04 五道口高校协议范围	09:30—16:00 避开 07:00 / 16:30	封闭边界 / 人工在场 不占公共通行	撤离设备 协议禁止停留

动作意图 · 完整构造

视觉意向 / 研究表达 / 非现状、非测试

视图与规则的对应关系

节点	S01 北站门户 / S02 大神寺 / S04 五道口 / S05 清华园
动作	导览点、只读设备、限课配送、协议测试
边界	仅在上方位置，时间与边界条件同时成立时进入
退出	任一道门不通过，立即暂停并恢复公共空间状态

判定顺序

先问位置，再问时段；先守住边界，再验证退出；任一道门不通过，场景不进入。

城市设计研究组 · 实验场景四道门与逻辑判定 · 2026-08

JINGZHANG RESONANCE · V13 PILOT

English reading note

Every scenario must pass four gates: location, time, boundary, and exit. Failure at any gate prevents entry or triggers an immediate pause.

Review focus

Exact time controls shown here are 09:30-16:00 for the daytime window, 23:00-05:30 for night delivery, and avoidance of the 07:00 and 16:30 school-route peaks. Generated scenes illustrate possible actions only; the written rules are the decision basis.

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.

PROVISIONAL GEOMETRY / NOT AN OFFICIAL REDLINE
VISUAL INTENT / RESEARCH EXPRESSION / NOT EXISTING CONDITIONS / NOT SURVEY / NOT STATUTORY

UNCLEARED EMBEDDED MEDIA / INTERNAL REVIEW ONLY / DO_NOT_PUBLISH
Jing-Zhang Resonance | 19


17

PART

卷五 | 分期实施与运营
IMPLEMENTATION / OPERATION
5.2 近期补网，中期落点，远期运营

实施不是把图纸一次性建完，而是先补公共联系，再按条件推进重点区，最后持续运营。

每一阶段都要回到 09—16 的空间证据、节点等级与场景规则。



真实卫星影像 + 分期重点研究

近期：按口补网

中期：节点补网

远期：运营校准

三阶段 + 三类责任

01 近期 0—2 年

补齐慢行接口，过街、照明与权属核查

公共部门 / 绿廊地



V13 生活圈 / 绿廊地 / 研究表达
策略性、非落地、非运营性

02 中期 3—5 年

三重点区落位，打开首层，授权节点试点

属地 + 产权主体



V13 生活圈 / 绿廊地 / 研究表达
策略性、非落地、非运营性

03 远期 5 年以上

按运行留痕调整场景，开放规则与维护

运营平台 / 社区



V13 生活圈 / 绿廊地 / 研究表达
策略性、非落地、非运营性

验收闭环：空间是否接通？日常是否优先？场景能否暂停？维护主体是否明确？

先让城市关系发生，再让新增功能发生；运营决定和鸣能否持续

17 收集全套分析图：从事实、概念、落位到实施，均可回溯到具体空间。

城市设计导则：分期实施与运营，研究图则版 - 2026-08

JINGZHANG RESONANCE - V13 PILOT

English reading note

Moves from near-term interface repair (0-2 years), to middle-term verified key-area pilots (3-5 years), and then to long-term operational recalibration (5+ years).

Review focus

Each phase returns to spatial evidence, public-value baselines, pause rules, and named maintenance responsibility.

The source plate is retained for spatial traceability. The English note carries the review meaning; Chinese labels are not additional claims.

Submission Readiness and Outstanding Dependencies

- 1 Confirmed: GitHub submitter varliuvar; AI model scope declared in agent.json without inferring an unverified runtime sub-model.
- 2 Confirmed: Chinese and English proposal, HTML, five core figures, A3 booklet, A0 boards, and visual index are paired in the manifest.
- 3 Provisional: official site redline and exact polygons for the three key areas; all geometry-derived metrics must be recalculated when supplied.
- 4 Outstanding: survey, ownership, control-plan, road, waterfront, utilities, fire, accessibility, structural, and maintenance verification.
- 5 Outstanding: redistribution clearance for external basemaps and references, plus complete per-image generation provenance.