

# An AI city every body can use independently

One public baseline · two equivalent paths · three key areas

CONCEPT PROPOSAL · NOT STATUTORY


A city's intelligence is not measured by the number of devices, but by whether anyone can understand, choose, complete and exit the same public service.

11.4128 km<sup>2</sup>  
Provisional overall scope

373,402 m<sup>2</sup>  
Conceptual building footprint

21.3097%  
Provisional green ratio

18.1788%  
Provisional public-space ratio




## Three scope layers, one continuous public baseline

- Continuous north-south spine
- Direct multimodal path
- Quiet low-stimulus alternative
- Three transverse interfaces
- Ten independent-completion points

PUBLIC BACKGROUND    PROVISIONAL    CONCEPT PROPOSAL

# Conceptual land use and shared baseline



## 03 / LAND USE + STRUCTURE

### Four conceptual functions share one baseline

Functional relationships test whether R&D, public space, adoption and community service support each other. They are not existing land use, zoning, title or development-capacity conclusions.

- Universal interface R&D + validation
- Accessible park + quiet open space
- Inclusive AI services + adoption
- Independent-living co-design + community

## CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

- PUBLIC BACKGROUND
- PROVISIONAL
- CONCEPT PROPOSAL

# Three areas: validate — co-design — adopt

EVERY SENSE JING-ZHANG / 万感京张

## THREE KEY AREAS: FROM CAMPUS ROLES TO HUMAN-SCALE OPERATING CONTRACTS

TEN CONCEPT NODES • PUBLIC / BACK-OF-HOUSE FLOWS • AI-OFF RECOVERY

01

ZHONGZHIYUAN UNIVERSAL INTERFACE LAB

continuous arrival, emergency stop and human handover

首层运行图 / GROUND-FLOOR OPERATING DIAGRAM

EQUIVALENT PATHS WITHIN ONE FIELD OF VIEW

QUIET BAY

LOW-STIM

TACTILE

DIRECT

STAFFED

STOP

stop if emergency stop or handover fails

RESUME

closed test + fault bypass + maintenance card

DAILY MODE ⇄ TEST MODE (REVERSIBLE)

02

AI ORIGIN INDEPENDENT-LIVING CO-DESIGN LAB

quiet alternative, easy-read flow and error recovery

首层运行图 / GROUND-FLOOR OPERATING DIAGRAM

EQUIVALENT PATHS WITHIN ONE FIELD OF VIEW

QUIET BAY

LOW-STIM

TACTILE

DIRECT

STAFFED

STOP

stop if accommodation or withdrawal is missing

RESUME

participant review + reversible correction record

DAILY MODE ⇄ TEST MODE (REVERSIBLE)

03

DAZHONGSI INCLUSIVE ADOPTION MARKET

no-account service, payment alternative and event exit

首层运行图 / GROUND-FLOOR OPERATING DIAGRAM

EQUIVALENT PATHS WITHIN ONE FIELD OF VIEW

QUIET BAY

LOW-STIM

TACTILE

DIRECT

STAFFED

STOP

stop if staffed service, appeal or quiet exit fails

RESUME

equivalent route + disposal record + G3 review

DAILY MODE ⇄ TEST MODE (REVERSIBLE)

CONCEPT PROPOSAL • PROVISIONAL BOUNDARY • NOT A STATUTORY PLAN • NOT AN ENGINEERING ALIGNMENT

PUBLIC / PROVISIONAL / CONCEPT

04 / THREE KEY AREAS

## The three key areas are not three identical campuses

Zhongzhiyuan hosts controlled validation; AI Origin Community hosts voluntary co-design and independent-task tests; Dazhongsi tests procurement, maintenance, correction and exit. Every key-area boundary is provisional.

- 01 ZHONGZHIYUAN

UNIVERSAL INTERFACE LAB

Validation gate • visible status • human takeover
- 02 AI ORIGIN COMMUNITY

INDEPENDENT-LIVING CO-DESIGN LAB

Quiet alternative • easy-read lobby • voluntary exit
- 03 DAZHONGSI

INCLUSIVE ADOPTION MARKET

Multichannel commerce • payment alternative • maintenance entry

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT


PUBLIC BACKGROUNDPROVISIONALCONCEPT PROPOSAL

# Continuous access and AI-switch equivalence

EVERY SENSE JING-ZHANG / 万感京张

## TEN-NODE EQUIVALENT SERVICE NETWORK: TASKS WORK WITH AI ON OR OFF

DIRECT MULTIMODAL LINE + LOW-STIMULUS ALTERNATIVE + HUMAN RECOVERY



05 / MOBILITY + BLUE-GREEN

## Basic service remains equivalent with AI on or off

The direct multimodal path and quiet alternative run in parallel. With AI off, offline or declined, fixed signs, paper and easy-read information, staffed help and an account-free path remain available. Centrelines express conceptual relationships only.

- AI ON: multimodal wayfinding • visible status • human takeover
- AI OFF: tactile / visual / easy-read • fixed signs • staffed point

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND

PROVISIONAL

CONCEPT PROPOSAL

# Brand, culture and international communication

## MARK IN TWO STATES



Dark and light grounds share one line grammar; the lines must never be reshaped into a corporate emblem or a portrait.

## COLOUR SEMANTICS




#10383d

Rail and night ground



#177c78

Universal access baseline · available



#d76450

Human takeover · emergency stop · help




#6b5b95

Co-design and participant evidence



#d6a13b

Culture and heritage layer



#f2efe7

Ground and white space · glare control

Colour must never carry information alone; any colour-coded state must also carry shape, text or tactile redundancy.

## THREE-TIER CULTURAL NARRATIVE

01

### Spine narrative line

#### SPINE NARRATIVE

A continuous tactile cultural band along the Jing-Zhang heritage park; any segment can be paused, skipped or repeated.

#### Carrier

Tactile band · paved segments · fixed signs

#### Channels

Tactile · graphic · easy-read text

#### AI off

Entirely physical; independent of power and network

#### Condition

Material, slip resistance, maintenance and heritage terms pending

02

### Three landmarks

#### THREE LANDMARKS

Zhongzhiyuan's "Shared Gauge Gate" carries validation culture, AI Origin Community's "Every Sense Origin" carries co-design culture, Dazhongsi's "Hundred Senses Deck" carries adoption and correction culture.

#### Carrier

Public record faces at the three landmarks

#### Channels

Tactile · graphic · text · optional audio

#### AI off

Cast lettering and replaceable plates keep the latest public record

#### Condition

Records reviewed by participants and anonymised

03

### Node micro-stories

#### NODE MICRO-STORIES

Each of the ten independent-completion points carries a short interpretation, off by default and opened by the user.

#### Carrier

Optional interpretation at ten completion points

#### Channels

Audio · captions · sign language · easy-read

#### AI off

Falls back to the fixed sign and staffed explanation

#### Condition

Sign-language and multilingual versions assessed by their users

## 06 / BRAND · CULTURE · GLOBAL

# One line grammar carries brand, culture and outward communication

The brand grammar abstracts the Jing-Zhang railway's "one standard gauge" into parallel sensing lines and an open node: one gauge lets different trains share a network, universal design lets different bodies share a city. Cultural work first builds a traceable resource inventory, then chooses carriers, and only then reaches symbols and wayfinding.

## One city. Many ways to sense it.

一座城市，多种感知，共同行走

## AUDIENCE LAYERS

### International professionals

Test methodology, protocols and failure samples in the open

### International public

Paired AI-on / AI-off comparisons that show service equivalence

### Residents along the corridor

Easy-read Chinese, sign language and captions

### Developer community

Open problem library and scenario test procedures

## APPLICATION

### Station wayfinding

Relief and high-contrast print together; wheelchair turning and seated operation

### Tactile paving

Parallel sensing lines express several channels to one destination

### Event graphics

Removable and repairable; fixed public information is never displaced

### International collateral

Easy-read and high-contrast versions, human proofreading retained

AI ON = AI OFF: when the network or power is down or consent is declined, cast lettering, braille, tactile relief and fixed graphics remain readable; historical content does not disappear when the system is off.

Events, partnerships, communication plans and landmark names on this page are concept proposals; typefaces, images and audiovisual material must be cleared item by item before use.


## CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND

PROVISIONAL

CONCEPT PROPOSAL


# Metric recalculation and evidence chain



## 07 / METRICS + EVIDENCE

# Recalculated metrics show in-package consistency, not statutory figures

Scope area, building footprint, green ratio and public-space ratio derive from the submitted provisional geometry; the green and public-space envelopes share one denominator and deliberately overlap by 452,986.656 sqm, so the two ratios must not be added. Ten structural counts count the proposal's own objects and can be re-counted inside the package. Inclusion performance must come from real participants, reasonable accommodation and outcome testing; all of it is still to be tested.



## TO BE FIELD-TESTED

- Unaccompanied independent task completion
- Two-channel information redundancy
- AI-switch service equivalence gap
- Forced abandonment rate

Provisional geometry recalculation — not a statutory or official precise metric.

## CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

- PUBLIC BACKGROUND
- PROVISIONAL
- CONCEPT PROPOSAL

# Sources, assumptions and conditions for deepening

SOURCES + ASSUMPTIONS

08 / EVIDENCE BOUNDARY

## Traceable sources and declared gaps

|                                    |                                              |                                             |                               |
|------------------------------------|----------------------------------------------|---------------------------------------------|-------------------------------|
| 28                                 | 16                                           | 9                                           | 6                             |
| registered sources<br>sources.json | official public materials<br>official_public | standards and codes<br>standard_matrix.json | international cases<br>CASE→* |

OFFICIAL-ANNOUNCEMENT

Open call: task, three scope layers, key areas and deliverable context

AGENT-TASKBOOK

Cleared taskbook: six tasks, scenarios, brand and operating requirements

ACCESSIBILITY-LAW-CN

Barrier-Free Environment Construction Law: equal participation and accessible information

ELDERLY-SMART-TECH-PLAN-CN

GBF [2020] No.45: traditional and smart services running in parallel

GENERATIVE-AI-INTERIM-MEASURES-CN

Interim Measures for Generative AI Services: scope of application and complaint handling

W3C-ACCESSIBILITY-PRINCIPLES

Perceivable, operable, understandable, robust interface principles

WHO-DISABILITY-HEALTH

Background on environmental and service barriers to participation

CASE-\* × 6

Cornell Tech · MIT Kendall · CETRAN · Barcelona Urban Lab · Marineterrein · JTC LaunchPad

OSM-BACKGROUND-CONTEXT-20260810

Crowd-sourced roads, rail, buildings, green/water and stations — background\_only

STANDARDS (9: five mandatory · four reference)

PROJECT-OFFICIAL-ANNOUNCEMENT

Planning coordination

MOHURD-URBAN-DESIGN-MEASURES

Urban design

MNR-LAND-USE-CLASSIFICATION-GUIDE

Land-use classification

BARRIER-FREE-ENVIRONMENT-LAW

Barrier-free environment

GENERATIVE-AI-INTERIM-MEASURES

AI governance and data compliance

PROJECT-AGENT-OPEN-CALL-TASKBOOK

AI co-design and operation

MOHURD-CONTROL-DETAILED-PLANNING

Regulatory plan delivery

MOHURD-ARCH-DESIGN-DEPTH-2016

Architectural depth

ELDERLY-SMART-TECH-PLAN-2020-45

Ageing and inclusive public service

The source list is registered against the current sources.json; standards and codes are listed in standard\_matrix.json. Every entry can be checked item by item inside the package.

08 / REQUIRED BEFORE DEEPENING

## Must be filled before deepening

01 Official precise overall boundary and the three key-area polygons

02 Zoning, FAR, height, density, setback and permitted-use conditions

03 Road lines, gradient, crossings, stations and utility capacity

04 Building survey, title, structure, fire and heritage conditions

05 On-site accessibility and sensory-load baseline

06 Real-participant co-design, ethics, privacy and operating accountability

### Stage zero: a 90-day evidence gate, not a construction schedule

G0 verifies material, permissions and task scripts; G1 produces a reversible prototype; G2 completes closed paired testing; G3 obtains independent review. Nothing advances without passing its gate; where conditions are insufficient, pause, downgrade or exit.

KEY ASSUMPTIONS

Submitted geometry is provisional working geometry — not an official redline, title boundary, statutory control or precise-area basis.

The four conceptual building footprints do not overlap, so their sum equals the dissolved area; this is not a cleared existing-building survey.

The green and public-space envelopes deliberately overlap by 452,986.656 sqm and share one denominator, so the two ratios must not be added.

The three key areas are conceptual objects, not cleared official polygons, and imply no land-use or title conclusion.

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND

PROVISIONAL

CONCEPT PROPOSAL