

THE DATA CO-OP LINE

One no-data main line, three cooperative governance stations and six reviewable gates along the Jing-Zhang Railway Heritage Park. Every spatial anchor remains a conceptual proposal under provisional boundaries.

11,412,825.386 m²

provisional computed boundary

not an official redline

40,063.344 m²

conceptual building footprint

reversible test-fits

12 / 3

scenarios / industry tests

SCN-01—12 · 04—06

100%

no-data-equivalent target

human review + equivalent path

EVIDENCE CHAIN			
SPINE · DATA-COOP-REVIEW-SPINE-01	FIELD · DAZHONGSI-FIELD-OPS-01	DRILL · DAZHONGSI-DRILL-01	PLAN · DATA-COOP-PLAN-ALIGNMENT-01
966cd7eed4227078342f4bcd5aacf039438f7720a1049fceb9a67413411e7ee	4613343f7943bc81207db0fc3c8ad2a98bc97fb1e4f0442eb215f1e36a773a61	86ebfa7655e4cc79fb9d155d22cb62c821a131ec5e4882d71153e7dd13bd5507	fa284ec31ae8fc68a88a3b73ef9b3eb2cf9278f597b9df55ae3f0d391d45adda

Boundary: all areas are conceptual quantities under provisional geometry; the approval document number, exact approval date, complete plan text, statutory drawings and rights-cleared vectors remain unretrieved; this proposal is not government endorsement, an award, or implementation.

Why this path

R1 source authority → R2 spatial recomputation → R3 operations drill → R4 fail-closed → R5 boundary statement. Each step states verified vs unproven, so reviewers can replay it without opening every appendix. A self-test dropping any step must fail closed.

FIVE-MINUTE REVIEWER EVIDENCE SPINE

From source authority to fail-closed evidence — separate verified, pending, and prohibited inference

SPINE ID DATA-COOP-REVIEW-SPINE-01

ROUTE 5:00 · 5 STEPS

SHA-256 966cd7eed4227078342f...be9a67413411e7ee

SHORTER REVIEW PATH — NO EVIDENCE UPGRADE.

Provisional geometry ≠ official redline; synthetic pass ≠ field fact; not_observed ≠ risk cleared.

145 SEC
R1-AUTHORITY

Source authority and control-data gap

Which facts may support formal statements, and which control geometries remain missing?

VERIFIED

4/4 provisional scope geometries match the frozen source; 18/18 source-hash and use-boundary checks pass; official-control geometry remains 0 features with six missing classes.

PENDING / DO NOT INFER

Zero features records a verified gap; it does not mean controls do not exist.

4/4

provisional geometries match

255 SEC
R2-SPATIAL

Spatial quantities and recalculation signature

Do figures, prose, and metrics come from one GeoJSON calculation chain?

VERIFIED

EPSG:4548 union recalculation gives 11,412,825.386 sq m of provisional overall scope, 40,063.344 sq m of concept footprint, 2,384,747.221 sq m of concept green, and 98,164.982 sq m of concept public space; evidence signature c880c438...a45bbf.

PENDING / DO NOT INFER

These values hold only inside the provisional computation package; they are not statutory areas, capacities, or quantities.

18/18

site-evidence checks

365 SEC
R3-MVP

Spatial-operational rehearsable MVP

Does the core claim reach one locatable, stoppable, and recalculable prototype?

VERIFIED

DAZHONGSI-MVP-01 joins SCN-05/09/10 as purpose ticket—withdrawal receipt—public return: 720,454.219 sq m provisional key area, 13,361.508 sq m across two room test fits, 32,739.258 sq m public receipt space, 1,614.218 m concept network, and human review plus no-data equivalence for 3/3 scenarios.

PENDING / DO NOT INFER

The quantities check concept relationships; entrance, right-of-way, accessibility, and engineering feasibility remain pending field and professional evidence.

215/215

field-template checks

470 SEC
R4-FIELD-CONTROL

Field responsibility, evidence slots, and stop

Are unknown states, single accountability, and start/stop/resume conditions

VERIFIED

DAZHONGSI-FIELD-OPS-01 contains five pending collection points, three routes to verify, six RACI roles, 6—4 gates, eleven receipts, and six sign-off slots; its audit passes 215/215.

PENDING / DO NOT INFER

Field authorization is unknown and workflow is not_observed; all field values, entities, and signatures remain null / unknown / not_observed / not_signed.

21/21 + 8/8

synthetic cases + negative fixtures

565 SEC
R5-FAIL-CLOSED

Fail-closed tests and submission gates

Do the suite and submission gates fail loudly when a case is skipped, a link breaks, a field is filled

VERIFIED

DAZHONGSI-DRILL-01 passes 21/21 synthetic cases and all 8/8 negative fixtures fail closed; the final submission must also pass deterministic, spatial, visual, and professional gates plus preflight.

PENDING / DO NOT INFER

Synthetic passing proves only reproducible contract logic, not site access, service operability, permission, or risk clearance.

4 GATES

full self-check + preflight

SOURCE visual/assets/reviewer-evidence-spine.json · FREEZE 9782df83a8f2 · SPINE SHA-256 966cd7eed4227078...67413411e7ee

Authority → recomputation → drill → fail-closed → boundary; 5 steps in 300 s.

Provisional boundary and conceptual quantities; not an official redline, approved metric, or implementation commitment.

02 / 12

Reading the map

Three conceptual key areas inside the provisional boundary: Zhongzhiyuan, AI Origin Community, Dazhongsi; none is an official centre boundary.

Provisional computed boundary 11,412,825.386 m²; key-area geometry matches the repository provisional source 4/4.


Missing official-control geometry stays a registered empty set; no notice text is digitized.

THE DATA CO-OP LINE · CENTENNIAL JING-ZHANG AI INNOVATION BELT

THE DATA CO-OP LINE: DATA GOVERNANCE AS CIVIC ROOMS

One no-data main line · three cooperative-governance stations · six reviewable gates

PROVISIONAL DESIGN FRAME



01 COLLECTIVE CHARTER

AI Origin Community

02 CONTROLLED USE

Zhongzhiyuan

03 PUBLIC RECEIPT

Dazhongsi

Collective charter

Temporary use right

Visible data work

Derivative receipt

Public return

No-data equivalence

NOT A DATA-HARVESTING DISTRICT

A cooperative governance prototype; no registered entity, partnership or approval is claimed.

PROVISIONAL · 0 OFFICIAL CONTROLS (VERIFIED GAP) · NOT FOR APPROVAL

SOURCE: frozen repository · 4/4 geometry · 18/18 audit · ce2c6bcee348

Heritage-park line, three areas and the provisional boundary; dashed = provisional.

Structure

Land-use polygons fully cover the provisional boundary; adjacent polygons share boundary coordinates; no unlabeled space.

Conceptual green space 2,384,747.221 m² (20.8953%); public space 98,164.982 m² (0.8601%).


Ratios are recomputed from provisional geometry, not statutory controls.

THE DATA CO-OP LINE · CENTENNIAL JING-ZHANG AI INNOVATION BELT

02

THE SPACE-INDUSTRY-GOVERNANCE LOOP

Three Zones and Two Wings form one journey from collective charter to public return



Zhongzhiyuan
Controlled use + audit

AI Origin
Collective charter + data work

Dazhongsi
Public receipt + adoption

TWO WINGS / SUPPORT

ZHONGGUANCUN TECHNOLOGY SERVICES WING
Law · standards · privacy engineering · security · audit

XIAOYUE RIVER SCENARIO ENABLEMENT WING
Public questions + controlled test contexts; never a default collection corridor

PROVISIONAL BOUNDARY · CONCEPTUAL RECOMMENDATION · FULL RECALCULATION REQUIRED

SOURCE: submission GeoJSON + metrics.json · 2026-08-14

Land-use partition and conceptual ratios; fully recomputable from geometry.

Key-area roles


Zhongzhiyuan hosts charter and public-service scenarios; AI Origin Community hosts culture and contribution scenarios; Dazhongsi hosts the single rehearsable MVP. Dazhongsi MVP key area 720,454.219 m²; reversible room footprint 13,361.508 m²; public receipt space 32,739.258 m². PROV-KEY-001—003 are provisional constraint layers, not official centre extents.

THE DATA CO-OP LINE · DAZHONGSI MVP 01


THREE KEY AREAS: A REHEARSABLE DAZHONGSI LOOP

A directional narrative becomes a recalculable, stoppable, reversible spatial rehearsal; every location remains provisional

ONE LINE / THREE ZONES



DAZHONGSI RECEIPT RAIL



3 / 3 nodes: human review + no-data-equivalent path (design target, not observed performance) · entrances/rights/heritage/utilities/fire/access pending

EVIDENCE c880c4389243 · EPSG:4548 · PROVISIONAL / NOT FOR APPROVAL

Roles and relations of the three key areas; all annotations are conceptual.

Walking-cycling and blue-green network

Network

No-data-equivalent walking/cycling line: conceptual MVP segment 1,614.218 m; no-data route coverage 100%.
The blue-green network links the heritage park with public receipt spaces across the three areas, serving the full enter-use-exit journey.
No entrance, right-of-way or accessibility performance is confirmed; transport and field surveys pending.

THE DATA CO-OP LINE · CENTENNIAL JING-ZHANG AI INNOVATION BELT

04

NO-DATA MAIN LINE + BLUE-GREEN ACTIVE TRAVEL

People who do not join, scan or contribute data can still travel, understand and complete the same basic service

NO-DATA
MAIN LINE



CONTROLLED USE /
ZHONGZHIYUAN

COLLECTIVE CHARTER / AI
ORIGIN

PUBLIC RECEIPT /
DAZHONGSI

BLUE-GREEN COMPANION

NO APP / NO SCAN

Physical signs, staffed desk and paper receipt

STEP-FREE

Wheelchair, elder and sensory-access checks

SAME OUTCOME

Refusal to contribute data never reduces a basic service

BLUE-GREEN FIRST

Shade, rest, rainwater and low-disturbance operation

PROVISIONAL BOUNDARY · CONCEPTUAL RECOMMENDATION · FULL RECALCULATION REQUIRED


SOURCE: submission GeoJSON + metrics.json · 2026-08-14

Walking line, stitches and blue-green space; no real right-of-way conclusions.

THE DATA CO-OP LINE · EVIDENCE CONSISTENCY

METRICS — EVIDENCE — SINGLE SOURCE

GeoJSON is authoritative; metrics, prose, HTML, figures and PDFs share one EPSG:4548 snapshot



INDUSTRY TESTS ARE SCENARIOS 04–06



BOUNDARY AND COMPLETION CONTRACT

All areas and ratios are conceptual quantities under provisional geometry. Rebuild topology and recalculate when official boundaries arrive. All 12 scenarios require human review and a no-data equivalent.

SOURCE: submission GeoJSON + metrics.json · EPSG:4548 · verified 2026-08-15 · c55ef181cb

Recomputation

All metrics are union-recomputed from geometry in EPSG:4548; evidence signature c880c438...c4a52 covers geometry inputs, metrics and the scenario list.

This figure is the only evidence raster pinned pixel-exactly into all four PDFs; any substitution is caught by the raster audit.

FAR, height and density await the official plan and existing-condition survey; no guessed values.

Metrics-evidence-single source of truth; signature and freeze are publicly verifiable.

Dazhongsi Field-Operations Responsibility & Evidence Template

PENDING AUTHORIZATION · FIELD-FILLABLE · NOT A MAP OR FIELD RECORD

PACK ID DAZHONGSI-FIELD-OPS-01
MVP ID DAZHONGSI-MVP-01
SHA-256 4613343f7943bc81207db0fc3c8ad2a98bc97fb1e4f0442eb215f1e36a773a61

NOT OBSERVED This is a field-fillable responsibility and evidence template. It contains no field observations, confirmed entities, implementation permission, or operating commitment.
Field authorization unknown · Workflow not_observed

5 PENDING COLLECTION POINTS

- 1

Candidate transit-entrance verification point

unknown
- 2

Continuous accessible-route verification point

unknown
- 3

Purpose-ticket collection point

unknown
- 4

Withdrawal-receipt collection point

unknown
- 5

Public-return collection point

unknown

3 ROUTES TO VERIFY

- 01

Entrance—accessibility—purpose-ticket arrival route

not_observed

path null
- 02

Data-participation main line

not_observed

path null
- 03

No-data-equivalent main line

not_observed

path null

TIME · FAILURE · PRICE · ACCESSIBILITY · HUMAN TAKEOVER
All not_observed; every value and conclusion is null

6 RACI ROLES · EXACTLY ONE A PER ACTIVITY

- 1

Field-validation lead
- 2

Accountable site operator
- 3

Accessibility review
- 4

Data and permission review
- 5

Safety and stop review
- 6

Evidence custodian

Entity assignments: null / unknown

ACTIVITY	1	2	3	4	5	6
Authorize start	R	A	C	C	C	I
Collect two-line and accessibility observations	A	C	R	I	C	R
Run three-stage paper or synthetic rehearsal	R	A	C	R	C	I
Trigger pause or stop	R	A	R	R	R	I
Seal evidence and signatures	C	A	C	C	C	R
Verify recovery conditions and authorize resume	R	A	C	C	R	I

R / C / I distribute work; they never replace the single accountable role.

6—6—4 OPERATING GATES

- 6 START · ALL MUST BE VERIFIED

1

Entrance, actual routes, and right-of-way availability verified

unknown

2

Continuous accessible route and reasonable accommodation verified

unknown

3

Ownership, heritage, utilities, fire, and safety boundaries verified

unknown

4

Accountable operator and field lead confirmed in writing

unknown

5

Only synthetic, paper, or permitted minimum-necessary material is used

unknown

6

Both main lines, human takeover, and emergency stop are testable

unknown
- 6 STOP · ANY TRIGGER PAUSES/STOPS

1

Provenance or permission is unproven, or the rehearsal requires live payment, personal trajectory, or covert identifiers

not_observed

2

The entrance, accessible route, or either main line is not safely passable

not_observed

3

Human takeover is unavailable or does not respond within the recorded time

not_observed

4

An unresolved gap appears between the two lines in time, price, failure, basic output, or safety

not_observed

5

Derivative mapping is incomplete, residual effects are undisclosed, or staffed/offline withdrawal is unavailable

not_observed

6

Public return lacks beneficiary, due date, acceptance, or non-delivery status, or is framed as payment for consent

not_observed
- 4 RESUME · SAME-METHOD RETEST + JOINT SIGN-OFF

1

Stop cause, affected scope, and responsible role recorded

unknown

2

Corrective action completed and retested with the same method

unknown

3

All start conditions are re-verified and no new stop trigger is present

unknown

4

Site operator, safety reviewer, and field lead jointly sign the resume decision

unknown

11 EVIDENCE RECEIPTS / ALL NOT_OBSERVED

- 001

Entrance and right-of-way verification
- 002

Continuous accessible-route verification
- 003

Purpose-ticket stage record
- 004

Withdrawal-receipt stage record
- 005

Public-return stage record
- 006

Ownership, heritage, utilities, fire, and safety verification
- 007

Accountable operator confirmation
- 008

Material provenance and permission register
- 009

Human-takeover and emergency-stop drill
- 010

Pause or stop decision
- 011

Correction, retest, and resume decision

6 SIGN-OFF SLOTS / ALL NOT_SIGNED

- Field-validation lead

not_signed
- Accountable site operator

not_signed
- Accessibility review

not_signed
- Data and permission review

not_signed
- Safety and stop review

not_signed
- Evidence custodian

not_signed

ALL FIELD VALUES REMAIN NULL / UNKNOWN / NOT_OBSERVED · THIS IS NOT A MEASURED MAP

SOURCE visual/assets/dazhongsi-field-validation-pack.json

Field pack

3 collection routes, 5 collection points, 11 evidence-receipt types, 6 sign-off slots; all pending authorization, unobserved, unsigned.
Audit 215/215 passes; tampering that presents the template as measured fails closed.
The unknown / not_observed / not_signed boundary stays visible across the public page and figures.

Field responsibility and evidence template; no measured values.

Dazhongsi Synthetic Drill and Failure Tests

Synthetic fixtures · not a field record · passing proves no site access or risk clearance

SUITE ID DAZHONGSI-DRILL-01

PACK DAZHONGSI-FIELD-OPS-01 · MVP DAZHONGSI-MVP-01

LEDGER SHA-256 86ebfa7655e4cc79fb9d155d22cb62c821a131ec5e4882d71153e7dd13bd5507

SYNTHETIC ONLY

Contract-logic verification only: no field data, no permission, no entity confirmation, no operating commitment.

Field values stay null · unknown · not_observed · not_signed

Six categories · 21/21 pass

- 1

Positive

DRILL-POS-01—04

All conditions verified → chain/receipts/accountability pass

PASS
- 2

Negative

DRILL-NEG-01—04

Any unverified condition refuses the start

PASS
- 3

Withdrawal

DRILL-WDR-01—03

Withdrawal at any stage maps to receipt + halt

PASS
- 4

Service interruption

DRILL-INT-01—03

Each of six triggers pauses/stops the run

PASS
- 5

Recovery

DRILL-REC-01—03

4 conditions + 3 signatures + same-method retest

PASS
- 6

Accessibility

DRILL-ACC-01—03

No-data equivalence covers 3/3 MVP scenarios

PASS

21 cases · all 6 required categories covered

6—6—4 gate state machine



Any insufficient-evidence step halts; not_observed is not risk cleared

8 negative fixtures · all fail-closed

- FIX-DROP-RECEIPT

Drop one receipt

exit 1
- FIX-FILL-OBSERVED

Fill an observed value

exit 1
- FIX-BREAK-EVIDENCE-LINK

Break evidence link

exit 1
- FIX-DUP-RECEIPT-ID

Duplicate receipt ID

exit 1
- FIX-DROP-STOP-CONDITION

Drop withdrawal stop

exit 1
- FIX-SECOND-ACCOUNTABLE

Add second accountable

exit 1
- FIX-DROP-CASE-ID

Drop case ID

exit 1
- FIX-FLIP-NO-DATA

Disable no-data equivalence

exit 1

Meta check: case-ID set pinned incl. itself · a skipped case fails

21

synthetic cases · six categories

21 / 21

passing · exit code 0

8 / 8

negative fixtures fail-closed

6 / 6

required categories 100%

Synthetic contract tests are not field evidence; full recalculation follows official or field data.

SOURCE visual/assets/dazhongsi-drill-tests.json · evidence c880c438...a45bbf · baseline c55ef181...4d656


Drill

The synthetic drill covers charter, licensing, annotation, withdrawal, settlement and the no-data path; 21/21 pass and 8/8 negative fixtures fail as designed.

The drill proves the workflow is executable, not real-site performance. All cases run on synthetic data; no personal or real operational data.

Synthetic drill and failure-test matrix; negative cases are part of the evidence.

Plan alignment and evidence boundary



Alignment

The Haidian portal's 2026-08-17 public version confirms the 2024-2035 label, bounds, nine block codes, 16.7 km² and 75 functional zones. Approval number, exact date, complete text (PDF 404), statutory drawings and cleared vectors remain unretrieved; textual bounds are not digitized. Official publication is not approval, endorsement or implementation of this submission.

Official process / reported approval / official publication tiers and prohibited-inference boundary.

12 scenarios · 3 industry tests

SCN-01 Community Data-Charter Table	SCN-02 Provenance and Licence Clinic	SCN-03 Visible Data-Work Studio	SCN-04 Synthetic-Data Benchmark Cell industry test
SCN-05 Temporary-Use Licence Cell industry test	SCN-06 Controlled-Compute Test Room industry test	SCN-07 Bias and Representation Review Table	SCN-08 No-Data Equivalent Service Stop
SCN-09 Derivative-Chain Withdrawal Drill	SCN-10 Annual Public-Return Settlement Hall	SCN-11 Cultural-Memory Contribution Stop	SCN-12 Algorithm-Use Register Kiosk

Phasing · evidence boundary · review entry

PHASE-001 · Charter and synthetic-data pilot

Charter table, provenance clinic and synthetic benchmarks first; every loop is reversible and withdrawable.

PHASE-002 · No-data main line and controlled-compute integration

The walking/cycling line links governance stations; controlled compute stays subject to fire, power, cooling, noise and cybersecurity review.

PHASE-003 · Derivative receipt and public-return evaluation

Withdrawal drills and annual public-return settlement follow complete evidence; no investment scale or schedule is promised.

□□□□ / AUDIT TOKENS□□□□□ · □□□□□□

DATA-COOP-REVIEW-SPINE-01 = 966cd7eed4227078342f4bcd5aacf039438f7720a1049fcebe9a67413411e7ee
DAZHONGSI-FIELD-OPS-01 = 4613343f7943bc81207db0fc3c8ad2a98bc97fb1e4f0442eb215f1e36a773a61
DAZHONGSI-DRILL-01 = 86ebfa7655e4cc79fb9d155d22cb62c821a131ec5e4882d71153e7dd13bd5507
DATA-COOP-PLAN-ALIGNMENT-01 = fa284ec31ae8fc68a88a3b73ef9b3eb2cf9278f597b9df55ae3f0d391d45adda
evidence-signature = c880c438924399d40267391551669d937dcfc5e144850eb511a45bbf024c4a52
sources = JINGZHANG-PLAN-PARTICIPATION-NOTICE-20250208 ; JINGZHANG-PLAN-APPROVAL-REPORT-20260812 ; JINGZHANG-PLAN-OFFICIAL-PUBLICATION-20260817
baseline_upstream_main = c55ef181cbfd1c636b04a644d17c64eaf464d656 · freeze = 704cdf5ed33b31ab4fcd115f20f715224e7fdbf5
Reproduce: six read-only Node audits incl. evidence-consistency.js; four-gate self-check and preflight rerun after manifest refresh.