


JING-ZHANG TWO ANSWERS · CIVIC ADOPTION COMPILER


Space, stop and receipt are reviewable on page one; 84 cases are synthetic and field performance is unknown.

THREE LANDMARKS AT A COMPARABLE SCALE · RING, GATE AND PORCH READ WITHO



S7 · 1:50 ASSEMBLY NODE

ramp / tactile + removable barrier + evidence plate + temporary power + rain edge



All dimensions are reviewable prototype assumptions pending survey and professional accessibility, fire, utility and equipment review.

12 × 7 = 84 / 84 PASS

T0 SYNTHETIC CONTRACT VERIFIED

E2 DOCUMENTED PROTOTYPE READY

FIELD PERFORMANCE UNKNOWN

ONE COMPILER, DIFFERENT SPATIAL TYPES


- T2 · bypass encloses inner ring
- S2 · three routes cross service gate
- S7 · public cross beside trial bay

ADOPT

REVISE

STOP

ALLOWED STATE MACHINE · ILLEGAL JUMPS BLOCK PUBLICATION



THREE PAGE-ONE CONCLUSIONS

- 01 · ring, gate and porch are spatial types
- 02 · illegal transition blocks publication
- 03 · field unknown never masquerades as known

90-SECOND VALUE ROUTE

Space, stop and decision are the three entry questions.

90 SECONDS · THREE QUESTIONS ONLY

015 SEC

WHAT IS THE URBAN SPACE?

public cross + spine, stations, wings



0245 SEC

WHERE IS AI, AND HOW DOES IT STOP?

one reversible bay; PAUSE closes boundary



0390 SEC

WHO DECIDES ADOPTION?

receipt at porch; humans adopt / revise / stop


ADOPT
REVISE
STOP

Then enter the ten-minute audit: space → kit → operation → measure → exit.

SOURCES, DATA GAPS + EVIDENCE LEVELS

E2 means preparation documents exist, not field completion.

PERMANENT PUBLIC GROUND + REVERSIBLE TRIAL + EVIDENCE EDGE



01 · PERMANENT PUBLIC GROUND
cross, waiting, shade, rain and staffed service
complete with AI off

02 · TIMED REVERSIBLE OCCUPATION
southeast bay, buffer, control and isolated power
TRIAL only; closes in PAUSE

03 · PUBLIC EVIDENCE INTERFACE
porch, state, appeal, decision and exit
complete with AI off

04 · OPEN-DATA GAP
no invented building or area claim
complete with AI off

RENEWAL ORDER
PATH → EDGE → PLUG-IN
Repair path and edge before equipment.

E0
official + open sources

E1
concept spatial design

E2
kit, permits, forms + packages


E3/E4
trial + adoption pending

OVERALL URBAN DESIGN

The structure is carried by continuous public space, not scenario dots.

ONE PUBLIC BASELINE · THREE CIVIC ADOPTION COMPILERS

Urban fabric, continuous space, six stitches and three landmark archetypes




Map data © OpenStreetMap contributors · ODbL · 2026-08-13

Map data © OpenStreetMap contributors · ODbL · 2026-08-13 · concept layout pending official base

SPINE · STATIONS · WINGS

THREE DISTINCT SPATIAL TYPES



PUBLIC CROSS STAYS OPEN

AI ENTERS ONE REVERSIBLE BAY

DECISION REMAINS AT THE PORCH

T0 SYNTHETIC VERIFIED · E2 DOCUMENTED · NOT FIELD-RUN

Dazhongsi OSM has one building feature; no existing fabric is invented.

FIVE-SECOND CLAIM

BASELINE STANDS FIRST

AI THEN ENTERS PAIRED PROOF



REGIONAL ADOPTION LOOP


- 01 PUBLIC PROBLEM
- 02 REPRODUCE
- 03 PAIRED TEST
- 04 HUMAN DECIDE
- 05 ARCHIVE

T0 SYNTHETIC VERIFIED · E2 DOCUMENTED · NOT FIELD-RUN

BASELINE, USE, MOBILITY + BLUE-GREEN


Permanent ground, evidence interface and trial occupation remain independent.

PERMANENT PUBLIC GROUND + REVERSIBLE TRIAL + EVIDENCE EDGE




NO-REGRESSION JOURNEY · ROUTES, ACCESS, BLUE-GREEN, FIRE + FALLBACK

PUBLIC ROUTE, ACCESS, INTERCHANGE + BLUE-GREEN



1:200 SECTION · THE TRIAL NEVER CAPTURES THE PUBLIC ROUTE



SECTION CHECK
4.0m continuous route + tactile guidance
Risk-reviewed buffer separates route and trial bay

FIVE-STEP FAILURE FALLBACK

- 01 STOP EQUIPMENT
 - 02 CLOSE TRIAL EDGE
 - 03 STAFF COMPLETE SAME TASK
 - 04 BOTH PUBLIC ROUTES OPEN
 - 05 LOG, APPEAL, REVIEW
- Recovery duration remains unknown / not field run

01 PERMANENT PUBLIC GROUND

Public cross, waiting, shade, rainwater and staffed service remain complete with AI off.

02 REVERSIBLE TRIAL OCCUPATION

Bay, buffer, control and E-stops enter the southeast only during permitted windows.

03 EVIDENCE + FALLBACK

Staff posts, appeal, fire, evacuation and removal routes remain locatable.

THREE LANDMARKS + CITY EVIDENCE MILE

One identity, three unmistakable spatial archetypes.




VERIFICATION RING

Complete public bypass around the controlled ring.



TRANSLATION GATE

Three no-account routes pass staffed service.




RECEIPT PORCH

Public cross stays open; trial stays on one side.

REGIONAL CAPABILITY EXCHANGE + GLOBAL MECHANISM

Capability enters the city only after reproduction, controlled proof and human decision.



PUBLIC PROBLEM TO KNOWLEDGE ASSET · INPUT, OWNER + FAILURE EXIT AT EVERY S'



Annual receipts return to the public problem ledger; no promotional ranking


ZHONGZHIYUAN · VERIFICATION RING

Enclosure, bypass, observation, stop and removal operate together.




T2 · Controlled robot-pedestrian-accessibility test · 1:200

Prototype dimensions, not field measurements; the baseline route never crosses the AI trial boundary




AI ORIGIN · TRANSLATION GATE

Three passages, staffed desk, closable plug-in wall and review room.





S2 · International arrival and civic-service navigation · 1:200

Prototype dimensions, not field measurements; the baseline route never crosses the AI trial boundary



DAZHONGSI LINK + 1:2000 PLAN

Directional interfaces and open-data gaps are separate; exact exits are not invented.




CITY LINKS ARE DIRECTIONAL
Rail, heritage park and quadrant links await survey and official exit data.


1:2000 PROTOTYPE DECISION
The public cross stands all day; bay, porch and removal gate stay on one side.

S7 1:500 DETAIL + 1:200 SECTION

Routes, curbs, posts, E-stops, fire access and removal are directly legible.



1:200 SECTION · THE TRIAL NEVER CAPTURES THE PUBLIC ROUTE



TWO PUBLIC ROUTES

North–south and east–west accessible routes stay open in all states.

ONE-SIDED SAFETY EDGE

Two E-stops, 1.5m buffer and barrier never enter the public cross.

REMOVAL + RECOVERY

Equipment follows a separate route to storage or supplier recovery; public use returns.

S7 1:50 NODE, LAYERED ASSEMBLY + FOUR STATES

Permanent baseline, removable plug-in and evidence interface remain distinct through assembly and retirement.

ASSEMBLY AXON · ROUTE, BAY, PORCH, BLUE-GREEN EDGE

01 PERMANENT BASELINE
cross, tactile, ramps, shade, rain

02 REVERSIBLE AI TRIAL
separate bay, barriers, control, two E-stops

03 PUBLIC EVIDENCE + EXIT
staffed porch, status, appeal, storage and restoration

Reviewable prototype proposal; quantities calculated, formal unit and total prices pending quotation.

S7 · 1:50 ASSEMBLY NODE

ramp / tactile + removable barrier + evidence plate + temporary power + rain edge

REVERSIBLE TRIAL EDGE

E01 EVIDENCE


POWER

RAIN-GARDEN EDGE

Legend:
● B01 · baseline first
● A01 · plug-in on one side
● E01 · decision publicly visible
● E02 · E-stop outside route

All dimensions are reviewable prototype assumptions pending survey and professional accessibility, fire, utility and equipment review.

ALLOWED STATE MACHINE · ILLEGAL JUMPS BLOCK PUBLICATION



TWELVE SCENES, SIX PROFILES + FALLBACK

AI failure never cancels baseline service, human review or appeal.

THREE RECEIPTS · ONE PROTOCOL, THREE SPACES

T2 · LOOP COURT

BASELINE

complete public bypass

AI INCREMENT

controlled robot loop

ZERO-TOLERANCE

collision / buffer intrusion

ADOPT · REVISE · STOP

E1 ESTABLISHED · E2-E4 PENDING

S2 · POROUS CIVIC HALL

BASELINE

no-account staffed service

AI INCREMENT

closable navigation plug-in

ZERO-TOLERANCE

misdirection / no staff review

ADOPT · REVISE · STOP

E1 ESTABLISHED · E2-E4 PENDING

S7 · CIVIC ADOPTION STATION

BASELINE

public cross stays open

AI INCREMENT

one-side low-speed bay

ZERO-TOLERANCE

route loss / E-stop failure

ADOPT · REVISE · STOP

E1 ESTABLISHED · E2-E4 PENDING

NINE-SCENE CATALOGUE · REPLICATE ADDRESS, OWNER + STOP; NEVER PERFORMANCE

T1

T3

S1

S3

S4

S5

S6

S8

S9

SIX PROFILES · AI FAILURE NEVER CANCELS BASIC RIGHTS

01 · Wheelchair user

BASELINE

4m route + curb ramps

FALLBACK + APPEAL

staff escort to evidence porch

02 · Blind pedestrian

BASELINE

tactile + static signs

FALLBACK + APPEAL

human guide; dynamic navigation off

03 · Older adult, no phone

BASELINE

staffed counter + paper receipt

FALLBACK + APPEAL

no-account appeal + staff review

04 · Resident + caregiver

BASELINE

shade, seats + water

FALLBACK + APPEAL

staff desk completes same task

05 · International team

BASELINE

bilingual arrival desk

FALLBACK + APPEAL

human interpretation + sign-off

06 · Night operator

BASELINE

lit route + manual ledger

FALLBACK + APPEAL

two E-stops, storage + close review

SAME-TASK FALLBACK: plug-in off → staff complete → log → porch appeal → committee review

12 / 12 TRACEABLE

Every scene links node, component, owner, denominator, stop and recovery.

BASELINE NEVER REGRESSES

Public tasks remain possible without smartphone, account or AI.

APPEAL + REVIEW

Failure records enter the public receipt with a human review date.

Public sources + prototype assumptions · E2 documented · not built / not field-run

13

CIVIC ADOPTION YEAR + PUBLIC KNOWLEDGE


Programme outputs are receipts, reusable packs and review dates, not promotional rankings.

CIVIC ADOPTION YEAR · 90-DAY PILOT, FOUR SEASONS + RECEIPT

FOUR PUBLIC CYCLES



S7 · 90-DAY MINIMUM PILOT



CIVIC ADOPTION RECEIPT · NOT FIELD-RUN

TASK / USER · S7 / SAME PEOPLE

BASELINE · public cross + conventional interchange + staff

AI INCREMENT · one-side timed low-speed bay

STOP + RECOVERY · staff takeover; clock ends when both routes reopen

ADOPT

REVISE

STOP

RACI + ENTRY GATE

01 · asset / site lead

02 · ordinary-service staff


03 · safety lead (not dual-rolled)

04 · data recorder / public representative

permit, post or baseline missing — NO TRIAL

E0 / E1 COMPLETE · E2–E4 PENDING

PUBLIC PROBLEM TO KNOWLEDGE ASSET · INPUT, OWNER + FAILURE EXIT AT EVERY S



Annual receipts return to the public problem ledger; no promotional ranking

SPRING · BASELINE AUDIT

Verify access, static guidance, staffed roles and maintenance first.

SUMMER · OPEN PROOF

Developers reproduce capability and record failure inside controlled bounds.

AUTUMN · CIVIC ADOPTION

Residents compare paired routes; committee signs adopt / revise / stop.

WINTER · ASSET + EXIT REVIEW

Audit maintenance, retirement, knowledge archive and next review date.

E2 KIT, PERMITS, RACI + 90-DAY DELIVERY

Preparation documents are complete; field entry gates remain open.

E2 PROTOTYPE READINESS · PERMITS, QUANTITIES, FORMS, ROLES + RECEIPT

01 · EIGHT PERMIT GATES

Written site-use and asset-owner consent

PENDING

Ownership, boundary and existing-condition survey

PENDING

Fire access, egress apron and temporary-structure review

PENDING

Audit of accessible routes, ramps, tactile guidance and staffed service

PENDING

Temporary power, protection and isolation responsibility

PENDING

Isolated network, data minimisation and log-retention rule

PENDING

Conventional-interchange priority, operating window and traffic approval

PENDING

Equipment safety, insurance, emergency stop and supplier removal duty

PENDING

02 · REPRODUCIBLE KIT / QUOTE PENDING

KIT-PAV-01	Permeable paving	920 sqm
KIT-ACC-01	Continuous tactile guidance	168 linear_m
KIT-ACC-02	Accessible ramps	4 unit
KIT-BGR-01	Rain gardens	240 sqm
KIT-SHA-01	Shade bays	6 bay
KIT-FUR-01	Public benches	12 unit
KIT-WAT-01	Drinking-water points	2 unit
KIT-LGT-01	Low-level lighting	16 unit
KIT-SAF-01	Removable barriers	48 module
KIT-SAF-02	Dual emergency-stop posts	2 unit

TOTAL = DESIGN QUANTITY × PENDING MARKET QUOTE

03 · FIVE BLANK FORMS

FORM-BASELINE

Baseline service log

date_time · weather · user_profile_optional · task_attempt

FORM-TRIAL

Controlled trial log

permit_gate_complete · four_posts_present · trial_start · trial_end

FORM-INCIDENT

Incident and stop-event form

event_time · trigger · stop_authority · equipment_isolated

FORM-RECOVERY

Recovery drill and space-restoration form

clock_start · ordinary_task_completed · north_south_route_open · east_west_route_open

FORM-RECEIPT

Civic adoption receipt

task · same_users · ordinary_baseline · ai_increment

E2 = DOCUMENTED READINESS

NOT PERMITTED · NOT BUILT

NOT FIELD-RUN

04 · CIVIC ADOPTION RECEIPT

S7 / SCN-010 · TEMPLATE ONLY

TASK

S7 SAME-TASK INTERCHANGE

BASELINE

public cross + interchange + staff

AI INCREMENT

southeast timed reversible bay

DENOMINATOR

100 eligible passages / mode

ZERO TOLERANCE

collision / intrusion / E-stop / route loss

RACI

01 · asset / site

02 · baseline service

03 · safety (independent)

04 · data recorder

05 · public representative

ADOPT

REVISE

STOP

ONE OPERATING DAY · SIX STEPS CONNECT SPACE, OWNER + EXIT

DAY-01

OPEN

DAY-02

OPEN

DAY-03

TRIAL

DAY-04

PAUSE

DAY-05

OPEN

DAY-06

RETIRE

Opening check of public cross

Opening check of public cross, tactile guidance, ramps, lighting and staffed posts.

Conventional interchange

Conventional interchange runs independently and establishes a non-identifying baseline log.

After permits and checks

After permits and checks are complete, open one controlled trial in the southeast bay.

On a stop trigger, equipment

On a stop trigger, equipment halts, staff complete the task and the public cross stays open.

Before close, compare baseline

Before close, compare baseline and trial logs; the receipt remains adopt, revise or stop only.

Equipment follows the removal

Equipment follows the removal route to storage or supplier return; the bay returns to ordinary use.

RECOVERY CLOCK: stop command → staff complete baseline → both public routes open

No target before E2 drill; formal quote, field performance and adoption remain pending.

DAYS 0–30 · BASELINE ONLY

Verify first; assemble routes, waiting, shade, staff and receipt porch.

DAYS 31–45 · BASELINE WINDOW

Record seven operating days; if incomplete, do not advance.

DAYS 46–75 · CONTROLLED TRIAL

Open AI only after eight permits and independent safety role are complete.

DAYS 76–90 · EXIT + RECEIPT

Drill stop, restore space, review publicly and sign the decision.

Public sources + prototype assumptions · E2 documented · not built / not field-run


15

VERIFICATION, RISK, SOURCES + NEXT GATES

Rules can compile first; survey, permits, assembly and field operation must prove real performance.

CIVIC ADOPTION COMPILER · 84 SYNTHETIC CASES, PERMIT GATES + FIELD UNKNOWNNS

ALLOWED STATE MACHINE · ILLEGAL JUMPS BLOCK PUBLICATION



12 × 7 = 84 · DETERMINISTIC DESIGN-CONTRACT MATRIX

	BASE	PERMIT	ROLE	REGRESS	ZERO	RECOVER	RETIRE
SCN-001	PASS	PASS	PASS	PASS	PASS	PASS	PASS
SCN-002	PASS	PASS	PASS	PASS	PASS	PASS	PASS
SCN-003	PASS	PASS	PASS	PASS	PASS	PASS	PASS
SCN-004	PASS	PASS	PASS	PASS	PASS	PASS	PASS
SCN-005	PASS	PASS	PASS	PASS	PASS	PASS	PASS
SCN-006	PASS	PASS	PASS	PASS	PASS	PASS	PASS
SCN-007	PASS	PASS	PASS	PASS	PASS	PASS	PASS
SCN-008	PASS	PASS	PASS	PASS	PASS	PASS	PASS
SCN-009	PASS	PASS	PASS	PASS	PASS	PASS	PASS
SCN-010	PASS	PASS	PASS	PASS	PASS	PASS	PASS
SCN-011	PASS	PASS	PASS	PASS	PASS	PASS	PASS
SCN-012	PASS	PASS	PASS	PASS	PASS	PASS	PASS

84 / 84 PASS · INPUT HASHED · RULE VERSIONED · FIELD RESULT COUNT = 0

SYNTHETIC RECEIPT EXAMPLE

SCN-010-T05 · ZERO-TOLERANCE EVENT

INITIAL

TRIAL

EVENT

zero_tolerance_event_detected

EXPECTED / OBSERVED

PAUSE / PAUSE

ACCOUNTABLE TRIGGER

safety lead stops immediately

RECOVERY EXIT

staffed task + route restoration

KNOWN DESIGN

geometry, quantity, documents

SYNTHETIC

rule consistency, not performance

FIELD UNKNOWN

safety, efficiency, acceptance, cost

synthetic_design_verification verifies only design-state, admission, stop, recovery and retirement rules; not field safety, transport efficiency, public acceptance or approval.