


BASELINE FIRST. AI MUST EARN CIVIC ADOPTION.



DRAW THE RECEIPT INTO

one spine · three stations · two wings · six stitches · twelve no

- ☐ T1 · Open model and data provenance reproduction
- ☒ **T2 · Controlled robot-pedestrian-accessi**
- ☐ T3 · Edge compute energy, noise and offline degradation test
- ☐ S1 · Staffed enterprise service with optional AI triage
- ☒ **S2 · International arrival and civic-service**
- ☐ S3 · Open knowledge matching and community problem worksh
- ☐ S4 · Staffed Jing-Zhang heritage tour with optional AI narration
- ☐ S5 · Static accessible wayfinding with optional dynamic assistanc
- ☐ S6 · Shade, rest and extreme-weather service prompts
- ☒ **S7 · Conventional transit interchange wit**
- ☐ S8 · Staffed public-service desk with optional AI information guic
- ☐ S9 · Conventional event operations with aggregate flow assistanc

NOT FIELD-RUN · E1 CONCEPT DESIGN


ONE SPINE · THREE STATIONS · TWO WINGS

Three hero scenarios turn AI from a deployment project into a reversible civic choice through same-task, same-user, same-space public tests.

KNOWN 12 / 3 / 9 / 3 scenarios / heroes / components / stations
NOT FIELD-RUN 12 / 12 All operational outcomes await field establishment; no fabricated results.
AUTHORITY HUMAN ADOPT / REVISE / STOP
01 BASELINE
02 SAME TASK
03 NO REGRESSION
04 RECORDABLE
05 HUMAN AUTHORITY

LOOP COURT, POROUS HALL, TRANSIT FORECOURT.

T2 · Controlled robot trial



Zhongzhiyuan Capability Validation Court · 1:2000


Concept scale and design dimensions; verify official base, survey and engineering conditions

T2 · Controlled robot-pedestrian-accessibility test · 1:200

Prototype dimensions, not field measurements; the baseline route never crosses the AI trial boundary



S2 · International arrival




AI Origin Public Translation Hall · 1:2000


Concept scale and design dimensions; verify official base, survey and engineering conditions

S2 · International arrival and civic-service navigation · 1:200

Prototype dimensions, not field measurements; the baseline route never crosses the AI trial boundary



S7 · Transit interchange




Dazhongsi Civic Adoption Field · 1:2000

Concept scale and design dimensions; verify official base, survey and engineering conditions

S7 · Conventional transit interchange with optional low-speed feeder · 1:200

Prototype dimensions, not field measurements; the baseline route never crosses the AI trial boundary



DRAW PROOF, DECISION AND EXIT AS A CIVIC RECEIPT.

01 Baseline stands alone	02 Same task-user-space	03 Common metrics recorded	04 Human evidence review	05 Public decision & restore
ADOPT		REVISE	STOP	

T2 Controlled robot–pedestrian–accessibility test BASELINE AI EVIDENCE HUMAN Stop T2 when safety, rights, data minimisation, human takeover or reliable degradation fails; the human lead has final authority. NOT FIELD-RUN · DECISION PENDING	S2 International arrival and civic-service navigation BASELINE AI EVIDENCE HUMAN Stop S2 when safety, rights, data minimisation, human takeover or reliable degradation fails; the human lead has final authority. NOT FIELD-RUN · DECISION PENDING	S7 Conventional transit interchange with optional low-speed feeder BASELINE AI EVIDENCE HUMAN Stop S7 when safety, rights, data minimisation, human takeover or reliable degradation fails; the human lead has final authority. NOT FIELD-RUN · DECISION PENDING
---	---	--

T2 · Controlled robot–pedestrian–accessibility test · 1:200 Prototype dimensions, not field measurements; the baseline route never crosses the AI trial boundary B01 · 3.0 m public bypass 3.0 m public bypass 1.5 m safety buffer 1.5 m safety buffer AI · 4.0 m controlled loop 4.0 m controlled loop E02 · human E-stop sightline	S2 · International arrival and civic-service navigation · 1:200 Prototype dimensions, not field measurements; the baseline route never crosses the AI trial boundary B01 · 3.0 m passage 3.0 m passage bilingual staffed desk bilingual staffed desk AI · closeable plug-in wall closeable plug-in wall E02 · review back office	S7 · Conventional transit interchange with optional low-speed feeder · 1:200 Prototype dimensions, not field measurements; the baseline route never crosses the AI trial boundary B01 · conventional forecourt conventional forecourt 1.5 m buffer 1.5 m buffer AI · separate trial bay separate trial bay E02 · evidence + E-stop desk
---	---	--

T1 · Open model and data provenance reproduction Z08 – SEC-Z-01 B01 · B02 · A02 · E01 · E03 Stop and restore registered	T3 · Edge compute energy, noise and offline degradation test Z04 – SEC-Z-01 B01 · B02 · A02 · E01 · E02 · E03 Stop and restore registered	S1 · Staffed enterprise service with optional AI triage A02 – SEC-A-01 B01 · B02 · A03 · E01 · E03 Stop and restore registered	0–6 months Data, audit, civic baseline No progression without gate approval: asset destination is pre-registered.	6–12 months Three 1:1 baseline prototypes No progression without gate approval: asset destination is pre-registered.
S3 · Open knowledge matching and community problem workshop A04 – SEC-A-01 B01 · B02 · B03 · A03 · E01 · E03 Stop and restore registered	S4 · Staffed Jing-Zhang heritage tour with optional AI narration SP-04 – SEC-SP-01 B01 · B02 · B03 · A03 · E03 Stop and restore registered	S5 · Static accessible wayfinding with optional dynamic assistance SP-05 – SEC-SP-01 B01 · B02 · B03 · A03 · E02 · E03 Stop and restore registered	12–24 months Controlled paired AI tests No progression without gate approval: asset destination is pre-registered.	24–36 months Adopt, revise or stop No progression without gate approval: asset destination is pre-registered.
S6 · Shade, rest and extreme-weather service prompts SP-06 – SEC-SP-01 B01 · B02 · B03 · A03 · E01 · E03 Stop and restore registered	S8 · Staffed public-service desk with optional AI information guide O05 – SEC-O-01 B01 · B02 · B03 · A03 · E01 · E03 Stop and restore registered	S9 · Conventional event operations with aggregate flow assistance O04 – SEC-O-01 B01 · B02 · B03 · A03 · E01 · E02 · E03 Stop and restore registered		