
SMALLTALK PROJECT

Andres Barragan
Computer Science
University of Arizona
Tucson, Az 85721
andresbarragan@email.arizona.edu

Jackson Troyer
Computer Science
University of Arizona
Tucson, Az 85721
jacksontroyer@email.arizona.edu

April 7, 2020

1 Introduction

2 History

Smalltalk, like many different languages, has developed and branched to the point where a number of different variants exist in one form or another. And it itself began as a variant of another language, namely Simula, the language supposedly being made on a dare as a version of that language based on message passing. It would go on to become one of the first ever object oriented programming languages in history, and many others to come would draw inspiration from it and its design principles, including Ruby, Java, Python, and Objective C. As far as its own use, it was originally released to a specified number of universities and firms, before seeing a general release. As of now, so far as my limited research can tell, it seems to be kept alive by a dedicated core group of users, like most languages that don't completely dominate the professional field.

3 Control Structures

Smalltalk's unique design comes from the fact that it's an OOP language built around message passing. This means most actual work inside the program is done by individual objects, or instances of objects, passing messages back and forth from one another. In some ways this works in quite recognizable manners, a method returning a value is thought of as one object invoking a method, and then getting the output back in the form of a message. There is no direct if statement. A value which evaluates to True or False is sent to ifTrue and ifFalse statements, which then have potential blocks of statements which in turn pass their messages on to whatever came above them. Loops work much the same, there are either iterations or regular while loops, which constantly test a given input and run a code block every time it evaluates to false. So far as I can tell, this regular control flow is fairly simplistic, not many more advanced forms exist, or at least advanced forms that I could easily find, such as switch cases or dowhile statements. As an OOP language, most of the rote control flow is handled by the design of the program itself, with some objects handling calling methods from other objects, passing messages between them to produce the correct output, which isn't a function of the language itself, but does imply a large amount of the expected design of programs written in this language.

4 Data Types

5 Subprograms

6 Summary

References

[1] Jigyasa Grover. <https://learnxinyminutes.com/docs/smalltalk/>.

[1]